Mosaic Tiles












Mosaic Tiles


Essential style in artful design


A collection of visually appealing mosaic tiles that add a unique expression and dynamism to spaces. Offered in different patterns & color combinations, formats, and sizes, the design possibility is endless - able to create stunning environments in all kinds of architectural requirements.




Mosaic Tiles


Plain





Subtle and simple, plain mosaic tiles serves as a classic piece that complements any space.






Alternating colors same that of a chess board revitalizes both residential and commercial spaces.


Chess






Exciting unexpected interest perfect for


2 colour random mix






random mix of colors creating a pattern of contemporary spaces


3 or more colour random mix






A bold combination of different hues and colors bringing artistically dramatic effect to spaces.

2.5 x 2.5 cm / 0.98" x 0.98"



5 x 5 cm - 1.96" x 1.96"



How to Install Mosaic Tiles



Before you start

For better results, start by making sure the wall's surface is flat, clean and dry. If there is paint, it is recommended to lightly sand the surface.



Prepare the surface

Switch off the power to electrical outlets.

Take out decorative wall plates and other accessories anchored to the wall.

Protect the countertop and other surfaces.



Draw reference lines

To determine the layout of the mosaic tiles, draw a vertical line in the centre of the area to be tiled.

Draw a horizontal line to mark the position of the first row.



Install a tile finishing trim

Install a tile finishing trim at the edge of the tiled surface with flat head nails.

Using a 3/16" notched trowel, spread a thin coat of tile adhesive over a small section of wall, to one side of the vertical line. Hold the trowel at a 45° angle.

Cover an area of 3 to 4 linear feet at a time.



Spread the adhesive

With the notched side of the trowel, make grooves in the adhesive. The grooves should all be made in the same direction.

Dampen the adhesive if it starts to harden.



Lay the first sheet

Lay the first mosaic tile sheet using the reference lines as a guide. Cut sheet to fit, if necessary.

Place tile spacers along the countertop so the tiles don't rest directly on it. Later, silicone will seal the gap between the two materials.



Verify adherence

Gently push the sheet into the adhesive to make sure it adheres well to the wall.



Lightly tap the tiles

Lightly tap the tiles with a rubber mallet to make sure the sheets are firmly set on the wall.



Caulk the joints

Continue installing the first row of mosaic tile sheets, working from the centre of the wall outwards. Separate each sheet with tile spacers to ensure even spacing. The gap between each sheet should be the same width as the gap between the individual tiles.

With a level, check that the tiles are flat and even.

Adjust with a rubber mallet if necessary.

Cover the entire surface,

section by section.



Wipe off excess adhesive

When all the tiles are installed, wipe off excess adhesive with a damp sponge.
Wait 24 to 48 hours before grouting.



Apply the grout

Mix the grout according to the manufacturer's instructions. The grout's colour should be even and have the consistency of toothpaste.

Remove the tile spacers and

dampen the mosaic with clean water.
Using a rubber grout float,

Using a rubber grout float, work the grout into the joints. Hold the float at a 45° angle.

Apply the grout section by

section, on a surface of 10 sq. ft. at a time. Don't apply grout to gaps separating the tiles from another type of material, like the countertop or cabinets.

Remove excess grout.

Then, clean the surface with a damp sponge, working diagonally over the tiles.

Rinse the sponge often, using as little water as possible so as not to dilute the grout.




Finish by applying grout and silicone sealers

After 24 hours, when the grout is completely dry, apply grout sealer to the joints.
Finally, after about 10 days, caulk the expansion joints with silicone sealer.


11























21


















Product range

4	Atlantis marble	34
	Alicante	3
	Basic concrete	36
	Bryce	37
	Bavaria	36
	Caliza	38
	Cementina	38
	Ceppo di Gre' stone	39
	City stone	40
	Coral Stone	40
	Core stone	4
	Design Concrete	4
	Detroit Metal Brick	43
	Evoque Metal Brick	42
	Flag stone	44
	Fashion Stone	44
	Fusion stone	4
	Jade Stone	36
	Lime Rock	46
	Loft Brick	4
	Lotus	48
	Marble Collection	48
	Marakkesh	49
	Meleca	50
	Montana	50
	Maremma	5
	Orion collection	5
	Revive Concrete	5
	Rhode island	54
	Surface 2.0	5
	Salento	56
	Subway	5
	Swimming pool	58
1	White collection	56



Atlantis marble




















atlantis marble mosaic 2.5x2.5



atlantis marble mosaic 5x5




atlantis marble mosaic 2.5x2.5




atlantis marble mosaic 5x5


Colour



atlantis marble white



atlantis marble white rustic



atlantis marble brown

Ardesia



















ardesia mosaic 5x5

Colour

ardesia

mosaic 2.5x2.5



ardesia white

Pressed Mosaics

Alicante














alicante mosaic 2.5x2.5



mosaic 5x5




alicante mosaic 2.5x2.5



35

alicante mosaic 5x5


Colour




alicante light gery

alicante light beige

mosaic 2.5x2.5 29.7 x29.7 cm 11.69"x11.69"








Basic concrete





basic concrete mosaic 2.5x2.5



basic concrete mosaic 5x5



basic concrete mosaic 2.5x2.5




basic concrete mosaic 5x5

Colour







basic concrete dark grey basic concrete grey

basic concrete dark beige

Bavaria | Jade Stone



















bavaria | Jade stone mosaic 2.5x2.5



bavaria | Jade stone mosaic 5x5



bavaria | Jade stone mosaic 2.5x2.5



bavaria | Jade stone mosaic 5x5

Colour





bavaria ivory

bavaria beige

Pressed Mosaics

Bryce











mosaic 2.5x2.5



mosaic 5x5



mosaic 2.5x2.5



37

bryce mosaic 5x5

Colour









Sizes

mosaic 2.5x2.5 29.7 x29.7 cm 11.69"x11.69"



mosaic 5x5 31 x31 cm 12.20"X12.20"



Caliza
















caliza mosaic 2.5x2.5



caliza mosaic 5x5



caliza mosaic 2.5x2.5



caliza mosaic 5x5

Colour



caliza ivory

caliza beige

Cementina



















cementina mosaic 2.5x2.5



cementina mosaic 5x5



cementina mosaic 2.5x2.5



cementina mosaic 5x5

Colour



cementina anthracite



cementina beige

Pressed Mosaics

Ceppo di Gre' stone













ceppo di gre' stone mosaic 2.5x2.5



ceppo di gre' stone mosaic 5x5





ceppo di gre' stone mosaic 2.5x2.5




ceppo di gre' stone mosaic 5x5

Colour








ceppo di gre' stone light grey ceppo di gre' stone mid grey ceppo di gre' stone beige

Sizes

mosaic 2.5x2.5 29.7 x29.7 cm 11.69"x11.69"



mosaic 5x5 31 x31 cm 12.20"X12.20"

cementina grey

City stone




















city stone mosaic 2.5x2.5



city stone mosaic 5x5




city stone mosaic 2.5x2.5




city stone mosaic 5x5

Colour





city stone anthracite





city stone bone city stone grey

Coral Stone



















coral stone mosaic 2.5x2.5



coral stone

mosaic 5x5



coral stone mosaic 2.5x2.5



coral stone mosaic 5x5

Colour







coral stone light grey coral stone grey coral stone ivory

Pressed Mosaics

Core stone













core stone mosaic 2.5x2.5



core stone mosaic 5x5



core stone mosaic 2.5x2.5




41

core stone mosaic 5x5

Colour











Sizes

mosaic 2.5x2.5 29.7 x29.7 cm 11.69"x11.69"



mosaic 5x5 31 x31 cm 12.20"X12.20"



Design Concrete





design concrete mosaic 2.5x2.5



design concrete mosaic 5x5



design concrete mosaic 2.5x2.5



design concrete mosaic 5x5

Colour



design concrete white



design concrete light grey



design concrete grev





design concrete beige


design concrete nut

Evoque Metal Brick





evoque metal mosaic 2.5x2.5



evoque metal mosaic 5x5




evoque metal mosaic 2.5x2.5




evoque metal mosaic 5x5

Colour



evoque metal brick ivory



evoque metal brick green



Pressed Mosaics

Detroit Metal Brick






detroit metal brick mosaic 2.5x2.5



detroit metal brick mosaic 5x5




detroit metal brick mosaic 2.5x2.5




detroit metal brick mosaic 5x5

43


Colour



detroit metal brick light grey



detroit metal brick grey




detroit metal brick taupe




detroit metal brick brown

mosaic 2.5x2.5 29.7 x29.7 cm 11.69"x11.69"




mosaic 5x5 31 x31 cm 12.20"X12.20"



Flag stone





flag stone mosaic 2.5x2.5



flag stone mosaic 5x5




flag stone mosaic 2.5x2.5



flag stone mosaic 5x5

Colour



flag stone light grey



flag stone light sand



flag stone sand














fashion stone mosaic 2.5x2.5




fashion stone mosaic 5x5



fashion stone mosaic 2.5x2.5





mosaic 5x5



fashion stone ivory

44











Pressed Mosaics

Fusion stone





fusion stone mosaic 2.5x2.5



fusion stone mosaic 5x5



fusion stone mosaic 2.5x2.5



fusion stone mosaic 5x5

Colour

Sizes

mosaic 2.5x2.5

29.7 x29.7 cm


11.69"x11.69"






mosaic 5x5

31 x31 cm 12.20"X12.20"









45

Fashion Stone



flag stone white
















fashion stone

Colour



fashion stone light grey



fashion stone grey









Lime Rock



















lime rock mosaic 2.5x2.5



lime rock mosaic 5x5



lime rock mosaic 2.5x2.5




lime rock mosaic 5x5

Colour



lime rock white





lime rock anthracite



lime rock ivory



lime rock beige

lime rock iron

Pressed Mosaics

Loft Brick













loft brick mosaic 2.5x2.5



loft brick mosaic 5x5




loft brick mosaic 2.5x2.5




47

loft brick mosaic 5x5


Colour



mosaic 2.5x2.5 29.7 x29.7 cm 11.69"x11.69"



mosaic 5x5 31 x31 cm 12.20"X12.20"



Lotus




















lotus mosaic 2.5x2.5



mosaic 5x5




lotus mosaic 2.5x2.5



lotus mosaic 5x5

Colour







lotus black

lotus ivory

Marble Collection

lotus anthracite



lotus grey















marble collection mosaic 5x5



marble collection mosaic 2.5x2.5



marble collection mosaic 5x5

Colour

marble collection

mosaic 2.5x2.5





whirl marble light grey

cappuccino ivory

Pressed Mosaics

Marakkesh














marakkesh mosaic 2.5x2.5



marakkesh mosaic 5x5



marakkesh mosaic 2.5x2.5




49

marakkesh mosaic 5x5


Colour



mosaic 2.5x2.5 29.7 x29.7 cm 11.69"x11.69"



mosaic 5x5 31 x 31 cm 12.20"X12.20"



Meleca























meleca mosaic 2.5x2.5



meleca mosaic 5x5




meleca mosaic 2.5x2.5



meleca mosaic 5x5

Colour



meleca grey

meleca light beige

Montana

















mosaic 5x5

montana mosaic 2.5x2.5











Colour



montana white

montana grey





mosaic 2.5x2.5

Pressed Mosaics

Maremma











maremma mosaic 2.5x2.5



maremma mosaic 5x5




maremma mosaic 2.5x2.5



maremma mosaic 5x5

Colour







maremma grev




maremma dark brown




maremma orange

maremma sand





51

maremma copper




maremma cotto





mosaic 5x5 31 x 31 cm 12.20"X12.20"



Orion collection


















orion collection mosaic 2.5x2.5



orion collection mosaic 5x5



orion collection mosaic 2.5x2.5



orion collection mosaic 5x5

Colour



statuario bianco



cerius grey

bianco vena

cerius black

onyx avion

new onyx ivory





new diano dark beige

Revive Concrete














revive concrete mosaic 2.5x2.5



revive concrete mosaic 5x5




revive concrete mosaic 2.5x2.5




53


revive concrete mosaic 5x5

Colour










revive concrete concrete grey revive concrete graphite grey revive concrete cloud grey




revive concrete blade beige revive concrete summer sand




revive concrete pitch black

Sizes

mosaic 2.5x2.5 29.7 x29.7 cm 11.69"x11.69"



mosaic 5x5 31 x31 cm 12.20"X12.20"



Rhode island


















rhode island mosaic 2.5x2.5



rhode island mosaic 5x5




rhode island mosaic 2.5x2.5



rhode island mosaic 5x5


Colour




rhode island white


rhode island light grey











rhode island anthracite

Pressed Mosaics

Surface 2.0













surface 2.0 mosaic 5x5



surface 2.0 clay

surface 2.0 mosaic 2.5x2.5



surface 2.0 mosaic 5x5

surface 2.0 charcoal

55


Colour


surface 2.0

mosaic 2.5x2.5




Sizes





mosaic 5x5 31 x31 cm 12.20"X12.20"



Salento















salento mosaic 2.5x2.5



salento mosaic 5x5




mosaic 2.5x2.5



salento mosaic 5x5

Colour





salento beige

White collection



salento grev

















white collection mosaic 2.5x2.5



white collection mosaic 5x5




white collection mosaic 2.5x2.5



white collection mosaic 5x5

Colour



frolic white

milton white

Pressed Mosaics


Subway












subway mosaic 2.5x2.5




subway mosaic 5x5




subway mosaic 2.5x2.5

subway graphite grey




subway mosaic 5x5


Colour




subway white



subway light grey



subway dark grey





subway iyory




57

subway nero





mosaic 5x5 31 x 31 cm 12.20"X12.20"



Swimming pool































700 sky blue





700 light blue














Sizes

mosaic 2.5x2.5 29.7 x29.7 cm 11.69"x11.69"









TECHNICAL FEATURES

GRES WHITE BODY TILES (BIIA):

Gres white body tiles are created by mixing raw materials including high quality white or red clays, quartz and feldspar in wet grinding ball mills. After grinding, a clay-based suspension of these materials called a slip is fed out of the mill then spray-dried to remove excess moisture. Following the spray drying process, the free flowing powder is pressed using advanced hydraulic presses with a specific pressing power exceeding 300 kg/cm2 in order to obtain a compact gres body. Once dried, the tiles are coated and decorated with glazes to make them aesthetically pleasing and meet our customers design requirements.

The glazed tile body is then fired in roller kilns where temperatures of approximately 1200 °C are reached. The resulting product is normally a medium-to-low porosity (3% to 5%) tile, in compliance with the International Standard ISO 13006 and European Standard UNI EN 14411 standard and rated as belonging to the BIIa GL group with notable technological specifications such as the product flexural strength (average value: 30N/mm2 according to UNI EN ISO 10545-4).

As for wear resistance, this will depend on the type and colour of glazing and may change according to different products or collections. As a general rule, bright finishes are not recommended for heavy traffic floors or rooms opening onto outdoor areas, where sand or other abrasive materials are more likely to be brought in.

ADVICE ON LAYING

Our gres white body tiles can be laid using either traditional cement mortar or modern tile adhesives. When laying large size tiles, it is best to adopt the two-layer spreading system to ensure the adhesive is spread over 90 % of the tile surface.

Quickly dipping each tile in water before installation will remove any dust on the back of the tile for perfect adhesion, however, do not wet the tiles if you are using vinyl, acrylic resin adhesives or two-component organic-solvent based adhesive.

It is advisable to always incorporate suitable shrinkage-flexion joints (movement/expansion joints) which must not be spaced more than 4-5 metres apart from one another. These joints must be inserted not only between the tiles, but also reach the levelling compound below, consisting of either cement mortar or dry compound, depending on whether the tiles are set in the traditional manner or using a modern adhesive. The movement joints must be sealed with appropriate materials such as silicone or polyurethane-based sealants, depending on the anticipated traffic of the application area.

Appropriate tile bedding layers should be used such as underlay, damp course, vapour barrier or any other layer necessary to prevent the tiles from detaching themselves or cracking due to water penetration.

TECHNICAL CHARACTERISTICS - GRES WHITE BODY TILES (BIIA)

	Test Description	Standard Test Method	International Standard ISO 13006	RAK Ceramics Specifications
\longleftrightarrow	Length & Width	BS EN ISO 10545-2	+/- 0.6%	+/- 0.3%
=	Thickness	BS EN ISO 10545-2	+/-5.0%	+/- 5.0%
	Rectangle Squareness	BS EN ISO 10545-2	+/- 0.5%	+/- 0.4%
90°	Straightness of sides	BS EN ISO 10545-2	+/- 0.5%	+/- 0.3%
	Surface Flatness	BS EN ISO 10545-2	+/- 0.5%	+/- 0.4%
H ₂ 0	Water Absorption	BS EN ISO 10545-3	3% < E <= 6%	3% <e <="6%</th"></e>
$\frac{\downarrow}{\uparrow\uparrow}$	Modulus of Rupture	BS EN ISO 10545-4	>=22 N/mm2	>=30 N/mm2
KG ↑ ↑	Breaking Strength	BS EN ISO 10545-4		
	Thickness > = 7.5mm		>=1000N	>=1100N
				>=800N
	Thickness < = 7.5mm		>=600N	>=000N
[Q)	Resistance to surface abrasion	BS EN ISO 10545-7	Manufacturer to state Abrasion Class	Class 2 - 4
<u>+</u>	Resistance to Thermal Shock	BS EN ISO 10545-9	No visible defect	No visible defect
桜	Crazing Resistance	BS EN ISO 10545-11	No crazing	No crazing
	Resistance to chemicals	BS EN ISO 10545-13	No visible effect	No visible effect
*	Resistance to stains	BS EN ISO 10545-14	Manufacturer to state class	Stain removed Min. class 4
<u></u>	Scratch Hardness : (Moh's)	EN 101	-	4-6

Note: Shade variation across the batches is inherent to the manufacturing process and the pre-laying colour comparison is recommended.

MAINTENANCE AND CLEANING OF TILES

Maintenance of ceramic and porcelain tiles on dry surfaces is relatively easy. RAK Ceramics tiles are highly scratch and stain resistant.

- By regularly sweeping the floor, you can help avoid scratches that small pebbles or sand can create.
- Make it a habit to always wipe the soles of your shoes on a mat before entering the house. Thoroughly wipe up any spills using plain warm water.
- While they are not likely to stain your ceramic tiles, spills may stain the grout between the tiles and if they are left to sit for too long, may also stain the actual tiles.
- Plain water is the ideal cleaner because it leaves no residue if you dry the surface of the tiles thoroughly after cleaning.
- If tiles are left wet after cleaning, there may be some unsightly mineral residue after the water dries, but this can easily be removed by spot cleaning.
- If stains resist cleaning with water alone, you can use a mild acidic solution, such as white vinegar. Use it highly diluted and rinse with plain water then dry.
- As food stains are acidic in nature, try using a mild alkaline solution.
- Use common detergents sparingly, rinse with plain water and dry thoroughly.

RAK CERAMICS CARE EXCLUSIVE POST INSTALLATION CLEANING SERVICE

We have collaborated with Fila, a leading company in cleaning, protection and maintenance of ceramic surfaces to offer an exclusive cleaning service to address our customers post installation concerns.

Cleaning after laying is of vital importance as a lot of unseen debris and reactive chemicals can affect the visual appearance of the ceramic material. With this new service, our customers can take advantage of Fila's professional on-site consultation. For more info please visit www.rakceramics.com



TILE-LAYING RECOMMENDATIONS

All RAK Ceramics products are subject to size and shade variations. Please check the size, batch number, caliber, tone, choice, color, quality of the pieces before the installation, as no claims will be accepted once the tiles are installed.

Place some tiles on the floor - 2 or 3 sqm - and check the overall technical and aesthetic characteristics with care and check if there is enough product to finish the work.

Manufacturer's responsibility is only limited to replacement of defective material if any, prior to fixing of tiles and we will not entertain claim of any nature after the tiles are installed.

Therefore, if any issue is found on the delivered product, the contractor for installation or the client should not install the tiles. The issue should be communicated to RAK Ceramics for investigation and further action for resolution as required.

The substrate must be a compact cement bed. Levelling system ensures flatness between tiles avoiding movements during the mortar setting. This reduces the time for the ceramic laying obtaining a perfect lippage-free finish. Avoid movements between the tiles due to the mortar setting.

The width of grout joints must be established by the installation supervisor, unless grout widths are regulated by national laying standards. The grout colour should be selected according to the colour of the tile. We recommend to select a matching colour. Before using fine-grain coloured grout on lapped, polished or brushed products, always test it. If the pigment is very adhesive, it may be very difficult to remove.

We recommend to lay the tiles by using suitable adhesives for each kind of product and surface. As general rule, tiles must be installed in the same position. The minimum joint is 2 mm for rectified tiles, although we suggest a higher joint for big size products. After grouting, remove any excess product as quickly as possible by repeatedly washing the area with a sponge and water.

Steps to follow 1. First, set the tool to the scale according to the ceramic thickness. 2. Introduce the crossheads and continue laying the adjacent tiles. 3. Put the wedges in the crosshead manually. 4. Tighten the wedges with the pliers to level the pieces. 5. Allow for setting for the time recommended by the manufacturer of the adhesive cement. 6. Remove the crossheads. Hit the crosshead with a rubber mallet or with your foot in the direction of the joint. Do not hit the wedges.

The company will not accept any claim if this is due to the problems caused by not following these suggestions and instructions.



LATICRETE IS A RECOMMENDED PARTNER OF RAK CERAMICS

Product Guide

ICONS

TYPOLOGY



EDGE

STRAIGHT

SURFACE STRUCTURE



Tiles with an even and regular surface, free from perceptible projections, lumps, or indentations.

FINISH



Pressed tiles without further work after firing.

NATURAL

SURFACE LOOK



Natural looking surface.



The resulting surface has a medium degree of reflection.

INDICATIONS FOR USE



WALL TILES

SUGGESTED APPLICATIONS



Residential areas, hotel rooms, bathrooms

In printing, colour of the products may differ slightly from actual, pictures are only for reference.

RAK CERAMICS P.O. Box 4714, Ras Al Khaimah, United Arab Emirates (U.A.E.) Tel.: +971 7 2467000 Fax: +971 7 2445270

Email: info@rakceramics.com

RAKCERAMICS.COM

