




OSCAR CERAMICS

289/B, Rafaleshwar G.I.D.C., 8-A National Highway, At. Rafaleshwar, Morbi - 363 642, Gujarat, INDIA.

Cell: -91 9099 103333

-mail: patel6464@gmail.com, nfo@vogueceramiche.com

www.vogueceramiche.com






VOCUE VOCUE

Living in a healthy Home environment.

Azulejos Esmaltados Porcelanato Digitales







Wood Collection

bright & fresh

Innovative thought and technological breakthroughs at the Vogue Ceramiche have led to the creation of a new collection of tile, Woodstrip.

This tile brings the warmth and pleasure of wood effects to tile surfaces.

This collection features tiles in colors ranging from gray to brown to white that offer styles from the rustic, slightly worn appearance of old wood to the dynamic, crispness of fresh cut pine. The color variety of this collection makes it ideal for creating atmospheres both eclectic and sophisticated.

Features

"FOR HEAVENS OF RELAXATION AND TRANQUILITY".

A floor for relaxed living should radiate a warm atmosphere, and be durable and easy to maintain. When it is also as quiet as a whisper, it is perfectly suitable for all areas of your home where there is a lot of hustle and bustle.





ECO-FRIENDLY

A commitment to the environment acquired from the design stage onwards, ensuring optimum surface characteristics to improve product durability with minimum maintenance.



NO MAINTENANCE

Easy and fast to install. no need to have a special sub floor preparation and only require the use of a unilateral glue, so they save time and reduce installation expenses.



UNALTERABLE

Vogue's wood strip surface can withstand the effects of sunlight, with its original colour and shade remaining unaltered.



ANTI SLIP SURFACE

Anti-slip flooring that combines a natural feel surface with a high slip resistance for safe grip.



HARDNESS

Vogue's wood strip is a porcelain tile range capable of withstanding wear and tear by medium pedestrian traffic.



RESISTANT TO FIRE

Vogue's wood strip is rated as fire proof. Not only is it non-combustible, but it also acts as a barrier in the event of fire.



RECTIFIED

The machined edges of the planks ensure added dimensional performance and visual appeal.



EASY TO CLEAN

Thanks to its low porosity and high chemical resistance, this is an easy-to-clean product.

Unique

Traditional craft meets high tech

Along with decidedly attractive aesthetics, Vogue wood strips also provides exceptional performance. Its strong, compact surface is resistant to freezing and bad weather, so it can even be installed outside, providing aesthetic continuity with the interior flooring.

Vogue wood strips are practical, strong and requires no particular attention. It is easily sanitised and can be used for floors and wall coverings in bathroom and wellness spaces with no problems.

The flooring faithfully reproduces the appearance and structure of wood parquet, communicating all the emotion and warmth of natural materials.


Vogue wood strips floor tiles guarantee an elegant, impeccable image over time; it is the ideal solution for creating a warm, refined atmosphere in boutiques, restaurants, bars and areas open to the public.


















CLARA WOOD WHITE (200)

Phase 9



CLARA WOOD CREMA (200)

Phase 9



CLARA WOOD SANDLE (200)

Phase 9



CLARA WOOD NATURAL (200)

Phase 9



CLARA WOOD VERDE (200)

Phase 9




CLARA WOOD COFFEE (200)













SAHARA BEIGE (201)

Phase 10



SAHARA BROWN (201)

Phase 10



SAHARA VERDE (201)

Phase 10



SAHARA BIANCO (201)

Phase 10



SAHARA BLACK (201)

















ALPINE WHITE (200) Phase 10



ALPINE BEIGE (200) Phase 10



ALPINE NATURAL (200) Phase 10



ALPINE BROWN (200) Phase 10



ALPINE GREY (200) Phase 10









ATENA WHITE (201) Phase 9



ATENA CREMA (201) Phase 9



ATENA BROWN (201) Phase 9



ATENA GREY (201) Phase 9




ATENA WENGUE (201) Phase 9



random wall / floor tiles use 3mm space





AUTUMN GRIS (201) Phase 9



AUTUMN OLIVE (201) Phase 9



AUTUMN NATURAL (201) Phase 9











COSTER WOOD GREY (201) Phase 8



COSTER WOOD BEIGE (201) Phase 7



COSTER WOOD COPPER (201) Phase 8



MAPPLE BEIGE (201)



MAPPLE OLIVE (201) Phase 5



MAPPLE BROWN (201) Phase 7




MAPPLE COFFEE (201) Phase 7



MAPPLE GREY (201) Phase 7



random wall / floor tiles use 3mm space

















MARINE WOOD CREMA (201)

Phase 8



MARINE WOOD GRIS (201)

Phase 8



MARINE WOOD BROWN (201)

Phase 8



MARINE WOOD VERDE (201)

Phase 8



OAK WOOD BEIGE (200) Phase 8



OAK WOOD BROWN (200) Phase 8











TERRA BEIGE (201) Phase 7



TERRA CHERRY (201) Phase 7



TIVOLI CREMA (201) Phase 7



TIVOLI BROWN (201) Phase 7











VALMONT COFFEE (201) Phase 12



AFRICAN WOOD BLACK (201) Phase 7




AFRICAN WOOD RUST (201) Phase 7











AMARA BEIGE (201) Phase 8



AMARA BROWN (201) Phase 8













AMAZON WHITE (200)



AMAZON DOVE (200) Phase 10



AMAZON BEIGE (200) Phase 10



Phase 10 AMAZON CHOCO (200)




COLUMBIA PINE (200) Phase 11



COLUMBIA ROSSA (200) Phase 11











ASCOT BROWN (200) Phase 6



ASCOT CAFE (200) Phase 6



ASCOT OLIVE (200) Phase 6



BARK WOOD BEIGE (203) Phase 11



BARK WOOD BROWN (203) Phase 11



BARK WOOD NOCE (203) Phase 11











BARMA IVORY (200) Phase 6



BARMA BROWN (200) Phase 6



BARMA TEAK (200) Phase 6











EUROPA WHITE (200) Phase 7



EUROPA WHITE DECORE (200) Phase 3















CANVAS WOOD CREMA (203)

Phase 11



CANVAS WOOD NATURAL (203)

Phase 11



CANVAS WOOD GRIS (203)

Phase 11



CANVAS WOOD SMOKE (203)

Phase 11



FLOREST BEIGE (201) Phase 9



FLOREST WHITE (201) Phase 9











GRAIN WOOD BEIGE (200) Phase 11



IRON WOOD MINT (203) Phase 10



IRON WOOD RUST (203) Phase 10



IRON WOOD YELLOW (203) Phase 10











KASHMIR WOOD TEAK (201) Phase 14



KASHMIR WOOD WENGUE (201) Phase 14



KASHMIR WOOD BROWN (201) Phase 14



MIAMI BIANCO (201) Phase 12



MIAMI BLACK (201) Phase 12












NEW PORT BROWN (203) Phase 8











OXFORD IVORY (201)



OXFORD TEAK (201) Phase 8



OXFORD BROWN (201) Phase 7



OXFORD NATURAL (201) Phase 8







Preview & close up of: PAINT WOOD AZUL











PAINT WOOD BIANCO (200)

Phase 7



PAINT WOOD GRIS (200)

Phase 7



PAINT WOOD BROWN (200)

Phase 7



PAINT WOOD AZUL (200)

Phase 7



PINE WOOD CREMA (201)

Phase 10



PINE WOOD GOLD (201)

Phase 10



PINE WOOD BROWN (201)

Phase 10



PINE WOOD NATURAL (201)

Phase 10



PINE WOOD CHERRY (201)

Phase 10



PINE WOOD WHITE (201)

Phase 10



PINE WOOD SMOKE (201)

Phase 10













Preview & close up of: PINE WOOD CHERRY











POPULAR CREMA (200)

Phase 6



POPULAR GOLD (200)

Phase 6



POPULAR NATURAL (200)

Phase 6



POPULAR BLACK (200)


Phase 6





OLD WOOD WHITE (200)





OLD WOOD AZUL (200) Phase 8



OLD WOOD CAFE (200) Phase 9











TIMELINE WHITE (200) Phase 4



TIMELINE RUST (200) Phase 4











SATVARIO VIVID (200)

Phase 18



SATVARIO VIVID (200)

Phase 18



SATVARIO VIVID (200)

Phase 18



SATVARIO VIVID (200)

Phase 18



SAND STONE BEIGE (200)

Phase 11



SAND STONE BEIGE DECOR (200)

Phase 3



SAND STONE WHITE (200)

Phase 11



SAND STONE WHITE DECOR (200)

Phase 3



SAND STONE GREY (200)



























URBAN WHITE (203)

Phase 15



URBAN WHITE DECOR (203)



URBAN WHITE DECOR (203)



URBAN WHITE DECOR (203)



VINTAGE BROWN (201) Phase 14



VINTAGE VERDE (201) Phase 14



VINTAGE COFFEE (201) Phase 14











TIMBER BIANCO (200) Phase 10



TIMBER GRIGIO (200) Phase 10



Phase 10 TIMBER SABBIA (200)



ELEGANT PINE (200) Phase 8




ELEGANT BRONZE (200) Phase 8



ELEGANT NATURAL (200) Phase 8











BURNT WOOD ORANGE (200) Phase 8



CARBON WHITE (200) Phase 8



CARBON BLACK (200) Phase 6







TECHNICAL SPECIFICATION

Sr No.	CHARACTERISTICS	ISO TEST METHODS	VITRIFIED TILES REQUIREMENT AS PER ISO 13006 Bla / EN176 Bla	VITRIFIED TILES IS 15622 : 2006 GROUP Bla	VOGUE VALUE				
А	Dimension & Surface Quality								
1	Deviation in Length & Width	ISO 10545-2	+/- 0.6 %	+/- 0.1 %	+/- 0.1 %				
2	Deviation in Thickness	ISO 10545-2	+/- 5.0 %	+/- 4.0 %	+/- 3.5 %				
3	Straightness of sides	ISO 10545-2	+/- 0.5 %	+/- 0.1 %	+/- 0.08 %				
4	Rectangularity	ISO 10545-2	+/- 0.6 %	+/- 0.1 %	+/- 0.1 %				
5	Surface Flatness	ISO 10545-2	+/- 0.5 %	+/- 0.2 %	+/- 0.2 %				
6	Color Difference	ISO 10545-2	Unaltered	Unaltered	No Change				
В	Physical Properties								
1	Water Absorption	ISO 10545-3	≤ 0.5%	≤ 0.08%	0.05%				
2	Flexural Strength (MOR)	ISO 10545-4	≥ 35 N mm²	≥ 44 N mm²	44				
3	Mohs Hardness	EN 101	≥ 6	≥ 6	7				
4	Flexural Breaking Strength	ISO 10545-4	> 1300 N	> 1500 N	1900 N				
5	Bulk Density (GM/CC)	DIN 51082	> 2 gm/cc	> 2.2 gm/cc	2.35 gm/cc				
6	Slip Resistance Coefficient of Friction	ISO 10545-17	≥ 0.4	≥ 0.4	≥ 0.6				
С	Chemical Properties								
1	Staining Resistance	ISO 10545-14	Resistant	Resistant	Resistant				
2	Household Chemicals	ISO 10545-13	No Damage	No Damage	No Damage				
D	Thermal Properties								
1	Thermal Shock Resistance	ISO 10545-9	No Damage	No Damage	Passed				
2	Thermal Expansion	ISO 10545-8	9x10 ⁻⁶ Max.	9x10 ⁻⁶ - k ⁻¹ Max.	Passed				
3	Moisture Expansion	ISO 10545-10	Nil	Nil	Passed				

Vogue Values given above are our own values, Which we tries to maintain, how ever test results may differ up to the limit prescribed under ISO 13006 / EN 176 Group Bla

PACKING DETAILS

SERIES	TILE SIZE	NO. OF TILES / BOX	WEIGHT / BOX (approx)	COVERAGE AREA / BOX (approx)	COVERAGE AREA / BOX (approx)
Digital GVT	200x1200mm	5 pcs.	27.5 kg.	1.20 sq. mtr.	12.92 sq. ft.

Note:
Colour Shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.