

# THE TOP<sup>by PCS</sup>

## COUNTERTOPS EN PORCELANATO





**Explora tu potencial creativo en una superficie que te brinda la máxima resistencia y funcionalidad. Grande en tamaño, inmensa en posibilidades.**

Esplora il tuo potenziale creativo su una superficie che ti offre la massima resistenza e funzionalità. Grandi dimensioni, immense possibilità

Explore your creative potential on a surface that gives you maximum strength and functionality. Large in size, immense in possibilities

PCS ofrece conceptos innovadores en la decoración de interiores. Creamos soluciones completas para cada ambiente, inspirándonos en el verdadero Italian Design.

Nuestro objetivo es seleccionar cuidadosamente las mejores soluciones para el diseño interior y exterior presentando un abanico de propuestas articuladas por materiales, texturas y colores. Somos especialistas en la creación de ambientes altamente creativos y con atmósferas únicas, adaptadas a las necesidades de cada proyecto.

PCS offre concetti innovativi nella decorazione d'interni. Creiamo soluzioni complete per ogni ambiente, ispirandoci al vero Italian Design.

Il nostro obiettivo è selezionare con cura le migliori soluzioni per l'interior e l'outdoor design presentando un ventaglio di proposte articolata per materiali, texture e colori. Siamo specialisti nella creazione di ambienti altamente creativi e dalle atmosfere uniche, calibrate sulle esigenze di ogni progetto.

PCS offers innovative concepts in interior decoration. We create complete solutions for every environment, inspired by the true Italian Design.

Our goal is to carefully select the best solutions for interior and outdoor design by presenting a range of proposals articulated materials, textures and colors. We are specialists in creating highly creative environments with unique atmospheres, tailored to the needs of each project.



La producción de esta colección tiene su sede en Morbi, en el distrito cerámico más importante de la India. La cerámica india ha alcanzado en los últimos 20 años los más altos estándares cualitativos y tecnológicos.

La produzione di questa collezione ha sede a Morbi nel più importante distretto ceramico dell'India. La ceramica indiana ha raggiunto negli ultimi 20 anni i più alti standard qualitativi e tecnologici.

The production of this collection is located in Morbi in the most important ceramic district of India. Over the past 20 years, Indian ceramics have reached the highest quality and technological standards.



Tecnología 100% de vanguardia dedicada a la creación de grandes formatos de porcelanato. La máquina CONTINUA C+ de SACMI permite recrear el proceso natural de la piedra y alcanzar características de alto rendimiento para los productos ofrecidos a nuestros clientes.

Tecnologia 100% all'avanguardia dedicata alla creazione dei grandi formati di pietre sinterizzate. La macchina CONTINUA C+ della SACMI permette di ricreare il processo naturale della pietra e raggiungere caratteristiche altamente performanti per i prodotti offerti ai nostri clienti.

100% cutting-edge technology dedicated to the creation of large sizes of porcelain. The SACMI CONTINUA C+ machine allows us to recreate the natural process of stone and achieve high performance characteristics for the products offered to our customers.



The Top es nuestra colección de porcelanato para countertops que incluye una amplia gama de diseños en acabados mate y glossy. El formato grande permite crear infinidad de combinaciones y soluciones arquitectónicas.

The Top è la nostra collezione di porcellanato per countertop che comprende un'ampia gamma di design in finiture matt e glossy. Il grande formato permette di creare infinite combinazioni e soluzioni architettoniche.

The Top is our porcelain collection for countertops that includes a wide range of designs in matt and glossy finishes. The large format allows creating countless combinations and architectural solutions.



El espesor de 15mm y diversidad de formatos de esta colección, permiten su aplicación en todos los ambientes interiores y exteriores y, abren múltiples posibilidades de uso, especialmente en la creación de countertops, encimeras para mesas, fregaderos integrados y complementos de decoración.

Lo spessore di 15mm e la diversità dei formati di questa collezione, ne consentono l'applicazione in tutti gli ambienti interni ed esterni e aprono molteplici possibilità di utilizzo, in particolare nella creazione di controsoffitti, controsoffitti per tavoli, lavelli integrati e complementi d'arredo.

The thickness of 15mm and diversity of formats of this collection, allow its application in all indoor and outdoor environments and, open multiple possibilities of use, especially in the creation of countertops, countertops for tables, integrated sinks and accessories of decoration.




<b>FULL BODY</b>	<b>15</b>
<b>GLAM SERIES</b>	<b>16</b>
GLAM BARLEY.....	19
GLAM CHARCOAL.....	21
GLAM COCOA.....	23
GLAM CREMA.....	25
GLAM NERO.....	27
GLAM WHITE.....	29
<b>S&amp;P SERIES</b>	<b>31</b>
S&P BLACK.....	33
S&P BROWN.....	35
S&P GREY.....	37
S&P IVORY.....	39
S&P MUSHROOM.....	41
S&P VERDE.....	43
<b>PIXEL SERIES</b>	<b>44</b>
PIXEL BLACK.....	47
PIXEL WHITE.....	49
<b>PLAIN SERIES</b>	<b>51</b>
BROWN.....	53
GRAPHITE GREY.....	55
NANO BLACK.....	57
NANO WHITE.....	59
SMOKE AMBER.....	61
STEEL GREY.....	63
<b>COLOR BODY</b>	<b>64</b>
<b>(GLAZED)</b>	<b>65</b>
AMAZING BLACK.....	67
AMAZON BLACK.....	69
ARMANI GREY.....	71
BIANCO CARRARA.....	73
BLACK DESIRE.....	75
BLACK FUSION.....	77
BRAZILIAN BLACK.....	79
BRAZILIAN GREEN.....	81
CALACATTA LAZA.....	83
CALACATTA LUX.....	85
CALISTO WHITE.....	87
CAPRICE BORGATA.....	89
CARRARA.....	91
CRYSTAL BLACK.....	93
CRYSTAL WHITE.....	95
GOLDEN PORTORO.....	97
INFINITY BLACK.....	99
LAIDER GREEN.....	101
MACEDONIA WHITE.....	103
MARBLE GREY.....	105
MARQUINA.....	107
NATURAL WOOD.....	109
NERO SAINT LAURENT.....	111
ONYX WHITE.....	113
PATAGONIA NATURAL.....	115
PIETRA GREY.....	117
PIETRA NERO.....	119
ROMA WHITE.....	121
SAHARA NOIR.....	123
SATORI STATUARIO.....	125
STATUARIO NATURAL.....	127
STATUARIO PULIDO.....	129
VOLGA BLUE.....	131
WAVE BLACK.....	133
WAVE WHITE.....	135
TECHNICAL SPEC. FULL BODY/GLAM (UNGLAZED).....	136
TECHNICAL SPECIFICATION COLOR BODY (GLAZED).....	139
<b>PACKING LIST</b>	<b>140</b>
PACKING LIST FULL BODY/ GLAM SERIES.....	140
PACKING LIST COLOR BODY.....	140
LIMPIEZA, MANTENIMIENTO Y CUIDADOS .....	141



# THE TOP

by PCS

## PORCELANATO



80X320 CM

80X300 CM

80X240 CM



RECTIFICADO



COUNTERTOP




PAVIMENTO



REVESTIMIENTO



CARAS



MEDIDA



ESPESOR



ACABADO




REVESTIMIENTO

COUNTERTOP

BACKSPLASH

FREGADERO

## PERFILES



## JUNTAS




## VENTAJAS TÉCNICAS

- BAJO MANTENIMIENTO
- SUPERFICIE HIGIÉNICA
- RESISTENTE AL AGUA
- RESISTENTE A IMPACTOS
- RESISTENTE AL HIELO
- RESISTENTE A ARANAZOS
- RESISTENTE A MANCHAS
- RESISTENTE AL FUEGO
- RESISTENTE AL CALOR
- RESISTENTE A LA FLEXIÓN




# FULL BODY







# GLAM SERIES



# GLAM BARLEY



Countertop Glam Barley




80x240 cm  
 80x300 cm  
 15mm  
 Matt Glossy

# GLAM CHARCOAL



Piso, revestimiento  
Glam Charcoal

20




COUNTERTOPS


80x240 cm  
  80x300 cm  
  15mm  
  Matt  
Glossy

21

# GLAM COCOA



Mesa Glam Cocoa



80x240 cm  
 80x300 cm  
 15 mm  
 Matt Glossy

# GLAM CREMA



Countertop Glam Crema

24




80x240 cm  
80x300 cm

15 mm  
Matt Glossy

25

# GLAM NERO



Countertop y backsplash  
Glam Nero



80x240 cm  
 80x300 cm  
 15mm  
 Matt Glossy

# GLAM WHITE

THE TOP



Wall and Floor  
Bianco Laguna

28



COUNTERTOPS


■ 80x240 cm ■ 80x300 cm ■ 15 mm Matt Glossy

29



Countertop y lavabo  
S&P Black

32



COUNTERTOPS

\* Sólo glossy  
Matt  
Glossy

80x240 cm  
80x300 cm\*

15 mm








33



Countertop y piso  
S&P Brown

\* Sólo glossy

Matt

Glossy



Mesones y mobiliario  
S&P Grey

COUNTERTOPS

\* Sólo glossy  
Matt  
Glossy




80x240 cm  
80x300 cm\*



15 mm




Countertop y pared  
S&P Ivory

# S&P MUSHROOM

Countertop y piso  
S&P Mushroom

40



COUNTERTOPS

\* Sólo glossy  
 Matt  
 Glossy



80X240 cm  
80X300 cm\*



15 mm




Matt  
Glossy

41

Countertop  
S&P Verde

42



\* Sólo glossy

Matt

Glossy

80X240 cm  
80X300 cm\*

15 mm






# PIXEL SERIES



# PIXEL BLACK



Countertop y piso  
Pixel Black



\* Sólo glossy

Matt  
Glossy


80X240 cm  
80X300 cm\*

15 mm

# PIXEL WHITE



Countertop y pared  
Pixel White



\* Sólo glossy  
Matt  
Glossy

80X240 cm  
80X300 cm\*

15 mm





Piso y pared  
Brown

52



COUNTERTOPS


\* Sólo glossy  
Matt  
Glossy

80X240 cm  
80X300 cm\*

15 mm

53

# GRAPHITE GREY



Piso y pared  
Graphite grey

54



COUNTERTOPS

80X240 cm  
80X300 cm



15 mm

Matt  
Glossy

55

# NANO BLACK




Countertop y backsplash  
Nano Black

\* Sólo glossy  
Matt  
Glossy

80X240 cm  
80X300 cm\*

15 mm



# NANO WHITE



Countertop y backsplash  
Nano White

58

\* Sólo glossy  
Matt  
Glossy



80X240 cm  
80X300 cm\*



15 mm



Matt  
Glossy


59

# SMOKE AMBER



Countertop y piso  
Smoke amber

60



COUNTERTOPS


\* Sólo glossy  
Matt  
Glossy

61



Piso y pared  
Steel grey

62



80X240 cm  
80X300 cm


15 mm

Matt  
Glossy

63



# COLOR BODY



# AMAZING BLACK

THE TOP



Pared  
Amazing black

66



COUNTERTOPS



3



15mm



67

# AMAZON BLACK



Countertop y backsplash  
Amazon Black

68



1



80x240 cm

15mm



Glossy

69



Mesa, countertop y mobiliario  
Armani Grey

70



80x240 cm  
80x320 cm  
120x320cm  
15mm  
Matt Glossy


 3  
1


80x320 cm  
120x320cm




15mm

# BIANCO CARRARA




Mesa, countertop y mobiliario  
Armani Grey


72




3

Matt  
Glossy

3

Matt  
Glossy

3




73

# BLACK DESIRE



Pared  
Black Desire


74



 
 
! 
 
 
3
80x240 cm
80x300 cm
15mm
Matt
Glossy

75

# BLACK FUSION

Countertop  
Black Fusion

76


3 1 80x240 cm 80x320 cm 15mm Glossy

# BRAZILIAN BLACK

THE TOP



Countertop  
Brazilian Black



31 80x240 cm 15mm Glossy


COUNTERTOPS

# BRAZILIAN GREEN




Mesa  
Brazilian Green

80



# CALACATTA LAZA

Countertop  
Calacatta Laza


Glossy

80x320 cm 15mm

# CALACATTA LUX

Piso y pared  
Calacatta lux

84



3 80x240 cm 15mm Glossy

85

# CALISTO WHITE

THE TOP



Countertop y backsplash  
Calisto White


86



COUNTERTOPS



1



80x320 cm  
120x320cm




15mm

Matt  
Glossy

87

# CAPRICE BORGATA

THE TOP



COUNTERTOPS

\* Sólo glossy  
Matt  
Glossy  
80x240 cm  
80x320 cm\*  
120x320cm\* 15mm



3  
1




1



2



4



# CRYSTAL BLACK

THE TOP



Countertop y backsplash  
Crystal black

92




COUNTERTOPS

80x240 cm  
80x300 cm  
80x320 cm  
15mm  
Matt Glossy



1



80x320 cm



15mm



Matt



Glossy

93

# CRYSTAL WHITE



Countertop y backsplash  
Crystal white

94

80x240 cm  
80x300 cm  
80x320 cm  
15mm  
Matt Glossy



1



95

# GOLDEN PORTORO




Escaleras  
Golden Portoro


96



3



80x240 cm




15mm




Glossy

# INFINITY BLACK



Countertop y backsplash  
Infinity Black




Countertop y pared  
Laider Green

100



101

# MACEDONIA WHITE



Piso  
Macedonia White

102



3


80x240 cm

15mm

Glossy

# MARBLE GREY

THE TOP



Countertop y backsplash  
Marble grey

104



1

80x320 cm

15mm

Glossy

05


COUNTERTOPS

# MARQUINA



Backsplash, countertop y mobiliario  
Marquina

106



3



1



80x240 cm



80x320 cm



15mm



Matt

Glossy

# NATURAL WOOD




# NERO SAINT LAURENT



Piso  
Nero Saint Laurent

110



  3 1   80x240 cm   80x320 cm   15mm   Matt Glossy

# ONYX WHITE



Countertop y backsplash  
Onyx white

112



80x240 cm      80x320 cm  
3 1      120x320cm      15mm      Glossy

# PATAGONIA NATURAL



Piso y pared  
Patagonia natural

114




3 80x240 cm 15mm Glossy



Mesa  
Pietra grey

116



1 80x320 cm



15mm



Matt  
Glossy

# PIETRA NERO



Piso y pared  
Pietra nero

118



80x240 cm  
80x300 cm  
120x320cm  
15mm  
Matt  
Glossy



3



# ROMA WHITE



Mesa  
Roma White

120

80x320 cm 120x320cm 15mm Glossy



121

# SAHARA NOIR



Pared  
Sahara Noir

122



1

80x320 cm

15mm

Matt  
Glossy

123



Countertop, backsplash y pared  
Satori Statuario

124



1 80x320 cm

15mm Matt Glossy


125

# STATUARIO NATURAL



Countertop, Backsplash y pared  
Statuario Natural

126



# STATUARIO PULIDO



COUNTERTOPS

Countertop y backsplash  
Statuario pulido

128

1 80x320 cm 15mm Glossy


129

# VOLGA BLUE



Countertop, pared y mobiliario  
Volga Blue

130



3 1 80x240 cm 80x320 cm 15mm Glossy

131

# WAVE BLACK



Piso y pared  
Wave Black

132

80x240 cm 80x300 cm 15mm Matt


# WAVE WHITE

THE TOP



Countertop  
Wave white

134



3

80x240 cm  
80x300 cm

15mm



Matt

COUNTERTOPS

135

# TECHNICAL SPEC. FULL BODY/GLAM (UNGLAZED)

CARACTERISTICAS	STANDARD ISO 13006:2018	VALOR THE TOP	TIPOLOGIA DE PRUEBA
<b>REGULATORY PROPERTIES</b>			
DEVIATION LENGTH AND WIDTH	± 0.30 % (±1.00MM)	+/- 0.10%	ISO 10545-2
DEVIATION IN THICKNESS	± 5.00 % (±0.50MM)	± 5.00 %	ISO 10545-2
STRAIGHTNESS IN SIDE	± 0.30 % (±0.80MM)	± 0.10 %	ISO 10545-2
RECTANGULARITY	± 0.30 % (±1.50MM)	± 0.10%	ISO 10545-2
SURFACE FLATNESS CENTRAL CURVATURE	± 0.40 % (±1.80MM)	± 0.50%	ISO 10545-2
SURFACE FLATNESS EDGE CURVATURE	± 0.40 % (±1.80MM)	± 0.50%	ISO 10545-2
SURFACE FLATNESS WARPAGE	± 0.40 % (±1.80MM)	± 0.50%	ISO 10545-2
SURFACE QUALITY	> 95% DEFECTS FREE	> 95% DEFECTS FREE	ISO 10545-2
SMALL COLOR DIFERENCE (FOR PLAIN COLOR)	ΔE < 100	ΔE < 0.30	ISO 10545-16
GLOSSINESS (WITH NANO POLISHED)	AS PER MFG.	GLOSS VALUE> 90	GLOSSMETER 60°
GLOSSINESS (MATT)	AS PER MFG.	3° < GLOSS VALUE< 7	GLOSSMETER 60°
GLOSSINESS (SATIN/POSH)	AS PER MFG.	7° < GLOSS VALUE < 18	GLOSSMETER 60°
<b>STRUCTURAL PROPERTIES</b>			
WATER ABSORPTION	≤ 0.50 %	≤ 0.060 %	ISO 10545-3
BULK DENSITY	AS PER MFG.	MIN > 2.28 GM/CC	ISO 10545-3
<b>MASSIVE MECHANICAL PROPERTIES</b>			
MODULUS OF RUPTURE	MIN. 35.0 N/MM <sup>2</sup>	MIN. 40.0 N/MM <sup>2</sup>	ISO 10545-4
BREAKING STRENGTH THICKNESS ≥7.5 (15MM)	MIN. 1300.0 N	MIN. 7500.0 N	ISO 10545-4
<b>SURFACE MECHANICAL PROPERTIES</b>			
MOH'S HARDNESS #	AS PER MFG.	GLOSSY - MIN. 4*/ MATT - MIN. 6	BS EN 15771
^SURFACE ABRASION RESISTANCE #	AS PER MFG.	GLOSSY - MIN. 2/ MATT - MIN. 3	ISO 10545-7
DEEP ABRASION RESISTANCE #	MAX. 175MM <sup>3</sup>	MAX. 132MM <sup>3</sup>	ISO 10545-6
<b>THERMAL HYDROMETRIC PROPERTIES</b>			
MOISTURE EXPANSION	MAX. 0.06%(0.6MM/M)	MAX. 0.02MM/M	ISO 10545-10
THERMAL EXPANSION(COE) AT 100°C	AS PER MFG.	MAX. 6.0 X 10 -6	ISO 10545-8
THERMAL SHOCK RESISTANCE	MIN. 10 CYCLE	MIN. 10 CYCLE	ISO 10545-9
IMPACT RESISTANCE(COR)	MIN. 0.55	MIN. 0.55	ISO 10545-5
FROST RESISTANCE	AS PER MFG.	FROST PROOF	ISO 10545-12
<b>CHEMICAL PROPERTIES</b>			
RESISTANCE TO STAINING GLAZED	MIN. CLASS 3	MIN. CLASS 4	ISO 10545-14
RESISTANCE TO HOUSEHOLD CHEMICALS & SWIMMING POOL SALTS GLAZED	MIN. CLASS GB	MIN. CLASS GA	ISO 10545-13
RESISTANCE TO LOW CONCENTRATE ACID AND ALKALIS GLAZED	AS PER MFG.	MIN. CLASS GLB**	ISO 10545-13
RESISTANCE TO HIGH CONCENTRATE ACID AND ALKALIS GLAZED	AS PER MFG.	MIN. CLASS GHG**	ISO 10545-13
<b>SAFETY PROPERTIES</b>			
SKID RESISTANCE(DCOF-DRY)##	AS PER MFG.	GLOSSY PO (< <sup>12</sup> ) /POSH -> P <sup>1(12-24)</sup>	BS7976-2
SLIP RESISTANCE(DCOF)( R VALUE )##	AS PER MFG.	R9	DIN 51130
FIRE RESISTANCE	AS PER MFG	FIRE PROOF	N.A.

\* With nano technology

\*\* Except Hydrofluoric Acid & its compound

# Unglazed tiles Intended for use on floor

## As per customer requirement





## TECHNICAL SPECIFICATION COLOR BODY (GLAZED)

CARACTERISTICS	STANDARD ISO 13006:2018	VALOR THE TOP	TEST METHOD
<b>STRUCTURAL PROPERTIES</b>			
DEVIATION IN LENGTH AND WIDTH	± 0.30 % (±1.00MM)	± 0.10 %	ISO 10545-2
DEVIATION IN THICKNESS	± 5.00 % (±0.50MM)	± 4.00 %	ISO 10545-2
STRAIGHTNESS IN SIDE	± 0.30 % (±0.80MM)	± 0.10 %	ISO 10545-2
RECTANGULARITY	± 0.30 % (±1.50MM)	± 0.10 %	ISO 10545-2
SURFACE FLATNESS CENTRAL CURVATURE	± 0.40 % (±1.80MM)	± 0.20 %	ISO 10545-2
SURFACE FLATNESS EDGE CURVATURE	± 0.40 % (±1.80MM)	± 0.20 %	ISO 10545-2
SURFACE FLATNESS WARPAGE	± 0.40 % (±1.80MM)	± 0.10 %	ISO 10545-2
SURFACE QUALITY	> 95% DEFECTS FREE	> 95% DEFECTS FREE	ISO 10545-2
SMALL COLOR DIFFERENCE (FOR PLAIN COLOR)	ΔE < 0.75	ΔE < 0.30	ISO 10545-16
GLOSSINESS (POLISHED)	AS PER MFG.	> 90°*	GLOSSMETER 60°
GLOSSINESS (SATIN)	AS PER MFG.	7< GLOSS ≤ 25	GLOSSMETER 60°
<b>STRUCTURAL PROPERTIES</b>			
WATER ABSORPTION	≤ 0.50 %	≤ 0.080 %	ISO 10545-3
BULK DENSITY	AS PER MFG.	> 2.28 GM/CC	DIN51082
<b>MASSIVE MECHANICAL PROPERTIES</b>			
MODULUS OF RUPTURE	MIN. 35.0 N/MM <sup>2</sup>	MIN. 40.0 N/MM	ISO 10545-4
BREAKING STRENGTH THICKNESS ≥7.5 (15MM)	MIN. 1300.0 N	MIN. 6000.0 N	ISO 10545-4
<b>SURFACE MECHANICAL PROPERTIES</b>			
MOH'S HARDNESS#	AS PER MFG.	POLISHED - MIN. 4** / MATT - MIN. 6	BS EN 15771
SURFACE ABRASION RESISTANCE#	AS PER MFG.	POLISHED - MIN. LL** / MATT - MIN. LLL	ISO 10545-7
<b>THERMAL HYDROMETRIC PROPERTIES</b>			
MOISTURE EXPANSION	MAX. 0.06%(0.6MM/M)	MAX. 0.02MM/M	ISO 10545-10
THERMAL EXPANSION(COE) AT 100°C	AS PER MFG.	MAX. 6.0 X 10 -6	ISO 10545-8
THERMAL SHOCK RESISTANCE	MIN. 10 CYCLE	MIN. 10 CYCLE	ISO 10545-9
IMPACT RESISTANCE(COR)#	MIN. 0.55	MIN. 0.55	ISO 10545-5
FROST RESISTANCE	AS PER MFG.	FROST PROOF	ISO 10545-12
CRAZING RESISTANCE AT 7.5 BAR	4 CYCLE	4 CYCLE	ISO 10545-11
<b>CHEMICAL PROPERTIES</b>			
RESISTANCE TO STAINING GLAZED	MIN. CLASS 3	MIN. CLASS 3 /MIN. CLASS 1	ISO 10545-14
RESISTANCE TO HOUSEHOLD CHEMICALS & SWIMMING POOL SALTS GLAZED	MIN. CLASS UB	MIN. CLASS GB/MIN. CLASS AA	ISO 10545-13
**RESISTANCE TO LOW CONCENTRATE ACID AND ALKALIS GLAZED	AS PER MFG.	MIN. CLASS GLB***/MIN. CLASS A***	ISO 10545-13
**RESISTANCE TO HIGH CONCENTRATE ACID AND ALKALIS GLAZED	AS PER MFG.	MIN. CLASS GHG***/MIN. CLASS A***	ISO 10545-13
<b>SAFETY PROPERTIES</b>			
SKID RESISTANCE(DCOF-WET PENDULUM)##	AS PER MFG.	GLOSSY ≥ P0, MATT≥ P1	ANSI/NFSI B101.3-2012
SLIP RESISTANCE POLOSHED / MATT(DCOF)( R VALUE )##	AS PER MFG.	R9	DIN 51130
FIRE RESISTANCE	AS PER MFG	DOES NOT YIELD PB & CD	N.A.

\* Whichever is lower

\*\* With nano technology (Polished Vitrified tiles) Depending on Application area (low or high intensity of traffic)

\*\*\* Except Hydrofluoric Acid & its compound

# Tiles Intended for use on floor

# For Poor Tiles, as per customer requirement



# PACKING LIST

## PACKING LIST FULL BODY/ GLAM SERIES

FORMAT	THICKNESS	PCS./BOX	WEIGH/ BOX	AREA/ BOX	BOX/ PALLET	BOX WT	CONT SIZE	TOTAL PALLET IN CONT	TOTAL BOX IN CONT	TOTAL SQ. MTR IN CONT
80 X 300 CM	15 MM	1 PIEZA	83 KG APROX.	2.4 M <sup>2</sup>	30	84	40 FT	10	300	720
80 X 240 CM	15 MM	1 PIEZA	67 KG APROX.	1.92 M <sup>2</sup>	30	67	20 FT	12	360	691,2

## PACKING LIST COLOR BODY

FORMAT	THICKNESS	PCS./BOX	WEIGH/ BOX	AREA/ BOX	BOX/ PALLET	BOX WT	CONT SIZE	TOTAL PALLET IN CONT	TOTAL BOX IN CONT	TOTAL SQ. MTR IN CONT
120 X 320 CM	15 MM	1 PIEZA	135 KG APROX.	3.84 M <sup>2</sup>	30	135	40 FT	6	180	691,2
80 X 320 CM	15 MM	1 PIEZA	90 KG APROX.	2.56 M <sup>2</sup>	30	89	40 FT	10	300	768
80 X 300 CM	15 MM	1 PIEZA	83 KG APROX.	2.4 M <sup>2</sup>	30	84	40 FT	10	300	720
80 X 240 CM	15 MM	1 PIEZA	67 KG APROX.	1.92 M <sup>2</sup>	30	67	20 FT	12	360	691,2

## LIMPIEZA, MANTENIMIENTO Y CUIDADOS

Para la limpieza diaria, se recomienda agua tibia y posiblemente un detergente doméstico. Se recomienda lo siguiente para la suciedad más pesada:

- Ácido: detergentes ácidos, limpiadores antiincrustantes, eliminadores de cemento, p.ej. Viakal. - Álcali: básico, amoníaco, detergente desengrasante, p.ej. Chante Clair, Cif.
- Disolvente: disolvente universal, diluyente, trementina, alcohol blanco - Oxidante: lejía, peróxido de hidrógeno. Después de su uso, siempre enjuague bien con abundante agua.

For daily cleaning, lukewarm water and possibly a household detergent are recommended. The following are recommended for heavier dirt:

- Acid: acid detergents, de-fouling cleaners, cement remover e.g. Viakal. - Alkali: basic, ammonia, degreasing detergent e.g. Chante Clair, Cif.
- Solvent: universal solvent, thinner, turpentine, white spirit, alcohol - Oxidant: bleach, hydrogen peroxide.

After use, always rinse well with plenty of water.

### GUÍA DE REPARACIÓN:

El astillado muy pequeño se puede reparar. Las manos expertas pueden restaurar fragmentos muy pequeños con resinas epoxi, aunque no es fácil encontrar los tonos correctos y restaurar la superficie original. Una vez reparada la astilla, retirar el exceso de resina con un paño empapado en acetona antes de que se endurezca. Una vez que se haya endurecido, trabajar la resina a mano para hacer la superficie uniforme.

### GUIDE TO REPAIR:

Very small chipping can be repaired. Expert hands can restore very small chipping with epoxy resins, even though it is not easy to find the right tones and restore the original surface. Once the chipping is repaired, remove the excess resin with a cloth soaked in acetone before it hardens. Once it has hardened, work the resin by hand to make the surface uniform.

TIPO DE SUCIO	TIPO DE DETERGENTE
Cerveza, vino, café Beer, Wine, Coffee	Hipoclorito de sodio (lejía) en solución o detergente alcalino Sodium hypochlorite (bleach) in solution or alkaline detergent
Helado Ice cream	Hipoclorito de sodio (lejía) en solución diluida Sodium hypochlorite (bleach) in diluted solution
Goma de neumáticos Tyre rubber	Disolvente orgánico (tricloroetileno) Organic solvent (trichloroethylene)
Grasas y aceite Greases and oil	Detergente a base de álcali Alkali-based detergent
Tinta Inks	Hipoclorito de sodio (lejía) en solución o detergente alcalino Sodium hypochlorite (bleach) in solution or alkaline detergent
Punta de fieltro indeleble indelible felt tip	Disolvente orgánico (tricloroetileno acetona) Organic solvent (trichloroethylene acetone)
Resinas Resins	Disolvente orgánico (trementina, white spirit, thinner) Organic solvent (turpentine, white spirit, thinner)
Líneas de aluminio Lines from aluminium	Detergente ácido o detergente abrasivo en crema/polvo Acid detergent or abrasive cream/powder detergent
Oxido Rust	Detergente a base de ácido Acid-based detergent
Zumo Fruit Juices	Hipoclorito de sodio (lejía) en solución diluida Sodium hypochlorite (bleach) in diluted solution
Otras manchas Other stains	Detergente en crema abrasiva Abrasive cream detergent





Via Quattro Passi 2/A, 41043, Formigine, MO, Italy  
Tel. +39 338 310 0578  
[www.platinum-pcs.com](http://www.platinum-pcs.com)  
[Info@platinum-pcs.com](mailto:Info@platinum-pcs.com)