

COLECCIÓN '25

# ESSENTIAL *Plus*



PLATINUM  
CONCEPT & SOLUTIONS



# INDEX

|    |                              |
|----|------------------------------|
| 04 | ESSENTIAL PLUS               |
| 05 | PLATINUM CONCEPT & SOLUTIONS |
| 06 | ACERCA DE LA COLECCIÓN       |
| 09 | INFORMACIÓN TÉCNICA          |
| 10 | SERIE GLOSSY                 |
| 40 | SERIE MATT                   |
| 60 | SERIE CARVING                |
| 90 | ESPECIFICACIONES TÉCNICAS    |
| 93 | PACKING LIST                 |

## INDEX SERIES

### 12. GLOSSY

- 14. AGATA BEIGE
- 16. AGATA WHITE
- 18. ARMANI BEIGE
- 20. ARMANI SILVER
- 22. BLACK STONE
- 24. DESERT STONE
- 26. LUXURY BRECCIA
- 28. MOON ONYX
- 30. SAND BEIGE
- 32. SAND WHITE
- 34. SEREN MARBLE BEIGE
- 36. SEREN MARBLE GREY
- 38. STRIPED STATUARIO

### 42. MATT

- 44. CONCRETE BEIGE
- 46. CONCRETE CREMA
- 48. CONCRETE GREY
- 50. CONCRETE LIGHT GREY
- 52. NORWAY BIANCO
- 54. NORWAY GREY
- 56. NORWAY IVORY
- 58. NORWAY LIGHT

### 62. CARVING

- 64. CALIZA GREY
- 66. CARRARA BEIGE
- 68. CEMENT BEIGE
- 70. CEMENT GREY
- 72. CEMENT IVORY
- 74. CEMENT SILVER
- 76. FANCY BOTTICINO BEIGE
- 78. FANCY BOTTICINO GREY
- 80. GREY MARFIL
- 82. IMPERIAL GREY
- 84. KLAMATH BEIGE
- 86. KLAMATH SILVER
- 88. STRIPED MARBLE

# ESSENTIAL *Plus*

## CONCEPTO

ES

Essential es la colección donde el diseño atemporal se funde con la elegancia, redefiniendo la versatilidad en gran formato. Cada pieza captura la esencia de la piedra, el mármol y el cemento, ofreciendo diseños que aportan calma y sofisticación.

IT

Essential è la collezione dove il design senza tempo si fonde con l'eleganza, ridefinendo la versatilità in formato grande. Ogni pezzo cattura l'essenza della pietra, del marmo e del cemento, offrendo disegni che apportano calma e raffinatezza.

ENG

*Essential is the collection where timeless design merges with elegance, redefining versatility in a large format. Each piece captures the essence of stone, marble and cement, offering designs that bring calm and sophistication.*



ES

PCS ofrece conceptos innovadores en la decoración de interiores. Creamos soluciones completas para cada ambiente, inspirándonos en el verdadero Italian Design.

Nuestro objetivo es seleccionar cuidadosamente las mejores soluciones para el diseño interior y exterior presentando un abanico de propuestas articuladas por materiales, texturas y colores. Somos especialistas en la creación de ambientes altamente creativos y con atmósferas únicas, adaptadas a las necesidades de cada proyecto.

IT

PCS offre concetti innovativi nella decorazione d'interni. Creiamo soluzioni complete per ogni ambiente, ispirandoci al vero Italian Design.

Il nostro obiettivo è selezionare con cura le migliori soluzioni per l'interior e l'outdoor design presentando un ventaglio di proposte articolata per materiali, texture e colori. Siamo specialisti nella creazione di ambienti altamente creativi e dalle atmosfere uniche, calibrate sulle esigenze di ogni progetto.

ENG

*PCS offers innovative concepts in interior decoration. We create complete solutions for every environment, inspired by the true Italian Design.*

*Our goal is to carefully select the best solutions for interior and outdoor design by presenting a range of proposals articulated materials, textures and colors. We are specialists in creating highly creative environments with unique atmospheres, tailored to the needs of each project.*



ES

La producción de esta colección tiene su sede en el distrito cerámico más importante de la India. La cerámica india ha alcanzado en los últimos 20 años los más altos estándares cualitativos y tecnológicos.

IT

La produzione di questa collezione ha sede nel più importante distretto ceramico dell'India. La ceramica indiana ha raggiunto negli ultimi 20 anni i più alti standard qualitativi e tecnologici.

ENG

*The production of this collection is located in the most important ceramic district of India. Over the past 20 years, Indian ceramics have reached the highest quality and technological standards.*



ES

Gracias a la innovación en maquinaria y al uso de nano tecnología equipada, se obtiene un producto de alta calidad con diseños modernos y acabados impecables.

IT

Grazie all'innovazione nei macchinari e all'utilizzo della nanotecnologia attrezzata, si ottiene un prodotto di alta qualità con design moderni e finiture impeccabili.

ENG

*Thanks to the innovation in machinery and the use of nano technology equipped, you get a high quality product with modern designs and flawless finishes.*



ES

Essential trasciende la mera superficie para convertirse en los cimientos de tu estilo. Inspirada en la belleza perdurable de la piedra natural, el vetado lujoso del mármol y la sofisticación discreta del cemento.

IT

Essential trascende la superficie per diventare il fondamento del tuo stile. Ispirata dalla bellezza duratura della pietra naturale, dalle venature lussuose del marmo e dalla raffinatezza discreta del cemento.

ENG

*Essential transcends the surface to become the foundation of your style. Inspired by the enduring beauty of natural stone, the luxurious veining of marble and the discreet sophistication of cement.*



ES

Esta colección de gran formato, ofrece una paleta de colores serenos: beige, marfil luminoso, blanco prístino y gris sofisticado. Diseñada para crear espacios que resuenan con una belleza duradera.

IT

Questa collezione di grandi formati, offre una palette di colori sereni: beige, avorio luminoso, bianco puro e grigio sofisticato. Progettato per creare spazi che risuonano con una bellezza duratura.

ENG

*This collection of large formats, offers a palette of serene colours: beige, bright ivory, pristine white and sophisticated grey. Designed to create spaces that resonate with long lasting beauty.*






INFORMACIÓN TÉCNICA

# ESSENTIAL *Plus*


PORCELANATO



Formato



Espesor



Rectificado



# Caras



Porcelanato



Acabado Glossy



Acabado Matt





Acabado Carving



Wall tiles



Floor tiles







ESSENTIAL  
**GLOSSY**

**SC**  
PLATINUM  
CONCEPT & SOLUTIONS



ESSENTIAL 80x160

# GLOSSY



AGATA BEIGE



AGATA WHITE




ARMANI BEIGE



ARMANI SILVER



BLACK STONE



DESERT STONE



LUXURY BRECCIA



MOON ONYX



SAND BEIGE



SAND WHITE



SEREN MARBLE BEIGE



SEREN MARBLE GREY




STRIPED STATUARIO





ESSENTIAL

## AGATA BEIGE




80x160cm 
 9mm 
 Rect. 
 Porcelanato 
 Glossy 
 3 
 


 Tráfico ligero





ESSENTIAL  
AGATA WHITE



80x160cm 9mm Rect. Porcelanato Glossy 3 Tráfico ligero





ESSENTIAL

## ARMANI BEIGE



 80x160cm 
  9mm 
  Rect. 
  Porcelanato 
  Glossy 
  5 
 


 Tráfico ligero





ESSENTIAL

## ARMANI SILVER




80x160cm 9mm Rect. Porcelanato Glossy 5 Tráfico ligero





ESSENTIAL  
BLACK STONE



80x160cm 9mm Rect. Porcelanato Glossy 4 Tráfico ligero





ESSENTIAL

## DESERT STONE




80x160cm 9mm Rect. Porcelanato Glossy 4 Tráfico ligero





ESSENTIAL  
LUXURY BRECCIA




80x160cm 9mm Rect. Porcelanato Glossy 6 Tráfico ligero





ESSENTIAL  
MOON ONYX LIGHT



80x160cm
 9mm
 Rect.
 Porcelanato
 Glossy
 4
 


 Tráfico ligero





ESSENTIAL  
SAND BEIGE




80x160cm 9mm Rect. Porcelanato Glossy 4 Tráfico ligero





ESSENTIAL  
SAND WHITE



80x160cm 9mm Rect. Porcelanato Glossy 4 Tráfico ligero





ESSENTIAL  
SEREN MARBLE BEIGE



80x160cm 9mm Rect. Porcelanato Glossy 3 Tráfico ligero





ESSENTIAL

SEREN MARBLE GREY



80x160cm 9mm Rect. Porcelanato Glossy 3 Tráfico ligero





ESSENTIAL  
STRIPED STATUARIO



80x160cm 9mm Rect. Porcelanato Glossy 4 Tráfico ligero







ESSENTIAL  
**MATT**

**SC**  
PLATINUM  
CONCEPT & SOLUTIONS



ESSENTIAL 80x160

MATT



CONCRETE BEIGE




CONCRETE CREMA




CONCRETE GREY



CONCRETE LIGHT GREY



NORWAY BIANCO



NORWAY GREY



NORWAY IVORY




NORWAY LIGHT





ESSENTIAL  
CONCRETE BEIGE




80x160cm
 9mm
 Rect.
 Porcelanato
 Matt
 3





ESSENTIAL


CONCRETE CREMA



80x160cm 9mm Rect. Porcelanato Matt 3



ESSENTIAL  
CONCRETE GREY




80x160cm 9mm Rect. Porcelanato Matt 3






ESSENTIAL  
CONCRETE LIGHT GREY



80x160cm 9mm Rect. Porcelanato Matt 3



ESSENTIAL  
NORWAY BIANCO




80x160cm 9mm Rect. Porcelanato Matt 5






ESSENTIAL  
NORWAY GREY



80x160cm 9mm Rect. Porcelanato Matt 5



ESSENTIAL  
NORWAY IVORY




80x160cm 9mm Rect. Porcelanato Matt 5





ESSENTIAL  
NORWAY LIGHT



80x160cm 9mm Rect. Porcelanato Matt 5







ESSENTIAL  
**CARVING**



ESSENTIAL 80x160

# CARVING



CALIZA GREY




CARRARA BEIGE




CEMENT BEIGE



CEMENT GREY



CEMENT IVORY



CEMENT SILVER



FANCY BOTTICINO BEIGE



FANCY BOTTICINO GREY



GREY MARFIL



IMPERIAL GREY



KLAMATH BEIGE



KLAMATH SILVER



STRIPED MARBLE





ESSENTIAL  
CALIZA GREY



80x160cm 9mm Rect. Porcelanato Carving 4






ESSENTIAL

## CARRARA BEIGE




80x160cm 9mm Rect. Porcelanato Carving 3





ESSENTIAL  
CEMENT BEIGE




80x160cm 9mm Rect. Porcelanato Carving 4





ESSENTIAL  
CEMENT GREY




80x160cm 9mm Rect. Porcelanato Carving 4






ESSENTIAL  
CEMENT IVORY



80x160cm 9mm Rect. Porcelanato Carving 4



ESSENTIAL  
CEMENT SILVER



80x160cm 9mm Rect. Porcelanato Carving 4





ESSENTIAL  
FANCY BOTTICINO BEIGE



80x160cm 9mm Rect. Porcelanato Carving 4



ESSENTIAL  
FANCY BOTTICINO GREY




80x160cm 9mm Rect. Porcelanato Carving 4





ESSENTIAL  
GREY MARFIL



80x160cm 9mm Rect. Porcelanato Carving 4





ESSENTIAL  
IMPERIAL GREY



80x160cm 9mm Rect. Porcelanato Carving 3





ESSENTIAL

## KLAMATH BEIGE



80x160cm 9mm Rect. Porcelanato Carving 3





ESSENTIAL  
KLAMATH SILVER



80x160cm 9mm Rect. Porcelanato Carving 3





ESSENTIAL  
STRIPED MARBLE



80x160cm 9mm Rect. Porcelanato Carving 4







ESSENTIAL

# ESPECIFICACIONES TÉCNICAS



ESPECIFICACIONES TÉCNICAS

TECHNICAL SPECIFICATIONS

| TECHNICAL SPECIFICATIONS / ESPECIFICACIONES TÉCNICAS |                                                |                          |                           |
|------------------------------------------------------|------------------------------------------------|--------------------------|---------------------------|
| CHARACTERISTIC                                       | STANDARD AS PER ISO 13006 / EN 14411<br>Gr.Bla | ESSENTIAL 80x160 VALUE   | TEST METHOD               |
| Regulatory Properties                                |                                                |                          |                           |
| Deviation in length and width                        | ± 0.5 %                                        | ± 0.20 %                 | ISO-10545-2               |
| Deviation in thickness                               | ± 0.5 %                                        | ± 0.50 %                 | ISO-10545-2               |
| Straightness in side                                 | ± 0.5 %                                        | ± 0.20 %                 | ISO-10545-2               |
| Rectangularity                                       | ± 0.6 %                                        | ± 0.20 %                 | ISO-10545-2               |
| Surface flatness                                     | ± 0.5 %                                        | ± 0.20 %                 | ISO-10545-2               |
| Color difference                                     | Unaltered                                      | No change                | ISO-10545-16              |
| Glossiness                                           | as per mfg.                                    | Min 90%                  | GLOSSO METER              |
| Structural Properties                                |                                                |                          |                           |
| Water absorption                                     | > 0.5%                                         | > 0.05%                  | ISO-10545-3               |
| Apparent density                                     | > 2.5 g/cc                                     | > 2.10 g/cc              | DIN 51082                 |
| Massive Mechanical Properties                        |                                                |                          |                           |
| Modulus of rupture                                   | Min 35 N/mm <sup>2</sup>                       | Min 40 N/mm <sup>2</sup> | ISO 10545-4               |
| Breaking strength                                    | Min 1300 N                                     | Min 2000 N               | ISO 10545-4               |
| Impact resistance                                    | as per mfg.                                    | Min 0.55                 | ISO 10545-5               |
| Surface Mechanical Properties                        |                                                |                          |                           |
| Surface abrasion resistance                          | as per mfg.                                    | Min. Class 3             | ISO 10545-7               |
| MOH'S hardness                                       | as per mfg.                                    | Min 4                    | EN 101                    |
| Thermo Hygrometric Properties                        |                                                |                          |                           |
| Frost resistance                                     | No damage                                      | No damage                | ISO 10545-12              |
| Thermal shock resistance                             | No damage                                      | 10 Cycles                | ISO 10545-9               |
| Moisture expansion                                   | Nill                                           | Nill                     | ISO 10545-10              |
| Thermal expansion (COE)                              | Max 9.0x10 <sup>-6</sup>                       | Max 9.0x10 <sup>-6</sup> | ISO 10545-8               |
| Crazing resistance                                   | as per mfg.                                    | Min 10 Cycle             | ISO 10545-11              |
| Chemical Properties                                  |                                                |                          |                           |
| Chemical resistance                                  | No damage                                      | No damage                | ISO 10545-13              |
| Stain Resistance                                     | Resistant                                      | Resistant                | ISO 10545-14              |
| Safety Properties                                    |                                                |                          |                           |
| Coefficient of friction                              | as per mfg.                                    | > 0.40                   | ISO-10545-17              |
| Fire resistance                                      | as per mfg.                                    | Fireproof                | N.A.                      |
| Slip resitance                                       | DIN 51130                                      | R9                       | According to working area |

PACKING LIST

| Formato  | Espesor | Tipo Pallet    | Piezas/Caja | m <sup>2</sup> | Peso/Caja | Cajas/Pallet | Cajas/Cont. | Pallet/Cont | m <sup>2</sup> /Cont. |
|----------|---------|----------------|-------------|----------------|-----------|--------------|-------------|-------------|-----------------------|
| 80x160cm | 9mm     | Small pinewood | 2 piezas    | 2.56           | 50 Kg     | 30           | 510         | 17          | 1305.6                |







Via Quattro Passi 2/A, 41043,  
Formigine, MO  
Tel. +39 338 310 0578  
[www.platinum-pcs.com](http://www.platinum-pcs.com)  
[Info@platinum-pcs.com](mailto:Info@platinum-pcs.com)