# KLUDI

## Product Specification Book MEA 2025

## THE SHAPE OF WATER

research and attention to detail, improving

 $\sim$ 



KLUDI is a contemporary high-end brand for sophisticated bathrooms and high-quality kitchens. A perfect combination of almost 100 year tradition as a German fittings specialist and water expert with pioneering innovations and perfectly formed design. KLUDI solutions convince through: German engineering and premium quality, high reliability in their function and sustainability in their use, an incomparable and timeless elegance in design and tangible sensuality in water experience. KLUDI gives shape to your ideas through

people's quality of life.



## Content

BATHROOM FITTINGS	KLUDI-DECUS	8
	KLUDI-NOVA FONTE	16
	KLUDI-RENON	28
	KLUDI-LOUVA	34
	KLUDI-AMBA	40
	KLUDI-AMEO	48
	KLUDI-BALANCE	58
	KLUDI-BOZZ	70
	KLUDI-ZENTA SL	80
	KLUDI-PURE & SOLID	92
	KLUDI-PURE & STYLE	100
	KLUDI-PURE & EASY	108
	KLUDI-OBJEKTA	118
CLASSIC STYLE	KLUDI-1926	126
BATHROOM ESSENTIALS	KLUDI-BREEZE	138
SENSOR FAUCETS	KLUDI-WAVE	144
CONCEALED SHOWER SOLUTIONS	KLUDI-TOUCHTRONIC	150
	KLUDI-PUSHTRONIC	154
	KLUDI-SLIM.BOXX	158
	KLUDI-PUSH	162
SHOWER DREAMS	KLUDI-ASANA WELLNESS PROGRAM	168
	KLUDI-A-QA	174
	KLUDI-FRESHLINE	184
	KLUDI-DIVE	192
ACCESSORIES	KLUDI-VELA C	204
	KLUDI-VELA S	210
	KLUDI-VELA R	216
SMART TOILETS	KLUDI-CLEANTRONIC	224

WCS & BIDETS	KLUDI-RESA S	230
	KLUDI-RESA D	236
	KLUDI-RESA R	242
	KLUDI-RESA C	248
	KLUDI-RESA M	254
PUSH PLATES & CONCEALED CISTERNS	KLUDI-UNIFIX	262
WASHBASINS	KLUDI-RESA COUNTER TOP	274
	KLUDI-RESA FREESTANDING	275
	KLUDI-RESA SEMI RECESSED	276
	KLUDI-RESA WALL HUNG	277
	KLUDI-RESA UNDER COUNTER	279
FURNITURE	KLUDI-ICOS	284
MIRRORS	KLUDI-LUMA	294
BATHTUBS	KLUDI-RESA FREESTANDING	304
	KLUDI-ELIN FREESTANDING	308
	KLUDI-ELIN DROP-IN	309
SHOWER TRAYS	KLUDI-TERRA BATHTUB REPLACEMENT	316
	KLUDI-TERRA 70 CM	318
	KLUDI-TERRA 80 CM	319
	KLUDI-TERRA 90 CM	320
	KLUDI-TERRA 100 CM	321
URINALS & PARTITION	KLUDI-IVO	324
DRAINS & BOTTLE TRAPS	KLUDI-ROTEXA	330

## BATHROOM FITTINGS LIVING IN STYLE

Enhance your bathroom with a touch of sophistication. Explore a diverse range of refined options for bathroom design, tailored to suit various aesthetic preferences. KLUDI's bathroom fittings showcase top-tier design trends, characterized by superior quality materials and finishes. Discover the unique KLUDI touch to elevate your space.

## KLUDI-DECUS PURITY IN FORM: THE TIMELESS AESTHETIC OF

MODERN DESIGN

## **KLUDI-DECUS**

Product	Product description	Surface	Item No.
Washbasin	KLUDI-DECUS single lever basin mixer 85 DN 15 single hole mounted solid lever s-pointer-aerator M 18,5 x 1 ceramic cartridge with hot water limitation flow rate 5 l/min. at 3 bar flexible pressure hoses G 3/8 DVGW approved rapid installation set PUSH-OPEN waste G 1 1/4	Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD	542660575 542663975 542665375 54266N075 54266N175 54266N275 54266N575



KLUDI-DECUS	0
single lever basin mixer 85 DN 15	
single hole mounted	O
solid lever	
s-pointer-aerator M 18,5 x 1	-
ceramic cartridge with hot water limitation	
flow rate 5 I/min. at 3 bar	
flexible pressure hoses G 3/8 DVGW approved	
rapid installation set	
without pop-up waste	
e e e prepare e presente e presen	

85 DN 15 5 x 1 hot water limitation or G 3/8 DVGW approved	Ŏ	Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunnetal PVD Brushed Nickel PVD	542900575 542903975 542905375 54290N075 54290N175 54290N275 54290N575

Product

KLUDI-DECUS solid lever



<u>G</u>%

KLUDI-DECUS single lever basin mixer 85 DN 15 single hole mounted solid lever s-pointer-aerator M 18,5 x 1 ceramic cartridge with hot water limitation EcoPlus centre position cold water flow rate 5 l/min. at 3 bar flexible pressure hoses G 3/8 DVGW approved rapid installation set PUSH-OPEN waste G 1 1/4		Chi Ma Bru Bru Bru
--	--	--------------------------------

nrome	542670575
att Black	542673975
att White	542675375
ushed Gold PVD	54267N075
ushed Bronze PVD	54267N175
ushed Gunmetal PVD	54267N275
ushed Nickel PVD	54267N575



KLUDI-DECUS single lever basin mixer 11 single hole mounted solid lever s-pointer-aerator M 18,5 x ceramic cartridge with hot flow rate 5 l/min. at 3 bar flexible pressure hoses G 3 rapid installation set PUSH-OPEN waste G 11/4	x 1 t water limitation 3/8 DVGW approved N x1 N x1



## KLUDI-DECUS single lever wash single hole moun solid lever

s-pointer-aerator ceramic cartridge flow rate 5 l/min. flexible pressure rapid installation se without pop-up we spout height lower



### Product description Surface Item No. Chrome Matt Black Matt White KLUDI-DECUS 542820575 single lever basin mixer 110 DN 15 542823975 single hole mounted 542825375 Matt White 542825373 Brushed Gold PVD 542820075 Brushed Bronze PVD 54282N175 Brushed Gunmetal PVD 54282N275 Brushed Nickel PVD 54282N575 solid lever s-pointer-aerator M 18,5 x 1 ceramic cartridge with hot water limitation flow rate 5 l/min. at 3 bar flexible pressure hoses G 3/8 DVGW approved $(\bigcirc)$ rapid installation set without pop-up waste

10



bowl mixer DN 15 ited or M 18,5 x 1 e with hot water limitation at 3 bar hoses G 3/8 DVGW approved	Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD Brushed Nickel PVD	542980575 542983975 542985375 54298N075 54298N175 54298N275 54298N575
n set waste er edge 240 mm		

## **KLUDI-DECUS**

### Product Product description Surface Item No. Washbasin ChromeMatt Black 542440575 542443975 KLUDI-DECUS Concealed two hole Matt White 542445375 wall mounted basin mixer Brushed Gold PVD 54244N075 ŏ 210mm spout Brushed Bronze PVD 54244N175 caché s-pointer-aerator M 18,5 x 1 Brushed Gunmetal PVD Brushed Nickel PVD 54244N275 54244N575 flow rate 4,5 l/min at 3 bar **Required Accessories:** 38242 installation set DN 15 for concealed two hole wall mounted basin mixer



### Rec ins for ole wall mounted

Required Accesso	ries:
installation set DI	N 15
for concealed two	hole
basin mixer	

0	Chrome	542450575
•	Matt Black	542453975
Ō	Matt White	542455375
	Brushed Gold PVD	54245N075
•	Brushed Bronze PVD	54245N175
•	Brushed Gunmetal PVD	54245N275
•	Brushed Nickel PVD	54245N575

38242

### Product



KLUDI-DECUS single lever bidet single hole mount solid lever PCA aerator M 16 with ball joint ceramic cartridge flow rate 5 l/min. a flexible pressure h rapid installation





concealed body

KLUDI-DECUS concealed single

concealed valve v

solid lever

KLUDI-DECUS concealed single le concealed valve w

solid lever ceramic cartridge flow rate 28 l/min

required accessor KLUDI-SLIM.BOXX concealed body DN 20

12



0	Chrome	546910575
	Matt Black	546913975
0	Matt White	546915375
	Brushed Gold PVD	54691N075
	Brushed Bronze PVD	54691N175
	Brushed Gunmetal PVD	54691N275
	Brushed Nickel PVD	54691N575



KLUDI-DECUS single lever shower mixer DN 15 wall fastening solid lever ceramic cartridge with hot water limitation flow rate 23 l/min at 3 bar protected against back flow shower outlet G 1/2 s-connections G 1/2 x G 3/4

	0	Chrome	548310575
5	•	Matt Black	548313975
	0	Matt White	548315375
		Brushed Gold PVD	54831N075
		Brushed Bronze PVD	54831N175
		Brushed Gunmetal PVD	54831N275
		Brushed Nickel PVD	54831N575

ption		Surface	Item No.
<b>mixer DN 15</b> ted 6 e with hot water limitation at 3 bar hoses G 3/8 DVGW approved set iste G 1 1/4		Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD Brushed Nickel PVD	542170575 542173975 542175375 54217N075 54217N175 54217N275 54217N575
<b>lever bath and shower mixer</b> with functional unit e with hot water limitation 1/min at 3 bar, ower 24 l/min at 3 bar hower/bathtub ITCH Button		Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD Brushed Nickel PVD	547590575 547593975 547595375 54759N075 54759N175 54759N275 54759N575
ories: XX DN 20			88022
<b>lever shower mixer</b> with functional unit e with hot water limitation a at 3 bar	0	Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD Brushed Nickel PVD	547550575 547553975 547555375 54755N075 54755N175 54755N275 54755N275 54755N575
ries: X DN 20			88022

## **KLUDI-DECUS**

Product		Product description	Surface	ltem No.
	-85	KLUDI-DECUS concealed thermostatic mixer concealed valve with functional unit without shut-off valve cylindrical handle, metal temperature control handle with hot water safety device 40 °C flow rate 40 I/min at 3 bar suitable to KLUDI SLIM.BOXX 88022	Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD Brushed Nickel PVD	547390575 547393975 547395375 54739N075 54739N175 54739N275 54739N575
(P)		required accessories: KLUDI-SLIM.BOXX concealed body DN 20		88022



KLUDI-DECUS

concealed valve concealed trim-se without pre-install cylindrical handle, variable installatio

required accessori

concealed valve [ connection G 1/2

connection G 3/4 concealed valve D soldered connection

concealed valve D connection G 3/4





KLUDI-DECUS concealed thermostatic bath and shower mixer concealed valve with functional unit with ceramic shut-off valve flow rate bath 28 l/min at 3 bar, flow rate handshower 24 l/min at 3 bar and diverter as rotary valve for 2 consumers hot water safety device 40 °C suitable to KLUDI SLIM.BOXX 88022 required accessories:	<ul> <li>Chrome</li> <li>Matt Black</li> <li>Matt White</li> <li>Brushed Gold PVD</li> <li>Brushed Bronze PVD</li> <li>Brushed Gunmetal PVD</li> <li>Brushed Nickel PVD</li> </ul>	548100575 548103975 548105375 54810N075 54810N175 54810N275 54810N575
KLUDI-SLIM.BOXX concealed body DN 20		88022



KLUDI-DECUS two-way diverter

without pre-installation set cylindrical handle, metal with push-on rosette 80 mm variable installation depth

**required accessories:** two-way diverter DN 15 set 1 - pre-installation

iption	Surface	Item No.
allation set e, metal	Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD Brushed Nickel PVD	548160575 548163975 548165375 54816N075 54816N175 54816N275 54816N575
ries: DN 15 2		29809
DN 20 +		29811
DN 20 tion 22 mm		29911
DN 20 +		53811

<b>ter</b> allation set e, metal sette 80mm tion depth	Chrome Matt Black Matt Black Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD Brushed Nickel PVD	548460575 548463975 548465375 54846N075 54846N175 54846N275 54846N275 54846N575
<b>ories:</b> ter DN 15 allation		29757



29747

## KLUDI-NOVA FONTE COMBINES A UNIQUE SOPHISTICATION WITH AN APPEALING LIGHTNESS AND



reddot winner 2022



### **KLUDI-NOVA FONTE PURA**



<u>Ø50</u>

Product



Product description	Surface	ltem No.
KLUDI-NOVA FONTE Pura Single lever washbowl mixer DN 15 wing handle, metal single hole mounted ceramic cartridge caché s-pointer-aerator M 18,5 x 1 flow rate 4,3 I/min at 3 bar without pop-up waste flexible hoses G 3/8 with shank fastening spout height lower edge 240 mm	<ul> <li>Chrome</li> <li>Matt Black</li> <li>Matt White</li> <li>Brushed Gold</li> <li>Brushed Bronze</li> <li>Brushed Nickel</li> <li>Matt Dove</li> <li>Matt Light Dove</li> <li>Matt Light Blue</li> <li>Matt Vermilion</li> </ul>	202980515 202983915 202985315 20298N015 20298N15 20298N215 20298N515 202980515 202980215 202980315 202980315 202980415 202980515
KLUDI-NOVA FONTE Pura Concealed two hole wall mounted basin mixer trim set wing handle, metal caché s-pointer-aerator M 18,5 x 1 flow rate 4,3 l/min at 3 bar projection wall spout 180 mm Required Accessories: installation set DN 15 for concealed two hole wall mounted basin mixer	<ul> <li>Chrome</li> <li>Matt Black</li> <li>Matt White</li> <li>Brushed Gold</li> <li>Brushed Bronze</li> <li>Brushed Gunmetal</li> <li>Brushed Nickel</li> <li>Matt Dove</li> <li>Matt Light Dove</li> <li>Matt Light Blue</li> <li>Matt Vermilion</li> </ul>	202450515 202453915 202455315 20245N15 20245N215 20245N215 20245N215 202450215 202450215 202450315 202450315 202450415 202450515 38242
KLUDI-NOVA FONTE Pura Concealed two hole wall mounted basin mixer trim set wing handle, metal caché s-pointer-aerator M 18,5 x 1 flow rate 4,3 l/min at 3 bar projection wall spout 220 mm Required Accessories: installation set DN 15 for concealed two hole wall mounted basin mixer	<ul> <li>Chrome</li> <li>Matt Black</li> <li>Matt White</li> <li>Brushed Gold</li> <li>Brushed Bronze</li> <li>Brushed Aumetal</li> <li>Brushed Nickel</li> <li>Matt Dove</li> <li>Matt Light Dove</li> <li>Matt Light Blue</li> <li>Matt Vermilion</li> </ul>	202440515 202443915 202443915 20244N15 20244N215 20244N215 20244N215 202440215 202440215 202440215 202440315 202440415 202440515 38242
KLUDI-NOVA FONTE Pura Single lever bidet mixer DN 15 wing handle, metal single hole mounted ceramic cartridge caché s-pointer-aerator M 18,5 x 1 flow rate 4,3 1/min at 3 bar metal pop-up waste G 11/4 flexible hoses G 3/8 with shank fastening spout height lower edge 80 mm	<ul> <li>Chrome</li> <li>Matt Black</li> <li>Matt White</li> <li>Brushed Gold</li> <li>Brushed Bronze</li> <li>Brushed Gunmetal</li> <li>Brushed Nickel</li> <li>Matt Dove</li> <li>Matt Light Dove</li> <li>Matt Teal Blue</li> <li>Matt Light Blue</li> <li>Matt Vermilion</li> </ul>	202160515 202163915 202165315 20216N015 20216N115 20216N15 20216N515 20216015 202160215 202160315 202160415 202160515

## **KLUDI-NOVA FONTE PURISTIC**



- G%



Puristic Bath and ving han Soft-Sta wall faste autom. d protected . flow regu flow rate shower o s-conne

### KLUDI-NO Puristic Bath and installati wing han Soft-Sta flow regu flow rate autom d protecte . KLUDI SL twist G 1/2 x G hand sho Required KLŪDI FL conceale 355-725 Ø52 770-840 845-915 975-1045 Ø150

105

Ø52

Ø150

210

KLUDI-NO Puristic Bath and shower mixer DN 15 installation for free standing bathtub solid lever ceramic cartridge with hot water limi-

tation twist

032.5

760-830

t description	Surface	ltem No.
NOVA FONTE d shower mixer DN 15 ndles, metal urt ceramic headpart 90° ening liverter shower/bathtub ed against back flow ulator s-pointer M 24 x 1 e 23 l/min at 3 bar butlet G 1/2 citions	<ul> <li>Chrome</li> <li>Matt Black</li> <li>Matt White</li> <li>Brushed Gold</li> <li>Brushed Bronze</li> <li>Brushed Gunmetal</li> <li>Brushed Nickel</li> <li>Matt Dove</li> <li>Matt Light Dove</li> <li>Matt Light Blue</li> <li>Matt Vermilion</li> </ul>	205400515 205403915 205405315 20540N015 20540N115 20540N215 20540N215 205400215 205400215 205400315 205400415 205400515
NOVA FONTE d shower mixer DN 15 ion for free standing bathtub ndles, metal urt ceramic headpart 90° ulator s-pointer M 24 x 1 27 l/min at 3 bar diverter shower/bathtub d against back flow UPARAFLEX SILVER-hose anti	<ul> <li>Chrome</li> <li>Matt Black</li> </ul>	205900515 205903915
G 1/2 x 1250 mm ower KLUDI-NOVA FONTE <b>I Accessories:</b> LEXX.BOXX ed unit DN 20		88088

ΔVC	FONTE

flow regulator s-pointer M 24  $\times\,1$ flow rate 22 l/min at 3 bar autom. diverter shower/bathtub protected against back flow KLUDI-SUPARAFLEX SILVER-hose anti

G 1/2 x G 1/2 x 1250 mm with KLUDI handshower 1Shand showe KLUDI-NOVA FONTE

**Required Accessories:** KLŪDI FLEXX.BOXX concealed unit DN 20

Chrome Matt Black Matt White Brushed Gold Brushed Bronze ۲ Brushed Gunmetal Brushed Nickel 

385900515 385903915 385905315 38590N015 38590N115 38590N215 38590N515

88088

## **KLUDI-NOVA FONTE PURISTIC**





Ø150

KLU	DI-NOVA FONTE	•	Chrome	207590515
Puri	stic	•	Matt Black	207593915
con	cealed single lever bath and	Õ	Matt White	207595315
sho	wer mixer		Brushed Gold	20759N015
con	cealed valve with functional		Brushed Bronze	20759N115
unit		•	Brushed Gunmetal	20759N215
soli	d lever		Brushed Nickel	20759N515
wall	fastening		Matt Dove	207590115
cero	mic cartridge with hot water		Matt Light Dove	207590215
, limit	ation		Matt Teal Blue	207590315
flow	rate 29 I/min at 3 bar		Matt Light Blue	207590415
	om. diverter shower/bathtub PUSH & SWITCH Button	•	Matt Vermilion	207590515
**101				

**Required Accessories:** KLUDI FLEXX.BOXX





**Required Accessories:** KLUDI SLIM.BOXX concealed body DN 20

ick	207593915
nite	207595315
Gold	20759N015
Bronze	20759N115
Gunmetal	20759N215
Nickel	20759N515
ve	207590115
ht Dove	207590215
al Blue	207590315
ht Blue	207590415
rmilion	207590515

NEW 88022

Brushed Gold 20763N015 Brushed Bronze 20763N115 Brushed Gunmetal 20763N215 Brushed Nickel 20763N515



88022





Required Ac concealed

Product description	Surface	Item No.	
KLUDI-NOVA FONTE Puristic Concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate 29 l/min at 3 bar autom, diverter shower/bathtub	<ul> <li>Chrome</li> <li>Matt Black</li> <li>Matt White</li> </ul>	206590515 206593915 206595315	
with PUSH & SWITCH Button Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011	
KLUDI-NOVA FONTE Puristic Concealed bath filler and shower Thermostat fitting Fine construction set with functional unit with ceramic shut-off valve Flow rate tub 28 I/min at 3 bar Shower flow rate 24 I/min at 3 bar and changeover as a rotary valve for 2 consumers Hot water lock 40 °C	Matt Vermilion	208100515	
Required Accessories: KLUDI SLIM.BOXX concealed body DN 20		NEW 88022	)
KLUDI-NOVA FONTE Puristic concealed single lever bath and sho- wer mixer	Chrome	208300515	1
concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 40 °C flow class B P-IX 18444/IICC <b>Required Accessories:</b> KLUDI FLEXX.BOXX			
concealed body DN 20		88011	
KLUDI-NOVA FONTE Puristic concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 40 °C flow rate 20 I/min at 3 bar P-IX 18444/IICC	<ul> <li>Chrome</li> <li>Matt Black</li> <li>Matt White</li> </ul>	208350515 208353915 208355315	
Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011	

## **KLUDI-NOVA FONTE PURISTIC**



## **KLUDI-NOVA FONTE CLASSIC**







Bidet

\$L.

\$\]

### KLUDI-N Classic wall mour

### KLUDI-N Classic bidet mix single hol cross han Soft-Star Aerator N with ball j flow rate

Product description	Surface	Item No.
KLUDI-NOVA FONTE Classic three-hole basin mixer DN 15 Cross handles, metal three hole assembling Aerator M 18,5 x 1 PCA laminar Soft-Start ceramic headpart 90° Flow rate 5.6 l / min at 3 bar swivelling (150°/ 360°) or lockable spout flexible pressure hoses G 3/8 with shank fastening metal pop-up waste G 1 1/4 spout height lower edge 185 mm	Chrome	201430520
KLUDI-NOVA FONTE Classic Basin mixer DN 15 for concealed installation projection wall spout 240 mm cross handles, metal Aerator M 18,5 x 1 PCA laminar Soft-Start ceramic headpart 90° Flow rate 5.6 I / min at 3 bar pre-installation set and trim set	Chrome	201180520
KLUDI-NOVA FONTE Classic wall mounted basin mixer DN 15 for concealed installation projection wall spout 240 mm cross handles, metal Aerator M 18,5 x 1 PCA laminar Soft-Start ceramic headpart 90° Flow rate 5.6 I / min at 3 bar pre-installation set and trim set	Chrome	<b>201460520</b> පුර
KLUDI-NOVA FONTE Classic wall mounted basin mixer DN 15 For conceeled installation projection wall spout 180 mm cross handles, metal Aerator M 18,5 x 1 PCA laminar Soft-Start ceramic headpart 90° Flow rate 5.6 l / min at 3 bar pre-installation set and trim set	Chrome	201440520
KLUDI-NOVA FONTE Classic bidet mixer DN 15 single hole mounted cross handles, metal Soft-Start ceramic headpart 90° Aerator M 18,5 x 1 PCA laminar with ball joint flow rate 6,2 l/min at 3 bar metal pop-up waste G 1 1/4 flexible hoses G 3/8 with shank fastening spout height lower edge 155 mm	Chrome	203130520

### **KLUDI-NOVA FONTE CLASSIC**







KLUDI-NOVA FONTE Chrome Classic Bath and shower mixer DN 15 four hole tiles deck mounted installation stand assembly cross handles, metal Soft-Start ceramic headpart 90° flow regulator s-pointer M 24 x 1 flow rate 27 l/min at 3 bar autom. diverter shower/bathtub protected against back flow pull-out hand shower shower hose 1500 mm flexible high pressure supply hoses G  $1/2 \times G 1/2 \times 400$  mm

**Required Accessories:** mounting plate pre-installation set for four hole mixer

KLUDI ROTEXA bath rim assembly kit

projection 215 mm

204250520

### Product description

## Surface Chrome

Item No.

207100520

Soft-Start ceramic headpart 90° wall fastening protected against back flow flow rate 21 I/min at 3 bar shower outlet G 1/2

# KLUDI-RENON

Harmonious fusion of form and function



## **KLUDI-RENON**

Product		Product description	Surface	ltem No.
Washbasin	130 1-30 1-30 1-30 10 10 85 100 545 <u>261</u> <u>50</u> <u>6%</u>	KLUDI-RENON single lever basin mixer 85 DN 15 single hole mounted solid lever PCA Caché aerator M 18,5 x 1 ceramic cartridge with hot water limitation flow rate 5 l/min. at 3 bar flexible pressure hoses G 3/8 DVGW approved rapid installation set PUSH-OPEN waste G 1 1/4	Matt Black Matt White Brushed Gold PVD	422660575 422663975 422665375 42266N075 42266N175 42266N175 42266N275 42266N575
		KLUDI-RENON single lever basin mixer 85 DN 15 single hole mounted solid lever PCA Caché aerator M 18,5 x 1 ceramic cartridge with hot water limitation flow rate 5 l/min. at 3 bar flexible pressure hoses G 3/8 DVGW approved rapid installation set without pop-up waste	Matt Black	422900575 422903975 422905375 42290N075 42290N175 42290N275 42290N575
		KLUDI-RENON single lever basin mixer 85 DN 15 single hole mounted solid lever PCA Caché aerator M 18,5 x 1 ceramic cartridge with hot water limitation EcoPlus centre position cold water flow rate 5 l/min. at 3 bar flexible pressure hoses G 3/8 DVGW approved rapid installation set PUSH-OPEN waste G 1 1/4	Matt Black	422670575 422673975 422675375 4226N0975 4226N1375 4226N2575 4226N5575
	160 160 125 101 125 101 125 515 061 G112 50 G3%	KLUDI-RENON single lever basin mixer 110 DN 15 single hole mounted solid lever PCA Caché aerator M 18,5 x 1 ceramic cartridge with hot water limitation flow rate 5 l/min. at 3 bar flexible pressure hoses G 3/8 DVGW approved rapid installation set PUSH-OPEN waste G 1 1/4	Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD	422880575 422883975 422885375 42288N075 42288N175 42288N275 42288N575

# Ø61 Ş G1¼

### Surface Item No. Chrome 422820575 Matt Black 422823975 Matt White 422825375 Brushed Gold PVD 4228N0975 Brushed Bronze PVD 4228N1375 Brushed Gunmetal PVD 4228N2575 Brushed Nickel PVD 4228N5575 F) $( \bigcirc )$

## Product description KLUDI-RENON single lever basin mixer 110 DN 15 single hole mounted PCA Caché aerator M 18,5 x 1 ceramic cartridge with hot water limitation flow rate 5 l/min. at 3 bar flexible pressure hoses G 3/8 DVGW approved rapid installation set

solid lever without pop-up waste

### KLUDI-RENON single lever basin mixer 110 DN 15

single hole mounted solid lever PCA Caché aerator M 18,5 x 1 ceramic cartridge with hot water limitation EcoPlus centre position cold water flow rate 5 l/min. at 3 bar flexible pressure hoses G 3/8 DVGW approved rapid installation set PÚSH-OPEN waste G 1 1/4

## KLUDI-RENON

solid lever PCA Caché aerator M 18,5 x 1 flow rate 5 I/min. at 3 bar flexible pressure hoses G 3/8 DVGW approved rapid installation set without pop-up waste spout height lower edge 240 mm

## Valve G1/2

KLUDI-RENON pillar valve DN 15 single hole mounted solid lever PCA Caché aerator M 18,5 x 1 ceramic headpart 90° flow rate 4,5 l/min at 3 bar







Product

## ChromeMatt Black

Matt White
Brushed Gold PVD
Brushed Bronze PVD Brushed Gunmetal PVD 42289N275 Brushed Nickel PVD

(

422890575 422893975 422895375 42289N075 42289N175 42289N575



- single hole mounted
- ceramic cartridge with hot water limitation



 $(\bigcirc)$ 

Brushed Gold PVD Brushed Gunnetal PVD
 42298N175
 Brushed Gunnetal PVD
 42298N275 Brushed Nickel PVD

 $(\mathfrak{F})$ 





## **KLUDI-RENON**

Product		Product description	Surface	Item No.
Bidet	70 145 1-30 063 100 100 100 100 535 611/2 50 63/4	KLUDI-RENON single lever bidet mixer DN 15 single hole mounted solid lever PCA aerator M 16 x 1 with ball joint ceramic cartridge with hot water limitation flow rate 5 l/min. at 3 bar flexible pressure hoses G 3/8 DVGW approved rapid installation set metal pop-up waste G 1 1/4	Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD Brushed Nickel PVD	422160575 422163975 422165375 42216N075 42216N175 42216N275 42216N575
Vashbasin	200	KLUDI-RENON concealed single lever basin mixer concealed two hole wall mounted basin mixer wall fastening PCA Caché aerator M 18,5 x 1 flow rate at 3 bar 4,5 l/min.	Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD Brushed Nickel PVD	422440575 422443975 422445375 42244N075 42244N075 42244N175 42244N275 42244N575
	<u>G½</u>	Required Accessories:		38242





required accesso KLUDI-SLIM.BOX concealed body

Product description

KLUDI-RENON





te

concealed two hole wall mounted basin mixer wall fastening PCA Caché aerator M 18,5 x 1 flow rate at 3 bar 4,5 l/min.

concealed single lever basin mixer

**Required Accessories:** nstallation set DN 15 for concealed two hole wall mounted

basin mixer

KLUDI-RENON

basin mixer

KLUDI-RENON

### ChromeMatt Black 422450575 422453975 Matt White 422455375 Matt White Brushed Gold PVD 42245N075 Brushed Bronze PVD Brushed Gunmetal PVD 42245N175 42245N275 Brushed Nickel PVD 42245N575

38242



### required acces KLUDI-SLIM.BO concealed boo

### KLUDI-RENON concealed single

## required access

Bath and Shower



single lever bath and shower mixer wall fastening solid lever flow regulator M 24 x 1 ceramic cartridge with hot water limitation flow rate bath 20 l/min at 3 bar, flow rate 18 l/min at 3 bar protected against back flow autom. diverter shower/bathtub shower outlet G 1/2 s-connections G 1/2 x G 3/4

O Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Nickel PVD

- 426910575 Chrome 426913975 426915375 Matt Black 42691N075
- 42691N175 Brushed Gunmetal PVD 42691N275 42691N575



Product







KLUDI-RENON single lever shower mixer DN 15 wall fastening solid lever ceramic cartridge with hot water limitation flow rate 231/min at 3 bar protected against back flow shower outlet G 1/2 s-connections G 1/2 x G 3/4	<ul> <li>Chrome</li> <li>Matt Black</li> <li>Matt White</li> <li>Brushed Gold PVD</li> <li>Brushed Bronze PVD</li> <li>Brushed Gunmetal PVD</li> <li>Brushed Nickel PVD</li> </ul>	428310575 428313975 428315375 42831N075 42831N175 42831N275 42831N575
KLUDI-RENON concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate 28 l/min at 3 bar	<ul> <li>Chrome</li> <li>Matt Black</li> <li>Matt White</li> <li>Brushed Gold PVD</li> <li>Brushed Bronze PVD</li> <li>Brushed Gunmetal PVD</li> <li>Brushed Nickel PVD</li> <li>Weight State</li> </ul>	427550575 427553975 427555375 42755N075 42755N175 42755N275 42755N575
required accessories: KLUDI-SLIM.BOXX concealed body		88022
KLUDI-RENON concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate bath 28 l/min at 3 bar, flow rate handshower 24 l/min at 3 bar autom. diverter shower/bathtub with PUSH & SWITCH Button	<ul> <li>Chrome</li> <li>Matt Black</li> <li>Matt White</li> <li>Brushed Gold PVD</li> <li>Brushed Bronze PVD</li> <li>Brushed Gunmetal PVI</li> <li>Brushed Nickel PVD</li> </ul>	427590575 427593975 427595375 42759N075 42759N175 42759N175 42759N275 42759N575
required accessories: KLUDI-SLIM.BOXX concealed body		88022
KLUDI-RENON concealed single lever bath and shower mixer concealed volve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate bath 25 I/min at 3 bar, flow rate handshower 23 I/min bei 3 bar autom. diverter shower /bathtub with PUSH & SWITCH Button protected against back flow according to DIN EN 1717	<ul> <li>Chrome</li> <li>Matt Black</li> <li>Matt White</li> <li>Brushed Gold PVD</li> <li>Brushed Bronze PVD</li> <li>Brushed Gunmetal PVD</li> <li>Brushed Nickel PVD</li> </ul>	427630575 427633975 427635375 42763N075 42763N175 42763N275 42763N575
required accessories: KLUDI-SLIM.BOXX concealed body		88022

Surface

Chrome

Item No.

428310575



## **KLUDI-LOUVA**







Bidet

KLUDI-LOU single lever DN 15 bidet mixer single lever 1-hole mour solid lever, ball joint wi aerator, Sceramic ca device flow rate at flexible hos rapid instal

solid lever, aerator, Sceramic ca flow rate at fixed spout flexible hos shank-fixing without pop up waste



Product de KLUDI-LOU

Product description		Surface	ltem No.
KLUDI-LOUVA concealed single lever basin mixer DN 15 wall mounted basin mixer concealed 2-hole basin mixer single lever mixer	•	Chrome Matt Black Matt White	242450575 242453975 242455375
trim set without pre-installation set pre installation set KLUDI Ref.: 38242 in-wall-installation vertical wall mounted solid lever, metal aerator, S-Pointer M18,5 PCA flow rate at 3 bar 5 l/min. fixed spout			
KLUDI-LOUVA single lever basin mixer, 240 mm for washbowls DN 15		Chrome Matt Black Matt White	242860575 242863975 242865375
single lever mixer stand assembly 1-hole mounted solid lever, metal aerator, S-Pointer M18,5 PCA ceramic cartridge flow rate at 3 bar 5 l/min. fixed spout flexible hoses G¾ DVGW approved shank-fixing			

KLUDI-LOUVA single lever bidet mixer DN 15	<ul> <li>Chrome</li> <li>Matt Black</li> <li>Matt White</li> </ul>	242160575 242163975 242165375
DN 15 bidet mixer single lever mixer 1-hole mounted solid lever, metal ball joint with aerator aerator, S-Pointer M16 PCA ceramic cartridge with hot water safety device flow rate at 3 bar 4,5 l/min. flexible hoses G¾ DVGW approved rapid installation set pop up waste set G1¼ metal	Matt White	242165375

## **KLUDI-LOUVA**









Product description	Surface	Item No.
KLUDI-LOUVA single lever shower mixer DN 15 shower mixer wall mounted solid lever, metal protected against back flow shower outlet G <sup>1</sup> / <sub>2</sub> ceramic cartridge with hot water safety device flow rate at 3 bar 25 l/min. S-unions G <sup>1</sup> / <sub>2</sub> x G <sup>3</sup> / <sub>4</sub>	<ul> <li>Chrome</li> <li>Matt Black</li> <li>Matt White</li> </ul>	248310575 248313975 248315375
KLUDI-LOUVA single lever bathand shower mixer DN 15 bathand shower mixer single lever mixer wall mounted automatic diverter: shower/bath solid lever, metal aerator M24 protected against back flow shower outlet G <sup>1</sup> / <sub>2</sub> ceramic cartridge with hot water safety device flow rate at 3 bar 21 l/min. S-unions G <sup>1</sup> / <sub>2</sub> x G <sup>3</sup> / <sub>4</sub>	<ul> <li>Chrome Matt Black</li> <li>Matt White</li> </ul>	246910575 246913975 246915375



## **KLUDI-AMBA**

42



description	Surface	Item No.
MBA	Chrome	530230575R
er basin mixer 100 DN 15	$\frown$	
e mounted	$(\bigcirc)$	
r cartridge Ø 28 mm		
pointer-aerator M 24 x 1		
3,8 l/min at 3 bar		
vaste G 1 1/4 allation set		
oses G 3/8		
ght lower edge 100 mm		

Chrome

АМВА	Chrome	532960575
ver washbowl mixer DN 15	$\frown$	
ole mounted er	$(\bigcirc)$	
cartridge Ø 28 mm	$\widetilde{\Box}$	
-pointer-aerator M 24 x 1		
e 4,3 l/min at 3 bar		
pop-up waste		
stallation set hoses G 3/8		
eight lower edge 215 mm		

43

## **KLUDI-AMBA**









Product

unit solid lever ceramic co limitation

Product description	Surface	Item No.	
KLUDI-AMBA single lever bath and shower mixer DN 15 installation for free standing bathtub solid lever ceramic cartridge with hot water limi- tation flow class B/B caché s-pointer-Laminar-flow-regula- tor M 24 x 1 autom. diverter shower/bathtub protected against back flow KLUDI SUPARAFLEX SILVER-hose anti twist G 1/2 x G 1/2 x 1250 mm with KLUDI FIZZ handshower 1S 6760005-00	Chrome	535900575	
Required Accessories: KLUDI FLEXX.BOXX concealed unit DN 20		88088	
KLUDI-AMBA single lever bath and shower mixer DN 15 solid lever wall fastening flow class D/B caché s-pointer-Laminar-flow-regulator M 24 × 1 ceramic cartridge with hot water limitation autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow covered eccentric-wall connections	Chrome	534450575	45
KLUDI-AMBA concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water	Chrome	537100575	

flow rate 28 l/min at 3 bar

## **KLUDI-AMBA**



Product







concealed conceale without s cylindrica hot water flow rate 40 l/min at 3 bar



G 0170

wer mixer conceale with cerar flow rate flow rate and divert for 2 cons hot water

Required KLŪDI SL concealed

Product description	Surface	Item No.
KLUDI-AMBA concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C PA-IX 18967/IDC	Chrome	536550575
Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011
KLUDI-AMBA concealed thermostatic mixer DN 20 concealed valve with functional unit without shut-off valve cylindrical handle, metal hot water safety device 38 °C	Chrome	537390575

KLUDI-AMBA concealed thermostatic bath and sho- wer mixer concealed valve with functional unit with ceramic shut-off valve flow rate bath 28 l/min at 3 bar, flow rate handshower 24 l/min at 3 bar and diverter as rotary valve for 2 consumers hot water safety device 40 °C	Chrome	538100575 NEW
Required Accessories: KLUDI SLIM.BOXX concealed body DN 20		88022
KLUDI-AMBA concealed thermostatic bath and shower concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve cylindrical handle, metal hot water safety device 38 °C flow class B	Chrome	538300575

## KLUDI-AMEO A DASH OF LUXURY



<u>G%</u>



t description		Surface	Item No.	
MEO ver basin mixer DN 15 er ole mounted e 5 l/min at 3 bar pointer aerator M 24 x 1 cartridge with hot water limitation DPEN waste G 1 1/4 noses G 3/8 tallation set eight lower edge 195 mm	•	Chrome	410250575	
MEO ver basin mixer DN 15 er ole mounted é 6 l/min at 3 bar pointer aerator M 24 x 1 cartridge with hot water limitation pop-up waste noses G 3/8	•	Chrome	410240575	
MEO ver washbowl mixer DN 15 ble mounted er cartridge with hot water limi- pointer aerator M 24 x 1 e 5 l/min at 3 bar pop-up waste itallation set noses G 3/8 eight lower edge 270 mm	•	Chrome	412980575	51
AMEO ver washbowl mixer DN 15 ble mounted er cartridge with hot water n pointer aerator M 24 x 1 e 3,8 l/min at 3 bar pop-up waste tallation set hoses G 3/8 eight lower edge 270 mm	•	Chrome	412980575R	
MEO ver washbowl mixer DN 15 er oble mounted 5 l/min at 3 bar oointer aerator M 24 x 1 cartridge with hot water limi- pop-up waste tallation set noses G 3/8 eight lower edge 205 mm	•	Chrome	412960575	

52



	Product description	Surface	Item No.
	KLUDI-AMEO concealed two hole wall mounted basin mixerr trim set solid lever flow rate 5 I/min at 3 bar PCA s-pointer aerator M 24 x 1 projection wall spout 235 mm	Chrome	412450575
•	<b>Required Accessories:</b> installation set DN 15 for concealed two hole wall mounted basin mixer		38243
	installation set DN 15 for concealed two hole wall mounted basin mixer		38242





solid lever wall faster ceramic o tation flow rate shower ou s-connec



KLUDI-AN solid lever vertically wall faste flow regul flow rate b flow rate b ceramic c . autom. di shower ou s-connec

## KLUDI-AM single leve stand ass

solid lever three hole tation

e. 

concealed two hole wall mounte mixer trim set solid lever flow rate 5 l/min at 3 bar PCA s-pointer aerator M 24 x 1 projection wall spout 185 mm	d basin	
<b>Required Accessories:</b> installation set DN 15 for concealed two hole wall mou basin mixer	unted	38243
installation set DN 15 for concealed two hole wall mou basin mixer	unted	38242
KLUDI-AMEO three-hole basin mixer DN 15 solid lever three hole assembling flow rate 5 l/min at 3 bar PCA s-pointer aerator M 24 x 1 fixed spout ceramic headpart 90° rapid installation set flexible hoses G 3/8 pop-up waste G 1 1/4 spout height lower edge 135 mm	Chrome	413930575

Chrome

412440575

KLUDI-AMEO concealed two hole wall mounted basin



## ceramic l rapid inst flexible ho

## KLUDI-AN

flow regu flow rate autom. di protected

description	Surface	Item No.
MEO er bidet mixer DN 15 handles e assembling 5 l/min at 3 bar ointer aerator M 24 x 1 ut headpart 90° callation set oses G 3/8 vaste G 1 1/4 ight lower edge 135 mm	Chrome	412160575
MEO er bath and shower mixer DN 15 or cartridge with hot water limi- lator s-pointer M 24 x 1 bath 20 I/min at 3 bar, handshower 24 I/min at 3 bar iverter shower/bathtub d against back flow utlet G 1/2 ctions G 1/2 x G 3/4	Chrome	414450575
MEO er bath and shower mixer DN 15 r and horizontally adjustable ening lator s-pointer M 24 x 1 bath 20 l/min at 3 bar, handshower 24 l/min at 3 bar cartridge with hot water limitation d against back flow iverter shower/bathtub utlet G 1/2 etions	Chrome	416710575
MEO rer bath and shower mixer DN 15 sembly rr e tiles deck mounted installation	Chrome	414470575

23

flow rate bath 24 I/min at 3 bar, flow rate bath 24 I/min at 3 bar, flow rate cartridge with hot water limiautom. diverter shower/bathtub protected against back flow pull-out hand shower shower hose 1500 mm

high pressure supply hose 500 mm projection 220 mm



KLUDI-AN single leve

solid leve vertically flow class ceramic c limitation shower ou protected s-connec

description	Surface	ltem No.
MEO d thermostatic bath and ixer d valve with functional unit mic shut-off valve bath 28 I/min at 3 bar, handshower 24 I/min at safety device 40 °C sumers safety device 40 °C	Chrome	418100575 NEW
Accessories: .IM.BOXX .d body DN 20		88022
MEO d thermostatic bath and ixer d valve with functional unit mic shut-off valve ter as rotary valve • safety device 38 °C	Chrome	418300575
Accessories: .EXX.BOXX d body DN 20		88011
MEO r DN 20 ming n 170 mm aerator M 24 x 1C 28 l/min at 3 bar connector G 3/4 Istallation	Chrome	4150505
MEO er shower mixer DN 15 r s B artridge with hot water utlet G 1/2 d against back flow tions	Chrome	417100575
MEO er shower mixer DN 15 r and horizontally adjustable s B cartridge with hot water utlet G 1/2 d against back flow ttions	Chrome	416750575

Product	Product description	Surface	ltem No.
(A)	KLUDI-AMEO concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20	Chrome	416550575 88011
	KLUDI-AMEO concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve flow rate 28 I/min at 3 bar hot water safety device 40 °C Required Accessories: KLUDI SLIM.BOXX concealed body DN 20	Chrome	418850575 NEW 88022
	KLUDI-AMEO concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20	Chrome	418350575 88011



60

without pop-up waste rapid installation set flexible hoses G 3/8

noise level I spout height lower edge 270 mm

Ð

<u>G%</u>

Product	Product description		Surface	ltem No.	Pro	duct	
Washbasin	KLUDI-BALANCE single lever basin mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation caché s-pointer-Laminar-flow- regulator M 24 x 1 flow rate 5 l/min. at 3 bar rapid installation set flexible hoses G 3/8 noise level I pop-up waste G 1 1/4 spout height lower edge 100 mm	Ō	Chrome White/Chrome Matt Black/ Chrome	520230575 520239175 520238775			249 415 G%
	KLUDI-BALANCE single lever basin mixer DN 15 single hole mounted solid lever ceramic cartridge with hot water limi- tation caché s-pointer-Laminar-flow-regulator M 24 x 1 flow rate 3,8 l/min at 3 bar rapid installation set flexible hoses G 3/8 noise level l pop-up waste G 11/4 spout height lower edge 100 mm	Ō	Chrome White/Chrome Matt Black/Chrome	520230575WR5 520239175WR5 520238775WR5			
	KLUDI-BALANCE single lever basin mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limita- tion caché s-pointer-Laminar-flow-regulator M 24 x 1 flow rate 5 l/min. at 3 bar rapid installation set flexible hoses G 3/8 noise level l without pop-up waste spout height lower edge 100 mm	Ŏ	Chrome White/Chrome Matt Black/Chrome	520260575 520269175 520268775			<u>G%</u>
	KLUDI-BALANCE single lever washbowl mixer DN 15 solid lever single hole mounted flow rate 3,8 l/min at 3 bar caché s-pointer-Laminar-flow-regula- tor M 24 x 1 ceramic cartridge with hot water limi- tation without pop-up waste		Chrome Matt Black/Chrome	522980575WR5 522988775WR5			<u>G%</u>

### Product description

## KLUDI-BA

solid lever single hole ceramic co limitation limitation caché s-po lator M 24 : flow rate 5 without po rapid instal flexible hos noise level spout heig

## KLUDI-BA

solid lever single hole single noie ceramic cc limitation caché s-po regulator N flow rate 5 without po rapid insta flexible hos noise level spout heig

## KLUDI-BA concealed

basin mixe trim set solid lever flow rate 5 PCA s-poir projection

## Required A installation for concea basin mixe

## KLUDI-BA

concealed basin mixed trim set solid lever flow rate 5 PCA s-poi

## projection

Required a installation for concect basin mixe

ALANCE ver washbowl mixer DN 15 er ver mounted cartridge with hot water pointer-Laminar-flow-regu- 4 x 1 5 I/min. at 3 bar pop-up waste tallation set ioses G 3/8 el I ight lower edge 210 mm	0	Chrome White/Chrome Matt Black/Chrome	522960575 522969175 522968775
ALANCE ver washbowl mixer DN 15 er ble mounted cartridge with hot water n pointer-Laminar-flow- r M 24 x 1 5 l/min. at 3 bar pop-up waste tallation set ioses G 3/8 el l ight lower edge 270 mm		Chrome White/Chrome Matt Black/Chrome	522980575 522989175 522988775
ALANCE d two hole wall mounted xer sr 5 I/min. at 3 bar ointer aerator M 24 x 1 n wall spout 235 mm Accessories: ion set DN 15 ealed two hole wall mounted xer		Chrome Matt Black/Chrome	522470575 522478775 38243
ALANCE ed two hole wall mounted xer 5 I/min. at 3 bar ointer aerator M 24 x 1 n wall spout 185 mm Accessories: ion set DN 15 ealed two hole wall mounted	Ō	Chrome White/Chrome Matt Black/Chrome	522460575 522469175 522468775 38243
xer			

Surface

Item No.

Product	Product description	Surface	ltem No.
Bidet	KLUDI-BALANCE single lever bidet mixer DN 15 single hole mounted solid lever flow rate 7,6 l/min at 3 bar without ball joint Eco s-pointer aerator M 24 x 1Z ceramic cartridge with hot water limitation rapid installation set flexible hoses G 3/8 noise level l pop-up waste G 1 1/4 spout height lower edge 100 mm	Chrome White/Chrome Matt Black/Chrome	522160575 522169175 522168775

Product



## KLUDI-BALANCE E

magnet-cartridge unit handle 12 or 24 hours adapter backflow preventer without pop-up waste rapid installation set G 3/8 noise level l

theft device with presetable temperature control









handle vice backflow preventer rapid installation set noise level l

KLUDI-BALANCE E electronic controlled basin mixer DN 15 single hole mounted flow rate 1,9 I/min at 3 bar PCA cascade aerator M 24 x 1 with anti- theft device magnet-cartridge unit with presetable temperature control handle with optional hygienic flushing every 12 or 24 hours optical object-detection electronic unit with battery control device 6 V lithium battery CR-P2, anti theft backflow preventer without pop-up waste rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves	•	Chrome	
noise level l protected against vandalism			

Chrome

(4)

230V

 $\bigcirc$ 

with dirt catcher sieves
noise level l
protected against vandalism
spout height lower edge 105 mm



KLUDI-BALANCE E

for use with displacement heaters spout height lower edge 105 mm

## 5220205

5210005WR

## Washbsin



62

Product description	Surface	Item No.
KLUDI-BALANCE single hole mounted flow rate 5 l/min. at 3 bar PCA cascade aerator M 24 x 1 with anti-theft device magnet-cartridge unit with presetable temperature control handle optical object-detection with optional hygienic flushing every 12 or 24 hours electronic unit with control device electric power supply via 230 V main adapter backflow preventer without pop-up waste rapid installation set flexible high pressure supply tubes G 3/8 with dirt catcher sieves noise level I protected against vandalism spout height lower edge 105 mm	Chrome White/Chrome	5220091 5220091

Chrome

P

230V

0

## electronic controlled basin mixer DN

- single hole mounted flow rate 1,9 l/min at 3 bar
- PCA cascade aerator M 24 x 1 with
- with presetable temperature control
- optical object-detection with optional hygienic flushing every
- electronic unit with control device electric power supply via 230 V main
- flexible high pressure supply tubes
- with dirt catcher sieves
- protected against vandalism spout height lower edge 105 mm

## KLUDI-BALANCE E electronic controlled basin mixer DN 15 single hole mounted

- flow rate 5 l/min. at 3 bar PCA cascade aerator M 24 x 1 with anti-
- magnet-cartridge unit
- with optional hygienic flushing every 12 or 24 hours
- optical object-detection electronic unit with battery control de-
- 6 V lithium battery CR-P2, anti theft
- without pop-up waste
- flexible high pressure supply tubes G 3/8 with dirt catcher sieves
- protected against vandalism spout height lower edge 105 mm



### 5210005 5210091

5220005WR

54







KLUDI-BALANCE bath filler DN 20 wall fastening projection 170 mm flow class C s-pointer aerator M 24 x 1C separate connector G 3/4 for pre-installation

- 5250305 Chrome White/Chrome 5250391

- 5250387
- Matt Black/Chrome

### Product description

## single lever bath- and shower mixer DN

s-pointer aerator M 24 x 1D ceramic cartridge with hot water limi-

autom. diverter shower/bathtub shower outlet G 1/2 protected against back flow

### Surface

Chrome White/Chrome Matt Black/Chrome Item No.

524450575 524459175 524458775



## single lever shower mixer DN 15

ceramic cartridge with hot water

protected against back flow s-connections G 1/2 x G 3/4

Chrome ◯ White/Chrome Matt Black/Chrome





t description		Surface	ltem No.
CALANCE ad single lever shower mixer ed valve with functional er cartridge with hot water n flow rate 28 l/min at 3 bar	Ō	Chrome White/Chrome Matt Black/Chrome	527550575 527559175 527558775 NEW
I Accessories: LIM.BOXX ed body DN 20			88022
ALANCE ed thermostatic bath and sho- r	0	Chrome White/Chrome Matt Black/Chrome	528100575 528109175 528108775
ed valve with functional unit mic shut-off valve bath 28 I/min at 3 bar, handshower 24 I/min at 3 bar rter as rotary valve r safety device 40 °C r safety device 40 °C			NEW
Accessories: .EXX.BOXX ed body DN 20			88022
ALANCE d thermostatic bath and nixer		Chrome Matt Black/Chrome	528300575 528308775
ed valve with functional unit amic shut-off valve rter as rotary valve al handle, metal r safety device 38 °C s B 44/IICC			
I Accessories: LEXX.BOXX ed body DN 20			88011

68





80

M24x1

Ø100



Product description	Surface	ltem No.
KLUDI-BALANCE three-way diverter trim set set 2 - trim set consisting of: handle, sleeve, rosette cylindrical handle Required Accessories: three-way diverter DN 15	Chrome	528460575
set 1 – pre-installation		
KLUDI-BALANCE two-way diverter trim set set 2 - trim set consisting of: handle, sleeve, rosette cylindrical handle	Chrome	528470575
Required Accessories: two-way diverter DN 15 set 1 – pre-installation		29747
KLUDI-BALANCE concealed valve concealed trim-set consisting of: handle, sleeve, rosette adjustable extension	Chrome	528150575
<b>Required Accessories:</b> concealed valve DN 20 connection G 3/4		

## KLUDI-BOZZ purism in its purest form



10






t description		Surface	Item No.
YOZZ Yer basin mixer 75 DN 15 Isle mounted er centre position cold water cartridge with hot water limi- pointer-aerator M 18,5 x 1 3,8 l/min at 3 bar toses G 3/8 tallation set pop-up waste ight lower edge 75 mm	•	Chrome Matt Black	383890576WR4 383893976
POZZ ver basin mixer 100 DN 15 ble mounted er cartridge with hot water limitatio pointer-aerator M 18,5 x 1 5 l/min. at 3 bar loses G 3/8 tallation set p-up waste G 1 1/4 ight lower edge 100 mm		Chrome	382800576
<b>WOZZ</b> ver basin mixer 100 DN 15 ble mounted er cartridge with hot water pointer-aerator M 18,5 x 1 5 l/min. at 3 bar loses G 3/8 tallation set PEN waste G 1 1/4 ight lower edge 100 mm		Chrome Matt Black Matt White Brushed Gold Brushed Nickel*	382880576 382883976 382885376 38288N076 38288N576
POZZ Yer basin mixer 100 DN 15 ble mounted er cartridge with hot water h pointer-aerator M 18,5 x 1 5 I/min. at 3 bar losses G 3/8 tallation set pop-up waste ight lower edge 100 mm	ē	Chrome Matt Black Brushed Gold Brushed Nickel*	382820576 382823976 38282N076 38282N576
<b>WOZZ</b> <b>ver basin mixer 75 DN 15</b> where mounted er centre position cold water cartridge with hot water li- pointer-aerator M 18,5 x 1 5 l/min. at 3 bar losses G 3/8 tallation set pop-up waste ight lower edge 75 mm	•	Chrome Matt Black	381980576WR4 381983976

7



\*Please refer to KLUDI INDIVIDUAL conditions on page 194

t description	Surface	Item No.
VOZZ ed two hole wall mounted xer 5 //min. at 3 bar pointer-aerator M 24 x 1 diameter 70 mm in wall spout 230 mm Accessories:: ion set DN 15 ealed two hole wall mounted ixer	<ul> <li>Chrome</li> <li>Matt Black</li> <li>Matt White</li> <li>Brushed Gold</li> <li>Brushed Nickel*</li> </ul>	382450576 382453976 382455376 38245N076 38245N576 38245N576
OZZ ed two hole wall mounted basin er 5 l/min. at 3 bar pointer-aerator M 24 x 1 diameter 70 mm in wall spout 180 mm I Accessories:: ion set DN 15 ealed two hole wall mounted ixer	<ul> <li>Chrome</li> <li>Matt Black</li> <li>Matt White</li> <li>Brushed Gold</li> <li>Brushed Nickel*</li> </ul>	382440576 382443976 382445376 38244N076 38244N576 38244N576
<b>WZZ</b> ve ile mounted stening G 1/2 ight lower edge 75 mm	<ul><li>Chrome</li><li>Matt Black</li></ul>	381180576 381183976

 KLUDI-BOZZ
 Chrome
 380160530

 pillar tap with head part control unit DN 15
 single hole mounted actuation by stick
 special headpart with spindle outlet

 aerator M 21,5 x 1
 flow rate 4,3 l/min at 3 bar shank fastening G 1/2
 6





茸

220

KLUDI-BOZZ

15 stand assembly lation solid lever tation



KLUDI-BOZZ bath filler DN 20 wall fastening

KLUDI-BOZZ

solid lever

wall fastenina limitation

### KLUDI-BOZZ

wall fastenina ter safety device 38° C 43 ° C P-IX 8049/IB

### Product description

### single lever bath and shower mixer DN

three hole tiles deck mounted instal-

flow rate 24 l/min at 3 bar s-pointer aerator M 24 x 1 ceramic cartridge with hot water limi-

autom. diverter shower/bathtub retractable hand shower high pressure supply hose G 1/2 x G 1/2 x 600 mm protected against back flow projection 220 mm

### Surface Chrome

Item No.

384480576



Chrome

3850505



6	
	<u>0170</u>







KLUDI-BOZZ concealed single lever bath and shower mixer	Chrome	387630576
concealed valve with functional unit solid lever ceramic cartridge with hot water li- mitation flow rate bath 25 l/min at 3 bar, flow rate handshower 23 l/min bei 3 bar autom. diverter shower/bathtub with PUSH & SWITCH Button protected against back flow according to DIN EN 1717		NEW
Required Accessories: KLUDI SLIM.BOXX concealed unit DN 20		88022



105	KLUDI-BOZZ concealed single lever bath and shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate 29 l/min at 3 bar autom. diverter shower/bathtub with PUSH & SWITCH Button	<ul> <li>Chrome</li> <li>Matt Black</li> <li>Matt White</li> </ul>	386590576 386593976 386595376
	Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011

78

Product description	Surface	Item No.
KLUDI-BOZZ concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow rate 25 I/min at 3 bar	<ul> <li>Chrome</li> <li>Matt Black</li> <li>Matt White</li> </ul>	386550576 386553976 386555376
Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011
KLUDI-BOZZ concealed single lever shower mixer concealed valve with functional unit solid lever ceramic cartridge with hot water limitation flow rate 28 l/min at 3 bar	<ul> <li>Chrome</li> <li>Matt Black</li> <li>Matt White</li> <li>Brushed Gold</li> <li>Brushed Nickel*</li> </ul>	387550576 387553976 387555376 38755N076 38755N576 NEW
Required Accessories: KLUDI SLIM.BOXX concealed body DN 20		88022

## KLUDI-ZENTA SL SERENITY IN YOUR INTERIOR DESIGN

-



82



### Surface Item No. Chrome 482630565 single lever basin mixer 75 DN 15 Matt Black 482633965 6 EcoPlus centre position cold water ceramic cartridge with hot water F flow regulator M 24 x 1 flow rate 5 l/min. at 3 bar metal pop-up waste G 1 1/4 spout height lower edge 75 mm Chrome 483890565WR4 single lever basin mixer 75 DN 15 Matt Black 483893965 6 EcoPlus centre position cold water ceramic cartridge with hot water limitation flow regulator M 24 x 1 **F** flow rate 3,8 l/min at 3 bar without pop-up waste spout height lower edge 75 mm Chrome 482900565 single lever basin mixer 100 DN 15 Matt Black 482903965 60 ceramic cartridge with hot water flow regulator M 24 x 1 flow rate 5 l/min at 3 bar metal pop-up waste G 1 1/4 spout height lower edge 100 mm

 

 KLUDI-ZENTA SL single lever basin mixer 100 DN 15 single hole mounted solid lever ceramic cartridge with hot water limitation flow regulator M 24 x 1 flow rate 5 l/min at 3 bar without pop-up waste flexible hoses G 3/8 rapid installation set spout height lower edge 100 mm

 • Chrome
 • 482920565

 • 482920565



description	Surface	Item No.
ENTA SL	Chrome	482560565WR5
<b>er washbowl mixer DN 15</b> r e mounted		
cartridge with hot water limitation lator M 24 x 1	FIXIT	
3,8 l/min at 3 bar op-up waste oses G 3/8		
allation set ght lower edge 240 mm		



### Product description Surface Item No. KLUDI-ZENTA SL single lever bidet mixer DN 15 solid lever single hole mounted ceramic cartridge with hot water limitation s-pointer eco-aerator M 24 x 1 flow rate 6 l/min at 3 bar metal pop-up waste G 1 1/4 rapid installation set flexible hoses G 3/8 spout height lower edge 70 mm Chrome Matt Black 485300565 485303965

.....

d shower mixer DN 15 e tiles deck mounted instal- ssembly er e 271/min at 3 bar er aerator M 24 x 1 headpart 90° tic diverter: shower/spray ble hand shower ed against back flow high pressure supply hoses G 1/2 x 400 mm on 220 mm		464240303 7614846-00 ⊳
g plate allation set for four hole mixer		ά
OTEXA assembly kit	Chrome	7878205-00
ZENTA SL wer bath and shower mixer DN 15 ssembly le tiles deck mounted installation er e 24 l/min at 3 bar er aerator M 24 x 1 cartridge with hot water limitation diverter shower/bathtub ble hand shower ssure supply hose G 1/2 x 600 mm ed against back flow on 220 mm	Chrome	484480565
<b>d Accessories:</b> g plate allation set for three hole mixer		7614946-00
OTEXA a assembly kit	Chrome	7878205-00



description		Surface	ltem No.	
ENTA SL tatic shower mixer DN 15	•	Chrome Matt Black	351000538 351003938	
ening ture control handle water safety device 38° C t-off valve 25 l/min at 3 bar d against back flow butlet G 1/2 ctions G 1/2 x G 3/4 her sieves 064/IB				
ENTA SL tatic bath and shower mixer	0	Chrome Matt Black	351010538 351013938	
ening M 24 x 1/B ture control handle water safety device 38° C headpart 90° bath 25,2 l/min at 3 bar, 17 l/min at 3 bar liverter shower/bathtub d against back flow putlet G 1/2 ctions G 1/2 x G 3/4 her sieves				
ENTA SL ed single lever bath and shower m		Chrome	486590565	
ed valve with functional unit er cartridge with hot water limitatio 29 l/min at 3 bar iverter shower/bathtub 3H & SWITCH Button	n			89
I <b>Accessories:</b> LEXX.BOXX ed body DN 20			88011	
NTA SL I single lever bath and shower miz d valve with functional unit	© xer	Chrome	486630565	
ning artridge with hot water limitation 25 I/min at 3 bar verter shower/bathtub 4 & SWITCH Button against back flow to DIN EN 1717				
<b>Accessories:</b> EXX.BOXX d body DN 20			88011	
ZENTA SL ed single lever bath and shower	0	Chrome	487630565	
ed valve with functional unit er cartridge with hot water limitation e bath 25 l/min at 3 bar, e handshower 23 l/min bei 3 bar diverter shower/bathtub SH & SWITCH Button ed against back flow ng to DIN EN 1717	on		NEW	

06





Product description	Surface	ltem No.	
KLUDI-ZENTA SL concealed thermostatic shower mixer concealed valve with functional unit for 1 consumer with ceramic shut-off valve hot water safety device 38 °C flow rate 20 l/min at 3 bar	<ul> <li>Chrome</li> <li>Matt Black</li> </ul>	388850545 388853945 NEW	
Required Accessories: KLUDI SLIMBOXX concealed body DN 20		88022	
KLUDI-ZENTA SL concealed thermostatic shower mixer concealed valve with functional unit with ceramic shut-off valve hot water safety device 38 °C With optional temperature limit stop at 43 ° C P-IX 18444/IICC	Chrome	388350545	
Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011	
KLUDI-ZENTA SL concealed thermostatic bath	<ul><li>Chrome</li><li>Matt Black</li></ul>	388100545 388103945	H
and shower mixer concealed valve with functional unit with ceramic shut-off valve flow rate bath 28 l/min at 3 bar, flow rate handshower 24 l/min at 3 bar and diverter as rotary valve for 2 consumers hot water safety device 40 °C		NEW	91
Required Accessories: KLUDI SLIM.BOXX concealed body DN 20		88022	
KLUDI-ZENTA SL concealed thermostatic bath and shower mixer	Chrome	388300545	
concealed valve with functional unit with ceramic shut-off valve and diverter as rotary valve hot water safety device 38 °C With optional temperature limit stop at 43 ° C flow class B P-IX 18444/IICC			
Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011	

# KLUDI-PURE&SOLID ROBUST, CONSTANT AND CONSISTENT



### **KLUDI-PURE&SOLID**



description		Surface	ltem No.	
JRE&SOLID er basin mixer 75 DN 15 e mounted r sentre position cold water sartridge with hot water limitation lator M 24 x 1 3,8 l/min at 3 bar o-up waste G 1 1/4 bases G 3/8 allation set ght lower edge 75 mm	۰	Chrome	343880575WR4	
JRE&SOLID er basin mixer 75 DN 15 e mounted r centre position cold water cartridge with hot water limitation lator M 24 x 1 3,8 l/min at 3 bar op-up waste oses G 3/8 allation set ght lower edge 75 mm	•	Chrome S	343890575WR4	
JRE&SOLID er basin mixer 100 DN 15 e mounted r cartridge with hot water limitation lator M 24 × 1 5 l/min. at 3 bar o-up waste G 1 1/4 bases G 3/8 allation set ght lower edge 100 mm	•	Chrome	342900575	95
JRE&SOLID er basin mixer 100 DN 15 e mounted r cartridge with hot water limitation lator M 24 × 1 5 l/min. at 3 bar op-up waste oses G 3/8 allation set ght lower edge 100 mm	•	Chrome	342920575	
JRE&SOLID er basin mixer 100 DN 15 e mounted r sentre position cold water sartridge with hot water limitation lator M 24 x 1 38 l/min at 3 bar o-up waste G 1 1/4 bases G 3/8 allation set ght lower edge 100 mm	•	Chrome Chrome	342930575WR4	

### **KLUDI-PURE&SOLID**



t description	Surface	Item No.
URE&SOLID ver bath and shower mixer DN 15 ening er s C/B Jlator M 24 x 1 cartridge with hot water limitation iverter shower/bathtub Jutlet G 1/2 d against back flow ctions	Chrome	346810575
URE&SOLID ed single lever bath and shower mix ed valve with functional unit er ening cartridge with hot water limitation bath 28 I/min at 3 bar, handshower 24 I/min at 3 bar iverter shower/bathtub H & SWITCH Button	Chrome er	347590575 NEW
I Accessories: LIMBOXX 2d body DN 20		88022
URE&SOLID ed single lever bath and shower ed valve with functional unit er cartridge with hot water limi- bath 25 I/min at 3 bar, handshower 23 I/min bei 3 bar iverter shower/bathtub SH & SWITCH Button d against back flow g to DIN EN 1717	Chrome	347630575 NEW
I Accessories: LIM.BOXX ed body DN 20		88022
PURE&SOLID ed single lever bath and shower ed valve with functional unit er tening cartridge with hot water limi- e 29 l/min at 3 bar diverter shower/bathtub SH & SWITCH Button	Chrome	346590575

### KLUDI-PURE&SOLID

image: start in the start	Product		Product description	Surface	Item No.
Image: Concelled single lever shower mixer       Concelled single lever shower mixer       Concelled valve with functional unit         Image: Concelled valve with functional unit       Solid lever       Wall fastening       Ceramic cartridge with hot water limitation         Image: Concelled valve with functional unit       Solid lever       Solid lever       Wall fastening       Ceramic cartridge with hot water limitation         Image: Concelled valve with functional unit       Solid lever       Solid lever       Solid lever       Solid lever         Image: Concelled valve with functional unit       Solid lever       Solid lever       Solid lever       Solid lever         Image: Concelled valve with functional unit       Solid lever       Solid lever       Solid lever       Solid lever         Image: Concelled valve with functional unit       Solid lever       Solid lever       Solid lever       Solid lever         Image: Concelled valve with functional unit       Solid lever       Solid lever       Solid lever       Solid lever         Image: Concelled valve with functional unit       Solid lever       Solid lever       Solid lever       Solid lever         Image: Concelled valve with functional unit       Solid lever       Solid lever       Solid lever       Solid lever         Image: Concelled valve with hot water limitation       Solid lever       Solid lever	Shower	G <sup>1/2</sup> Ø70 G <sup>1/2</sup> Q <sup>0</sup> Q <sup>0</sup> Q <sup>0</sup> Q <sup>0</sup> Q <sup>0</sup> Q <sup>0</sup> Q <sup>0</sup> Q <sup>0</sup>	single lever shower mixer DN 15 wall fastening solid lever ceramic cartridge with hot water limitation flow class B shower outlet G 1/2 protected against back flow	Chrome	348410575
concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation		<u>0150</u>	concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate 28 l/min at 3 bar Required Accessories: KLUDI SLIM.BOXX	Chrome	
Required Accessories:		<u>90</u>	concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C	Chrome	346550575



### KLUDI-PURE&STYLE



description	Surface	ltem No.
URE&STYLE er basin mixer 100 DN 15 e mounted r sartridge with hot water limitation ator M 24 x 1 5 l/min at 3 bar o-up waste G 1 1/4 bases G 3/8 allation set ght lower edge 100 mm	Chrome Matt Black	402900575 402903975
JRE&STYLE er basin mixer 100 DN 15 e mounted r ator M 24 x 1 5 I/min at 3 bar op-up waste sses G 3/8 allation set ght lower edge 100 mm	Chrome Matt Black	402920575 402923975
JRE&STYLE er basin mixer 100 DN 15 e mounted r eentre position cold water eartridge with hot water limitation ator M 24 × 1 3,8 l/min at 3 bar o-up waste G 11/4 bases G 3/8 allation set ght lower edge 100 mm	Chrome	402930575WR4
<b>JRE&amp;STYLE</b> er basin mixer 100 DN 15 e mounted r entre position cold water artridge with hot water limitation ator M 24 x 1 3,8 I/min at 3 bar op-up waste soses G 3/8 allation set ght lower edge 100 mm	Chrome Matt Black	401980575WR4 401983975
JRE&STYLE er basin mixer 75 DN 15 e mounted reartridge with hot water limitation ator M 24 x 1 3,8 l/min at 3 bar o-up waste G 1 1/4 sses G 3/8 allation set ght lower edge 75 mm	Chrome	403820575WR5

### KLUDI-PURE&STYLE



description	Guillace	item No.
JRE&STYLE er bidet mixer DN 15 e mounted r cartridge with hot water limitation binter aerator M 24 x 1 6 I/min at 3 bar b-up waste G 1 1/4 bses G 3/8 allation set ght lower edge 65 mm	Chrome	402160575
JRE&STYLE er bath and shower mi- 5 sining r s C/B lator M 24 x 1 partridge with hot water verter shower/bathtub utlet G 1/2 d against back flow stions	Chrome Matt Black	406810575 406813975
JRE&STYLE d single lever bath and shower d valve with functional unit r ming cartridge with hot water limitation bath 28 I/min at 3 bar, handshower 24 I/min at 3 bar verter shower/bathtub H & SWITCH Button	Chrome Matt Black	407590575 407593975 NEW
Accessories: IM.BOXX d body DN 20		88022

Surface

Itom No.

### KLUDI-PURE&STYLE



## Product Ø Æ

Product description	Surface	Item No.
KLUDI-PURE&STYLE concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow class D/C	<ul> <li>Chrome</li> <li>Matt Black</li> </ul>	406550575 406553975
Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011

# KLUDI-PURE&EASY SMART, CLEAR AND DYNAMIC





110



single lever single hole solid lever EcoPlus ce ceramic ca PCA aerat flow rate 3 metal pop flexible ho rapid insta spout heig

description		Surface	ltem No.	
URE&EASY er basin mixer 70 DN 15 e mounted r cartridge with hot water limi- ator M 24 x 1 5 I/min. at 3 bar op-up waste oses G 3/8 allation set ght lower edge 70 mm	•	Chrome	370280565	
URE&EASY er basin mixer 70 DN 15 e mounted r artridge with hot water limitation ator M 24 x 1 3,8 l/min at 3 bar >-up waste G 1 1/4 bases G 3/8 allation set ght lower edge 70 mm	•	Chrome	373820565WR5	
<b>URE&amp;EASY</b> er basin mixer 70 DN 15 e mounted r cartridge with hot water limi- ator M 24 x 1 3,8 l/min at 3 bar op-up waste G 1 1/4 oses G 3/8 allation set ght lower edge 70 mm	•	Chrome	372820565R	111
JRE&EASY er basin mixer 70 DN 15 e mounted r entre position cold water 5 l/min. at 3 bar ator M 24 x 1 o-up waste G 1 1/4 allation set sses G 3/8 ght lower edge 70 mm	•	Chrome	372890565	
<b>JRE&amp;EASY</b> er basin mixer 70 DN 15 e mounted r entre position cold water tor M 24 × 1 3,8 l/min at 3 bar b-up waste G 1 1/4 sses G 3/8 allation set ght lower edge 70 mm	•	Chrome	373880565WR4	



description	Surface	ltem No.
URE&EASY er basin mixer 100 DN 15 le mounted r cartridge with hot water limi- lator M 24 x 1 5 l/min. at 3 bar op-up waste G 1 1/4 oses G 3/8 iallation set ght lower edge 100 mm	Chrome	371900565
URE&EASY er basin mixer 100 DN 15 le mounted r cartridge with hot water limi- lator M 24 x 1 5 l/min at 3 bar o-up waste G 1 1/4 oses G 3/8 allation set ght lower edge 100 mm	Chrome	372900565
URE&EASY er basin mixer 100 DN 15 e mounted r cartridge with hot water limitation lator M 24 x 1 5 l/min. at 3 bar pop-up waste oses G 3/8 callation set ght lower edge 100 mm	Chrome	372920565
URE&EASY er basin mixer 100 DN 15 le mounted r cartridge with hot water limitation lator M 24 x 1 3,8 l/min at 3 bar op-up waste G 1 1/4 oses G 3/8 callation set ght lower edge 100 mm	Chrome	371900565WR5
URE&EASY er basin mixer 100 DN 15 le mounted r sartridge with hot water limitation lator M 24 x 1 3,8 l/min at 3 bar o-up waste G of 1/4 boses G 3/8 allation set ght lower edge 100 mm	Chrome	372900565WR5

L14



description	Surface	Item No.
<b>JRE&amp;EASY</b> er bidet mixer DN 15 e mounted artridge with hot water limi- inter aerator M 24 x 1 3,8 l/min at 3 bar up waste G 11/4 ises G 3/8 Jllation set ght lower edge 65 mm	Chrome	375330565R
IRE&EASY er bath and shower mixer	Chrome	376810565
ning		
artridge with hot water		
ator M 24 x 1 C/B verter shower/bathtub tlet G 1/2 against back flow tions		
IRE&EASY er bath and shower mixer DN 15 ning	Chrome	375910565
rom center to center 45 mm artridge with hot water limitation spout 250 mm 24 × 1/B B/A erter shower/bathtub ttlet G 1/2 against back flow tions		
IRE&EASY I single lever bath and shower	Chrome	377590565
d valve with functional unit ning artridge with hot water limitation bath 28 I/min at 3 bar, nandshower 24 I/min at 3 bar verter shower/bathtub d & SWITCH Button Accessories:		NEW
Accessories: M.BOXX 1 body DN 20		88022





wall faster ceramic c

**Required** KLUDI SLI concealed



Product description	Surface	Item No.
KLUDI-PURE&EASY single lever shower mixer DN 15 wall fastening solid lever ceramic cartridge with hot water limitation flow class B shower outlet G 1/2 protected against back flow s-connections	Chrome	378410565
KLUDI-PURE&EASY concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limitation flow rate 28 l/min at 3 bar	Chrome	377550565 NEW
Required Accessories: KLUDI SLIM.BOXX concealed body DN 20		88022
KLUDI-PURE&EASY concealed single lever shower mixer concealed valve with functional unit solid lever wall fastening ceramic cartridge with hot water limi- tation flow class D/C	Chrome	376550565
Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20		88011



## KLUDI-OBJEKTA SIMPLE AS THE BEST CHOICES

### **KLUDI-OBJEKTA**



description	Surface	Item No.	
BJEKTA er basin mixer DN 15 r le mounted 4,3 l/min at 3 bar lator M 18 x 1 cartridge g spout allation set oses G 3/8 el l ght lower edge 205 mm	Chrome	320240575	
BJEKTA er bidet mixer DN 15 r le mounted cartridge with hot water caché aerator M 18,5 x 1 7,4 l/min at 3 bar allation set oses G 3/8 waste G 1 1/4	Chrome	324160575	
BJEKTA er bath and shower mixer r ening cartridge with hot water li- r aerator M $24 \times 1$ s C/B verter shower/bathtub utlet G $1/2$ d against back flow etions G $1/2 \times G 3/4$	Chrome	326530575	Т7Т
BJEKTA atic bath and shower mixer DN atic bath and shower mixer DN ening ure control handle water safety device 38° C mic shut-off valve as rotary 2/90° utlet G 1/2 ry valve to the rear Rotary valve forward lator M 28 x 1 bath 23,8 I/min at 3 bar handshower 18,7 I/min bei 3 bar d against back flow	Chrome	352010538	

### **KLUDI-OBJEKTA**





122

KLUDI-OBJEKTA concealed single lever bath and shower mixer	Chrome	326500575
concealed valve with functional unit		
solid lever		
wall fastening		
ceramic cartridge with hot water		
limitation		
flow class D/C		
autom. diverter shower/bathtub		
PA-IX 18967/IDC		
required accessories:		

KLUDI FLEXX.BOXX concealed body DN 20

KLUDI-OBJEKTA

88011



KLUDI-OE single leve vertical b solid leve wall faste ceramic ( tation flow class shower ou protected s-connec distance



single lever shower mixer DN 15 solid lever wall fastening ceramic cartridge with hot water limitation flow class C

Chrome

shower outlet G 1/2 protected against back flow s-connections G 1/2 x G 3/4 327640575



KLUDI-OBJEKTA concealed single lever shower mixer solid lever wall fastening ceramic cartridge with hot water limitation flow class C PA-IX 18967/IDC

Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20

description	Surface	ltem No.
<b>BJEKTA</b> tatic shower mixer DN 15 ening s B ture control handle water safety device 38° C ional temperature limit stop at t-off valve ter consumption regulation 22 l/min at 3 bar d against back flow utlet G 1/2 ctions G 1/2 x G 3/4 her sieves 9/IB GW-BM-0037	Chrome	352000538

Chrome

<b>BJEKTA</b> <b>ver shower mixer DN 15</b> bath/ shower mixer er ening cartridge with hot water limi-
s B utlet G 1/2 d against back flow ctions G 1/2 x G 3/4 from center to center 75 mm

Chrome

326550575

366510575

123

concealed valve with functional unit

# CLASSIC STYLE



# KLUDI-1926 FASCINATING LUXURY

C.





t description		Surface	Item No.
1926 Ive DN 15 Indle ole mounted headpart 180° a 15 I/min at 3 bar : COLD	۰	Chrome	510140520
1926 ixer DN 15 indles ole mounted a 15 I/min at 3 bar t-cascade-aerator M 24 x 1 headpart 180° waste G 1 1/4 tubes 10 mm		Chrome Gold Plated 23	512110520 512114520
1926 d shower mixer DN 15 andles tening ss B/B e aerator M 28 x 1 headpart 180° diverter shower/bathtub ections G 1/2 x G 3/4 wwer set		Chrome Gold Plated 23	514410520 514414520
1926 d shower mixer DN 15	_	Chrome Gold Plated	515250520 515254520

23 Carat

129

bath and shower mixer DN 15 four hole tiles deck mounted installation cascade aerator M 28 x 1 ceramic headpart 180° autom. diverter shower/bathtub retractable hand shower



t description		Surface	Item No.
L926 er DN 20 sening ss B e aerator M 28 x 1 e DN 20 connector nstallation	0	Chrome	5140705
L926 mixer DN 15 indles sening ss B headpart 180° totions G 1/2 x G 3/4 putlet G 1/2		Chrome Gold Plated 23 Carat	516100520 516104520
L926 ed thermostatic mixer ed trim-set er safety device 40 °C shut-off valve d Accessories: stat ed thermostatic mixer DN 15		Chrome Gold Plated 23 Carat	517190520 517194520 35158
L926 ed thermostatic mixer ed trim-set er safety device 40 °C t-off valve accessories stat		Chrome Gold Plated 23 Carat	517200520 517204520 35156





G1/2

KLUDI-1926 connection angle DN 15 Cover rosette Ø 56 mm

ChromeGold Plated23 Carat

1210105

1210145



description		Surface	Item No.
926 ed valve, trim set rim set ndle ng of: leeve, rosette ile extension neutral	•	Chrome Gold Plated 23 Carat	518030520 518034520
I <b>Accessories</b> ed valve DN 15 on G 1/2			29809
ed valve DN 20 on G 3/4			29811
ed valve DN 20 connection 22 mm			29911

KLUDI-1926 two-way diverter as a rotary valve 180 ° set 2 - trim set cross handle consisting of: handle, sleeve, rosette	<ul> <li>Chrome</li> <li>Gold Plated</li> <li>23 Carat</li> </ul>	518490520 518494520
<b>Required Accessories</b> two-way diverter DN 15 set 1 – pre-installation	neutral	2975900
KLUDI-1926 angle valve DN 15 cross handle without marking flow rate 271/min at 3 bar with compression joint with push-on rosette	<ul> <li>Chrome</li> <li>Gold Plated 23 Carat</li> </ul>	518430520 518434520



Surface ChromeGold Plated 23 Carat

Item No.

2751405 2751445



2751005 2751045

# BATHROOM ESSENTIALS





## KLUDI- BREEZE DURABLE AND VERSATILE SOLUTIONS

Kludi-Breeze product range includes high-quality metal and ABS shattafs and angle valves, available in all the Kludi PVD brushed finishes and Chrome or Matt colors to complement any bathroom style. Designed for durability and performance, these fixtures offer both functionality and aesthetic appeal.

### KLUDI-BREEZE



Product Product RLUDI-BR angle value brass ang 1/4 turn

t description	Surface	Item No.
BREEZE Ilve Igle valve DIN 15	Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD Brushed Nickel PVD	1584105-00 1584139-00 1584153-00 15841N0-00 15841N1-00 15841N2-00 15841N5-00

# SENSOR FAUCETS

Faucets and soap dispensers with senso a key feature in modern public restrooms hygiene and convenience. These touchles to activate water flow and dispense soap contact, reducing the spread of germs ar automatic functionality promotes a smo restroom experience while conserving wo providing only the necessary amounts.

s have become enhancing both s devices allow users without physical d bacteria. Their other, more efficient ter and soap by
## KLUDI- WAVE ENHANCING HYGIENE WITH TOUCH-LESS FAUCETS AND SOAP DISPENSERS

The seamless design of Kludi-Wave sensor-operated fixtures contributes to a more sanitary environment, improving overall cleanliness. With growing emphasis on health and safety, sensor-based faucets and dispensers are now a standard in many public facilities. Provided with laser or IR sensor activation, Kludi-Wave products are available for wall or deck applications. The faucet features a sleek, slim design with a concealed sensor for a touchless, modern water experience.

144



L45

#### **KLUDI-WAVE**

#### Product Product description Item No. Surface KLUDI-WAVE 0 Chrome 3820605 2 in 1 faucet and soap disepense ĕ Matt Black 3820639 Matt White Brushed Gold PVD deck mounted 3820653 38206N0 laser sensor activation ŏ Brushed Bronze PVD 38206N1 blue and red LED light display The left sensor is for water and the right Brushed Gunmetal PVD 38206N2 sensor is for soap Brushed Nickel PVD 38206N5 electric power supply AC100-240V Water pressure 0.05 MPa – 0.80 MPa G1⁄2" inlet thread 3000ml bottle capacity, output volume 0.6-2.0ml/cycle Suitable soap viscosity, Liquid: 100-3500cps Suitable soap PH 5-9 Certified to BS EN 15091:2013 standard

Suitable soap PH 5-9

#### **KLUDI-WAVE**

Product

## Product description



wall mounted 0.6-2.0ml/cycle 3500cps



KLUDI-WAVE	0	Chrome
IR sensor tap		Matt Black
deck mounted	0	Matt White
IR Sensor activation		Brushed Gold PVD
electric power supply AC100-240V		Brushed Bronze PVD
Water pressure 0.05 MPa – 0.80 MPa		Brushed Gunmetal PV
G½" inlet thread		Brushed Nickel PVD
Certified to BS EN 15091:2013 standard		





KLUDI-WAVE IR sensor tap wall mounted

|--|--|

KLUDI-WAVE	0	Chrome	3812405	
IR sensor soap dispenser		Matt Black	3812439	
deck mounted	0	Matt White	3812453	
IIR Sensor activation		Brushed Gold PVD	38124N0	
Liquid function		Brushed Bronze PVD	38124N1	
electric power supply AC100-240V		Brushed Gunmetal PVD	38124N2	
1000ml bottle capacity, output volume		Brushed Nickel PVD	38124N5	
0.6-2.0ml/cycle				
Suitable soap viscosity, Liquid: 100-				
1500cps				



KLUDI-WAVE IR sensor soap dispenser wall mounted Liquid function 0.6-2.0ml/cycle 1500cps Suitable soap PH 5-9

#### Surface KLUDI-WAVE Chrom Matt B 0 2 in 1 faucet and soap dispenser Matt W laser sensor activation Brushe blue and red LED light display Brushe Brushe Brushe The left sensor is for water and the right sensor is for soap electric power supply AC100-240V Water pressure 0.05 MPa – 0.80 MPa G½" inlet thread 3000ml bottle capacity, output volume Suitable soap viscosity, Liquid: 100-Suitable soap PH 5-9 Certified to BS EN 15091:2013 standard

#### Chrome Matt Black Matt White IR Sensor activation ŏ Brushed Gold PVD electric power supply AC100-240V Water pressure 0.05 MPa – 0.80 MPa G½" inlet thread Certified to BS EN 15091:2013 standard

Chrome

Matt Black

Matt White

Brushed Gold PVD

Brushed Nickel PVD

Brushed Bronze PVD
 Brushed Gunmetal PVD
 38132N1

0

Õ

## IR Sensor activation

- electric power supply AC100-240V 1000ml bottle capacity, output volume
- Suitable soap viscosity, Liquid: 100-

Item	No.

ie	3820705
Black	3820739
Vhite	3820753
ed Gold PVD	38207N0
ed Bronze PVD	38207N1
ed Gunmetal PVD	38207N2
ed Nickel PVD	38207N5



3813205

3813239

3813253

38132NO

38132N5

# CONCEALED SHOWER SOLUTIONS FOR LIFESTYLE BATHROOMS

## KLUDI-TOUCHTRONIC YOUR BATHROOM IS DIGITAL, YOUR BATHROOM IS SMART



32°

## KLUDI-TOUCHTRO

oduct	Product description	Surface	ltem No.
	KLUDI-TOUCHTRONIC electronic concealed thermostatic fitting	Polycarbonat	38310G1-00
	electronic concealed thermostatic fitting pre-installation set with Touchdisplay Touchdisplay IP65 to control temperature and flow rate wall fastening concealed plastic housing with additional tight gasket sealing according to DIN18534 Power supply 12 volts (cable from water connection box) Water connection box IP54 powered by 230 V mains supply CE marking with WIFI module control via touch display with option for APP control Connection cold water/ hot water G 1/2 Connection of 1 to 3 consumers (G 1/2) possible Safety function at 38°C Temperature limitation 44°C Thermal disinfection max. 70°C possible Start temperature individually adjustable start flow rate individually adjustable warm up" function"		NEW



# KLUDI-PUSHTRONIC THE ULTIMATE SMART LIVING

### **KLUDI-PUSHTRONIC**

roduct	Product description	Surface	Item No.
roduct	•	Surface Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel	Item No. 3830005-00 3830039-00 38300N0-00 38300N1-00 38300N2-00 38300N5-00 NEW



## KLUDI-SLIM.BOXX NEW CONCEALED UNIT

Product	Product description	Surface	Item No.	Product	Product description
SLIM.BOXX	KLUDI SLIM.BOXX concealed body DN 20 pre-installation set without trim set without functional unit in-wall installation with one-piece elastomere- coating with protection cap for skeleton with additional tight gasket with flushing set dezincification resistant brass P-IX 19310/ICB		88022* NEW	FLEXX.BOXX	KLUDI FLEXX.BOXX concealed body DN 20 pre-installation set without trim set without functional unit in-wall installation with one-piece elastomere-coating with protection cap for skeleton with additional tight gasket with flushing set dezincification resistant brass P-IX 19310/IC

\*Compatible with the trim-sets of the series: KLUDI-NOVA FONTE PURA, KLUDI-BALANCE, KLUDI-AMEO, KLUDI-BOZZ, KLUDI-LOUVA, ZENTA SL, KLUDI-PURE&STYLE, KLUDI-PURE&SOLID, KLUDI-PURE&EASY

#### description

#### Surface

Item No.



# KLUDI-PUSH PURISM IN ITS PUREST

#### **KLUDI-PUSH**

#### Product Product description Surface Item No. Chrome 387120538 KLUDI-PUSH concealed mixer with push-button on/off control for two outlets ceramic cartridge with hot water limitation metal rotating handle round escutcheon Ø150 **Required Accessories:** KLUDI FLEXX.BOXX concealed body DN 20 88011 389020538 KLUDI-PUSH Chrome ~85 concealed thermostatic mixer concealed valve with functional unit with push-button on/off control for one outlet hot water safety device 38 °C round escutcheon **Required Accessories:** KLUDI FLEXX.BOXX concealed body DN 20 Ø150 88011 KLUDI-PUSH Chrome 389120538 concealed thermostatic mixer concealed valve with functional unit with push-button on/off control for two outlets hot water safety device 38 °C round escutcheon Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20 Ø150 88011

#### **KLUDI-PUSH**





~85

Product description		Surface	Item No.
KLUDI-PUSH concealed thermostatic mixer concealed valve with functional unit with push-button on/off control for one outlet hot water safety device 38 °C soft-edge escutcheon	۰	Chrome	389010538
Required Accessories: KLUDI FLEXX,BOXX concealed body DN 20			88011
KLUDI-PUSH concealed thermostatic mixer concealed valve with functional unit with push-button on/off control for two outlets hot water safety device 38 °C soft-edge escutcheon	•	Chrome	389110538
Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20			88011
KLUDI-PUSH Concealed mixer with push-button on/off control for two outlets ceramic cartridge with hot water limita- tion metal rotating handle soft-edge escutcheon	0	Chrome	387110538
Required Accessories: KLUDI FLEXX.BOXX concealed body DN 20			88011

# SHOWER DREAMS YOUR PERSONAL EXPERIENCE

Head showers, hand showers and shower systems are small technical masterpieces with the intention of making shower dreams come true. An experience that refreshes all senses and at the same time allows a moment of "release".



# KLUDI-ASANA WELLNESS PROGRAM

#### **KLUDI-ASANA**



t description	Surface	Item No.
<b>SANA</b> D mm head shower amer rain, Clean jet olight	<ul> <li>Chrome</li> <li>Matt Black</li> <li>Matt White</li> <li>Brushed Gold PVD</li> <li>Brushed Bronze PVD</li> <li>Brushed Gunmetal PVD</li> <li>Brushed Nickel PVD</li> </ul>	6944005-00 6944039-00 6944053-00 69440N0-00 69440N1-00 69440N2-00 69440N5-00

SANA ) mm head shower nmer rain and Waterfall	Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD Brushed Nickel PVD	6945005-00 6945039-00 6945053-00 69450N0-00 69450N1-00 69450N2-00 69450N5-00

ASANA O mm head shower nmer rain, Waterfall holight	<ul> <li>Chrome</li> <li>Matt Black</li> <li>Matt White</li> <li>Brushed Gold PVD</li> <li>Brushed Bronze PVD</li> <li>Brushed Gunmetal PVD</li> <li>Brushed Nickel PVD</li> </ul>	6946005-00 6946039-00 6946053-00 69460N0-00 69460N1-00 69460N2-00 69460N5-00
--	--	--

### **KLUDI-ASANA**







t description	Surface	Item No.
SANA	Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD Brushed Nickel PVD	6950005-00 6950039-00 6950053-00 69500N0-00 69500N1-00 69500N2-00 69500N5-00

<b>SANA</b> I spout for bathtubs	Chrome Matt Black Matt White Brushed Gold PVD Brushed Bronze PVD Brushed Gunmetal PVD Brushed Nickel PVD	6951005-00 6951039-00 6951053-00 69510N0-00 69510N1-00 69510N2-00 69510N5-00





shower arm DN 15 for head shower 1S and 3S without ball joint projection 130 mm

t description		Surface	Item No.
A-QA Irm DN 15 shower DN 15 on 400 mm h-on rosette 58 x 58 mm	•	Chrome	6654405-00
<b>I-QA</b> <b>irm DN 15</b> shower DN 15 on 250 mm h-on rosette 58 x 58 mm	•	Chrome Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel	6654305-00 66543N0-00 66543N1-00 66543N2-00 66543N5-00
I-QA Irm DN 15 shower DN 15 on 400 mm h-on rosette diameter 55 mm		Chrome Matt Black Matt White Matt Black/Chrome White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Gunmetal Brushed Nickel Matt Dove Matt Light Dove Matt Teal Blue Matt Light Blue Matt Vermilion	6651405-00 6651439-00 6651453-00 6651457-00 6651491-00 66514N1-00 66514N2-00 66514N2-00 6651401-00 6651402-00 6651403-00 6651404-00 6651405-00
1-QA	-	Chrome	6651305-00

for head shower DN 15 with push-on rosette diameter 55 mm

for head shower DN 15 with push-on rosette 61 x 61 mm

6235305-00

6653305-00

Chrome

Chrome



t description		Surface	ltem No.	
A-QA nower DN 15 mm ead shower ray mode: volume e 23 I/min at 3 bar nd easy cleaning system II joint tion G 1/2 : shower arm	•	Chrome	6432005-00	
A-QA nower DN 15 mm ead shower ray mode: volume e 23 I/min at 3 bar nd easy cleaning system Il joint tion G 1/2 : shower arm		Chrome white/Chrome matt black/Chrome	6432505-00 6432591-00 6432587-00	
A-QA tower DN 15 mm ead shower ray mode: volume e 23 l/min at 3 bar nd easy cleaning system Il joint tion G 1/2 : shower arm	۰	Chrome	6432505-00WR9	179
A-QA nower DN 15 mm ead shower ray mode: volume e 23 //min at 3 bar nd easy cleaning system Il joint tion G 1/2 : shower arm	ŏ	Chrome white/Chrome matt black/Chrome	6433005-00 6433091-00 6433087-00	
A-QA pfbrause DN 15 mm ead shower ray mode: volume e 8 l/min at 3 bar nd easy cleaning system Il joint tion G 1/2 : shower arm	•	Chrome	6433005-00WR9	



description		Surface	ltem No.
A-QA ower DN 15 and shower teening ower Ø 250 mm ay mode: volume ad easy cleaning system a 24,5 I/min at 3 bar	•	Chrome	6487005-00
A-QA ower DN 15 ead shower tening ower Ø 250 mm ay mode: volume ad spray tid easy cleaning system a volume spray: 24,5 l/min at 3 e flood spray: 27 l/min at 3 bar of 2 spray types ves or one changeover valve with s	$\bigcirc$	Chrome White/Chrome Matt black/Chrome	6488005-00 6488091-00 6488087-00
A-QA ply DN 15 I-compensation ring	•	Chrome	6554005-00
A-QA ply DN 15 ed against back flow ng to DIN EN 1717 I-compensation ring	•	Chrome	6554305-00
A-QA Ill shower hook s with conical nut ews and dowels	•	Chrome	6555105-00



t description		Surface	ltem No.
A-QA wall rail 0 mm adjustment to existing drill holes 120 mm tal and vertical adjustable slider UDI SUPARAFLEX SILVER-hose G 1/2 x 1600 mm st	۰	Chrome	6209505-00
aiaal puta			

Chrome

6564105-00

horizontal and vertical adjustable slider with screws and dowels



186



description	Surface	ltem No.
RESHLINE et 1S mm al and vertical adjustable slider RESHLINE handshower RS 1S ay mode: volume 23 l/min at 3 bar d easy cleaning system UPARAFLEX hose 6 1/2 x 1600 mm coated ical nuts catcher sieves unting material	Chrome	6783005-00
SHLINE t Dual Shower System DN 15 ng ntally and vertically adjustable tube and vertical adjustable slider e control handle ther safety device 38° C nal temperature limit stop at 43 ° C ic shut-off valve as rotary valve let G 1/2 er rotary valve let G 1/2 er rotary valve igainst back flow ARAFLEX SILVER hose 6107205-00 FRESHLINE head shower 6751105- 0,4 l/min at 3 bar FRESHLINE handshower RL 3S 00 1,6 l/min (booster) / 10,9 l/min 1,7 l.l/min (volumen) at 3 bar ig function ing material	Chrome Chrome	<b>6709205-00</b>
SHLINE t Dual Shower System DN 15 ng ntally and vertically adjustable tube and vertical adjustable slider e control handle ater safety device 38° C hal temperature limit stop at 43 ° C ic shut-off valve as rotary valve let G 1/2 er rotary valve let against back flow ARAFLEX SILVER hose 6107205-00 FRESHLINE head shower 6751105-	Chrome	6709205-00WR9

flow rate 8 I/min at 3 bar with KLUDI FRESHLINE handshower RL 3S





#### Dual Shower System DN 15 wall fastening with horizontally and vertically adjustable tube two-way ceramic diverter horizontal and vertical adjustable slider water supply with connecting hose G 1/2 x G 1/2 x 800 mm KLUDI SUPARAFLEX SILVER hose 6107205-00 with KLUDI FRESHLINE head shower 6751105-00 flow rate 14 l/min at 3 bar with KLUDI FRESHLINE handshower RL 6790005-00 adjustable to three spray patterns: booster, smooth, volume flow rate 8 l/min at 3 bar with draining function with mounting material

mixer

#### 6709005-00WR9

Chrome

æ

Ì

KLUDI-FRESHLINE plastic-coated with conical nuts

#### Product description

- KLUDI-FRESHLINE handshower RL 3S adjustable to three spray patterns: booster, smooth, volume
- flow rate 15 l/min (booster) / 10 l/min
- (smooth) / 18,8 l/min (volumen) at 3 bar quick and easy cleaning system
- with draining function KLUDI SUPARAFLEX hose
- G 1/2 x G 1/2 x 1250 mm
- with screws and dowels



White/Chrome

Item No.

6795005-00 6795091-00

6785005-00



Chrome



189

#### KLUDI-FRESHLINE Chrome 6787005-00 **bath shower set 1S** KLUDI-FRESHLINE handshower RS 1S ٢ with spray mode: volume flow rate 19 l/min at 3 bar KLUDI SUPARAFLEX hose G 1/2 x G 1/2 x 1250 mm with conical nuts wall supply with shower holder DN 15 protected against back flow in compliance with DIN EN 1717 with screws and dowels shower outlet G 1/2 with conical nuts noise level l



description	Surface	Item No.
RESHLINE ower DN 15 im 2 23 l/min at 3 bar d easy cleaning system i joint shower arm ion G 1/2	Chrome	6751105-00
RESHLINE ower DN 15 20 mm ay mode: volume 20 l/min at 3 bar de aasy cleaning system alled dirt cleaner sieve shower arm ion G 1/2	Chrome	6445005-00
RESHLINE bwer DN 15 50 mm ay mode: volume 34 l/min at 3 bar d easy cleaning system alled dirt cleaner sieve shower arm ion G 1/2	Chrome	<b>6440005-00</b> రై
<b>RESHLINE</b> <b>100k</b> s with conical nut ews and dowels	Chrome	6455205-00



## **KLUDI-DIVE** DIVE INTO INSPIRING SHOWER WORLDS



#### Surface

Chrome

 $(\bigcirc)$ 

٢

#### Item No.

6808005-00

with horizontally and vertically adjustable

horizontal and vertical adjustable slider with ceramic shut-off valve as rotary valve 90°/90°

hand shower rotary valve

shower hose G 1/2 x G 1/2 x 1600 mm

- with three spray patterns: Body/Hair/Skin
- quick and easy cleaning system
- quick and easy cleaning system

## wall fastening with horizontally and vertically 6) ٢ horizontal and vertical adjustable slider with ceramic shut-off valve as rotary valve hand shower rotary valve head shower rotary valve shower hose G 1/2 x G 1/2 x 1600 mm hand shower DIVE X 3S with three spray patterns: Body/Hair/Skin with push-button switch quick and easy cleaning system quick and easy cleaning system



6908005-00





















## KLUDI-VELAC GEOMETRIC FORMS OF EXQUISITE CLARITY



### **KLUDI-VELA C**





















KLUDI-VE toilet brus with toilet satin glas wall moun with fixing wall holde

## KLUDI-VE

description	Surface	Item No.
ELA C rel holder m adjustable nted g material er metall	<ul> <li>Chrome</li> <li>Matt Black</li> <li>Matt White</li> <li>Brushed Gold</li> <li>Brushed Bronze</li> <li>Brushed Gunmetal</li> <li>Brushed Nickel</li> </ul>	3197705 3197739 3197753 31977N0 31977N1 31977N1 31977N2 31977N5

KLUDI-VELA C tumbler holder fixed woll mounted	<ul> <li>Chrome</li> <li>Matt Black</li> <li>Matt White</li> <li>Brushad Gold</li> </ul>	3197505 3197539 3197553 3197553
	•	
with fixing material wall holder metall glas transparent	<ul><li>Brushed Bronze</li><li>Brushed Gunmetal</li><li>Brushed Nickel</li></ul>	31975N1 31975N2 31975N5

KLUDI-VELA C	Chrome	3198505
soap dish	<ul> <li>Matt Black</li> </ul>	3198539
fixed	<ul> <li>Matt White</li> </ul>	3198553
wall mounted	Brushed Gold	31985NO
with fixing material	Brushed Bronze	31985N1
wall holder metall	<ul> <li>Brushed Gunmetal</li> </ul>	31985N2
glas bowl transparent	Brushed Nickel	31985N5

'ELA C	0	Chrome	3197605
ap dispenser	Ŭ.	Matt Black	3197639
	Ō	Matt White	3197653
inted		Brushed Gold	31976NO
ng material		Brushed Bronze	31976N1
ler metall	•	Brushed Gunmetal	31976N2
ntainer		Brushed Nickel	31976N5

ELA C <b>ish holder</b> et brush ss container nted ig material er metall	Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel	3197405 3197439 3197453 31974N0 31974N1 31974N2 31974N5

### KLUDI-VELA C





description	Surface	ltem No.
elf with bath towel holder nted ig material er metall	Chrome Matt Black Matt White Brushed Gold Brushed Bronze Brushed Gunmetal Brushed Nickel	3198905 3198939 3198953 31989N0 31989N1 31989N2 31989N5

## KLUDI-VELAS A MIX OF SOFT LINES FOR YOUR PERSONAL BATHROOM IDEA



#### **KLUDI-VELA S**











Ø16

Ø98 

E.H

E I

R







description	Surface	Item No.
ELA S	Chrome	2597505
nolder	Matt Black	2597539
older	O Matt White	2597553
	Brushed Gold	25975NO
nted	Brushed Bronze	25975N1
g material	Brushed Gunme	etal <b>25975N2</b>
er metall	Brushed Nickel	25975N5
ongrant		

ELA S ap dispenser	<ul> <li>Chro</li> <li>Matt</li> </ul>		2597605 2597639
ap dispenser	O Matt		2597653
	0	hed Gold	25976N0
nted		hed Bronze	25976N1
ig material	Brus	hed Gunmetal	25976N2
er metall	Brus	hed Nickel	25976N5
150 1			

KLUDI-VELA S hand towel holder "hand towel holder L= 300mm fixed wall mounted with fixing materia wall holder metall"	<ul> <li>Chrome</li> <li>Matt Black</li> <li>Matt White</li> <li>Brushed Gold</li> <li>Brushed Bronze</li> <li>Brushed Gunmetal</li> <li>Brushed Nickel</li> </ul>	2597405 2597439 2597453 25974N0 25974N1 25974N2 25974N5
--	--	---

ELA S	Chrome	2598405
k	<ul> <li>Matt Black</li> </ul>	2598439
ok	O Matt White	2598453
	Brushed Gold	25984N0
inted	Brushed Bronze	25984N1
ng material	Brushed Gunmetal	25984N2
er metall	Brushed Nickel	25984N5

### **KLUDI-VELA S**




## KLUDI-VELA R PERFECT YOUR OASIS OF WELL-BEING WITH CIRCULAR AND COZY DESIGN



### **KLUDI-VELA R**





### 

description		Surface	Item No.
ELA R	0	Chrome	5897505
nolder	•	Matt Black	5897539
older	0	Matt White	5897553
	•	Brushed Gold	58975NO
nted	•	Brushed Bronze	58975N1
g material		Brushed Gunmetal	58975N2
er metall		Brushed Nickel	58975N5
an arant			

ELA R n nted g material er metall	<ul> <li>Chrome</li> <li>Matt Black</li> <li>Matt White</li> <li>Brushed Gold</li> <li>Brushed Bronze</li> <li>Brushed Gunmetal</li> <li>Brushed Nickel</li> </ul>	5898505 5898539 5898553 58985N0 58985N1 58985N2 58985N5
l transparent	Brushed Meker	00700110

KLUDI-VELA R liquid soap dispenser liquid soap dispenser fixed wall mounted with fixing material wall holder metall glass container 150ml	<ul> <li>Chrome</li> <li>Matt Black</li> <li>Matt White</li> <li>Brushed Gold</li> <li>Brushed Bronze</li> <li>Brushed Gunmetal</li> <li>Brushed Nickel</li> </ul>	5897605 5897639 5897653 58976N0 58976N1 58976N2 58976N5
--	--	---

ELA R	0	Chrome	5897405
ush holder		Matt Black	5897439
wel holder	0	Matt White	5897453
nm		Brushed Gold	58974NO
	•	Brushed Bronze	58974N1
inted with	•	Brushed Gunmetal	58974N2
ateria wall	Ō	Brushed Nickel	58974N5
netall"			

ELA R		Chrome	5898405
k		Matt Black	5898439
k	0	Matt White	5898453
	•	Brushed Gold	58984NO
nted	•	Brushed Bronze	58984N1
ig material		Brushed Gunmetal	58984N2
er metall	•	Brushed Nickel	58984N5

### **KLUDI-VELA R**



Product



LED cosmetic mirror standing model 60 Hz mer black CE checked concealed fastening with fixing material



wall mounted 3 x magnification lighting LED 4,5W 60 Hz CE checked with fixing material

KLUDI-VELA R

### Product description

### KLUDI-VELA R

- LED cosmetic mirror material: mirror glass material frame: metal mirror one-sided 2 changeable color temperature 3000K oder 5700K switch on the back 3 x magnification lighting LED 4,5W input voltage:200 - 240 V / AC 50-
- output voltage: 12V DC degree of protection: IP20 with cable, black, length 200 cm plug in power supply with transforprotection class 2 Energy efficiency class E

### Surface

Chrome Matt Black O Matt White Brushed Gold Brushed Bronze
 Brushed Gunmetal Brushed Nickel

### Item No.

5899505F 5899539F 5899553F 58995N0F 58995N1F 58995N2F 58995N5F

Chrome Matt Black Matt White Ō Brushed Gold Brushed Bronze Brushed Gunmetal
 Brushed Nickel

5899505W 5899539W 5899553W 58995NOW 58995N1W 58995N2W 58995N5W

- LED cosmetic mirror LED cosmetic mirror material: mirror glass material frame: metal mirror one-sided swiveled on a double-jointed arm 2 changeable color temperature 3000K oder 5700K switch on the back input voltage:200 - 240 V / AC 50output voltage: 12V - DC
- degree of protection: IP44 connection: direct protection class 1 Energy efficiency class E concealed fastening

bathroom.

## SMART TOILETS

The new toilet with integrated bidet functionality that brings you the finest in personal comfort and cleansing. An all-in-one solution that combines design and technology, to mark a superior hygiene standard in your

## KLUDI-CLEANTRONIC

000

HYGIENE STANDARD IN YOUR



### **KLUDI-CLEANTRONIC**



Product









226



R1/2 20~65 0 11 107 Ĩ, 580 1000 120 180 320 178-188) Ð Ð 3/8 30-135( 105105 4 195

### Product description

Surface

Item No.

KLUDI-CLEANTRONIC Smart bidet unit with remote controller

Glossy White

16WCSU43



KLUDI-UNIFIX

concealed module 6/3 L (for wall hung smart WC)

Orange / White

79202

DUAL FLUSH

## WCS AND BIDETS FUNCTIONALITY AND DESIGN CRAFTED IN CERAMIC

KLUDI provides comprehensive toilet and bidet solutions, boasting an extensive range adaptable to any style, enabling the creation of a personalized toilet experience. A comprehensive lineup encompassing all essential components for bringing your dream bathroom to life, from the WC bowl and cistern to the control panel and meticulously coordinated accessories. Within the KLUDI sanitary series, you're certain to discover your perfect solution. KLUDI's esteemed focus on design, innovation, and quality now extends to every aspect of your bathroom with its new ceramic product range.

SHAPES DESIGNED FOR ENDLESS COMBINATIONS.





### Product description

**KLUDI-RESA S** Water tank (bottom inlet) SurfaceGlossy White

Item No.

27WCT43

KLUDI-RESA S

Spiralflush wall hung WC 55 cm P-trap, hidden fixations Glossy White
 Matt White
 Matt Light Dove
 Matt Black



27WCW0143 27WCW0153 27WCW0102 27WCW0139



### Product description

### KLUDI-RESA S Bidet wall hung 55 cm

Æ

046

190

-500

370 +180 +

> 60 300 170

550 -

 $\bigoplus$ 

∕\_Ø46

190

\_

솬

420

180

260 430

0724

230

Hidden fixations

### Surface

Glossy White
 Matt White
 Matt Light Dove
 Matt Black

### Item No.

27BIW0143 27BIW0143 27BIW0153 27BIW0102 27BIW0139

 Glossy White
 Matt White
 Matt Light Dove
 Matt Black 27BIB0143 27BIB0153 27BIB0102 KLUDI-RESA S Bidet BTW. 55 cm Hidden fixations 27BIB0139





### Product description

**KLUDI-RESA D** Rimless BTW WC 52 cm Uni-trap, Hidden fixations Surface

Glossy White



24WCB0443

SPIRALFLUSH

KLUDI-RESA D Rimless wall hung WC 52 cm P-trap Hidden fixations Glossy White

24WCW0243





240

Bidet wall hung 52 cm Hidden fixations

Glossy White

24BIW0143

Glossy White

24BIB0143



# KLUDI-RESA R Design meets function



duct description	Surface	Ite

Water tank (bottom inlet)

Glossy White

em No.

23WCT43

**KLUDI-RESA R** Spiralflush BTW WC 55 cm Uni-trap, hidden fixations

Glossy White

23WCB0443





**KLUDI-RESA R** Bidet wall hung. 52 cm Hidden fixations

130

-390-----

|

430

320

+ 230

### Product description

KLUDI-RESA R Bidet BTW. 55 cm Hidden fixations

Surface Glossy White Item No.

23BIB0243

S

Glossy White

23BIW0143









### Product description

Surface

Item No.

**KLUDI-RESA C** Water tank (bottom inlet)



28WCT43

**KLUDI-RESA C** Rimless BTW WC 52 cm Uni-trap Glossy White

28WCB0343







340



t description	Surface	Item No.
RESA C	Glossy White	28BIB0143

**KLUDI-RESA C** Bidet wall hung 52 cm

Glossy White

28BIW0143





256

### Product description

**KLUDI-RESA M** Rimless C.C. WC 64 cm P-trap Surface

White

Item No.

6WC1243

6WC1043



**KLUDI-RESA M** Rimless C.C. WC 66 cm S-trap White



Product		Product description	Surface	Item No.
6		KLUDI-RESA M Rimless C.C. WC 66 cm BTW open back S-trap	Glossy White	6WCS143
	$\begin{array}{c} & & & \\ & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & &$	KLUDI-RESA M Rimless Back to Wall WC 52 cm Uni-trap	Glossy White	6WC1343
	25 25 25 25 365 365 365 320 430 430 430 430 430 55 355	KLUDI-RESA M Rimless Wall Hung WC 52 cm P-trap	Glossy White	6WC1443

## PUSH PLATES AND CONCEALED CISTERNS

Invisible built-in flushing systems seamlessly blend functionality with aesthetics, optimizing space in any bathroom. KLUDI's new and elegant push plates effortlessly integrate with various styles and designs of dual flush systems, effectively reducing water consumption. The harmonious combination of concealed cisterns and modern-styled push plates ensures a sleek and stylish bathroom design. All systems feature dual flush functionality for enhanced water efficiency and can be easily paired with KLUDI's wall-hung and back-to-wall water closets, offering versatility and convenience.

## KLUDI-UNIFIX SLIM & COMPACT DUAL FLASH ACTUATORS AND WATER SAVING CONCEALED CISTERNS





### **KLUDI-UNIFIX**



Product П 124/135

### Product description

Surface

Item No.

KLUDI-UNIFIX Concealed frame (for wall hung bidet)

Orange

### **KLUDI-UNIFIX**



Product description	Surface	Item No.
KLUDI-UNIFIX Concealed cistern & frame 4.5/3 L	White	79102-01
4.3/3 L	DUAL FLUSH	79102-02

KLUDI-UNIFIX Concealed frame (for wall hung bidet)

4/2 L

White

79200

### **KLUDI-UNIFIX**



### Product description

Surface

Item No.

KLUDI-UNIFIX Concealed frame (for wall hung bidet) Orange

## WASHBASINS WHERE YOUR BATHROOM DESIGN BEGINS

Essential and stylish, the washbasin serves as the cornerstone of your bathroom. It's a daily necessity, yet it's also the primary element for crafting your ideal bathroom. Kludi presents a diverse selection of stunning sinks in various sizes, colors, and shapes, seamlessly complementing KLUDI sink taps and accessories. Explore KLUDI's range and get inspired.

# KLUDI-RES ELEGANT AND VESATILE DESIGN FOR THE WASHING AREA

272



0

E



276



t description	Surfac	e	ltem No.
ESA M Isin) o cm hole	Glossy Glossy	White	6WB6543
g			

Glossy White 6WB6043

Glossy White

6WB5543

277

6WB5043

Glossy White



278

t description	Surface	ltem No.
<b>ESA</b> 18 cm	Glossy White	59W0143
<b>ESA</b> sin) 9.5 cm	Glossy White	59W0243

Glossy White

59W0343

Glossy White

59W0443



## FURNITURE

## KLUDI-ICOS Dress the bathroom





### **KLUDI-ICOS**



### Product description

KLUDI-ICOS (Wall Hung Vanity Unit) 100x50 H35cm

### Surface

Matt WhiteMatt Light DoveMatt Teal Blue

Item No.

50S10053 50\$10002 50\$10003



KLUDI-ICOS (Wall Hung Vanity Unit) 120x50 H35cm

Matt White
 Matt Light Dove
 Matt Teal Blue

50\$12053 50S120O2 50S120O3

111

t.
# **KLUDI-ICOS**



Product description		Surface	Item No.
KLUDI-ICOS	0	Matt White	50T12053
(Finishing top)		Matt Light Dove	50T12002
120x50 H1.2cm		Matt Teal Blue	50T12003

# **KLUDI-ICOS**



# Product description

KLUDI-ICOS			
(Finishing top)			
220x50 H1.2cm			

Su	irfa	ice

Matt White
 Matt Light Dove
 Matt Teal Blue

Item No.

50T22053 50T22002 50T22003



Matt White Matt Light Dove Matt Teal Blue

50T24053 50T24002 50T24003

# MIRRORS UNLEASH YOUR IMAGINATION

The perfect example of creations.

KLUDI mirrors serve as the finishing touch to personalize your perfect bathroom. Offered in various shapes and sizes, all equipped with LED lighting and demister functionality. Adjustable light temperature adds further customization.

now KLUDI's style is reflected in its

# KLUDI-LUMA

F

Illuminate your bathroom



# **KLUDI-LUMA**



# **KLUDI-LUMA**

Product description	Surface	Item No.
<b>KLUDI-LUMA</b> (Mirror) 60x60 h3 cm LED light & De-mister Cool light 6000K - 980 Lumens	Mirror	17SP0100

Mirror

KLUDI-LUMA

(Mirror) 80x80 h3 cm LED light & De-mister Cool light 6000K - 1350 Lumens

297

KLUDI-LUMA

—218**—**+

- Ç 🖗

(Mirror) 100x100 h3 cm LED light & De-mister Cool light 6000K - 1700 Lumens

Mirror

17SP0300

17SP0200



Ţ.

# Product description

KLUDI-LUMA (Mirror) (Mirror) 100x68 h3 cm LED light & De-mister Cool light 6000K - 700 Lumens

Mirror

17SP0800

(Mirror) 120x68 h3 cm LED light & De-mister Cool light 6000K - 900 Lumens

Mirror

17SP0700

Item No.

Surface

# **BATHTUBS** A STYLISH TOUCH FOR LUXURIOUS COMFORT

Introducing our spacious and stylish freestanding or drop-in bathtubs, designed to bring a modern and comfortable touch to your bathroom. The flowing lines and symmetry of our bathtubs bring a new level of comfort, luxury and relaxation. Cosy minimalist shapes for luxurious baths, suitable for every bathroom environment. Available in a variety of sizes and shapes, including oval and rectangular, to fit any bathroom space. KLUDI-RESA bathtubs are made of RAKSOLID, a solid and durable material composed of a mixture of minerals and natural resins, while KLUDI-ELIN are made of high-quality acrylic, a strong and long-lasting material. The elegant matt white finish of KLUDI-RESA O bathtubs adds a touch of sophistication and contemporary style, while the glossy white finish of KLUDI-ELIN matches any other ceramic in the bathroom, providing a polished look.



# KLUDI-RESA

# **KLUDI-RESA**





400

000



304

# Product description

Surface

O Matt White

Item No. 51BF0253

KLUDI-RESA O (Bathtub) 170x75 h58 cm Oval

Drain included

KLUDI-RESA O (Bathtub) 180x80 h58 cm Oval Drain included

O Matt White

51BF0153

# KLUDI-ELIN A STYLISH TOUCH FOR LUXURIOUS COMFORT





# **KLUDI-ELIN**





7 70



 KLUDI-ELIN
 Image: Glossy White
 52BF0343

 (Bathtub)
 180x80 h60 cm

 Rectangular
 Drain & metal feet included

# õ

•



-1555

# Product description

KLUDI-ELIN (Bathtub)

180x80 h43 cm

Drop-in in Acrilyc

Drain cover included

KLUDI-ELIN (Bathtub)

170x70 h43 cm

Drop-in in Acrilyc

Drain cover included

Glossy White

56B0143

Glossy White

28B0243

309

KLUDI-ELIN (Bathtub)

155x70 h37 cm

Drop-in in Acrilyc

Drain cover included

Surface
Glossy White

Item No.

28B0143

# KLUDI-ELIN

٢

310

roduct		Product description	Surface	Item No.	Product	
		KLUDI-ELIN (Bathtub)	Glossy White	56B0243		
	750 -255-J	155x75 h37.5 cm Drop-in in Acrilyc Drain cover included				695 -240-J
•	365				ث	375





(Bathtub)	sy
170x70 h37 cm Drop-in in Acrilyc Drain cover included	









Glo



Glossy White

# Product description

Surface

Glossy White

Item No.

KLUDI-ELIN (Bathtub)

155x70 h37.5 cm Drop-in in Acrilyc Drain cover included

56B0443

# SHOWER TRAYS

KLUDI's range of shower trays is designed to redefine the overall concept and aesthetic of your bathroom. Featuring an elegant matte finish with a stone effect, they impart a distinctive ambiance to the shower area while providing a tactilely pleasing, anti-slip surface for enhanced safety. Whether constructing a new shower or renovating an existing one, selecting the appropriate parts and materials tailored to the space and dimensions is paramount. With a thickness of only 3cm, KLUDI shower trays not only optimize space but also boast a surface that inhibits the growth of bacteria and fungi, ensuring superior safety and hygiene. Additionally, they exhibit excellent resistance to chemical products, ensuring long-lasting durability and functionality.

# KLUDI-TERRA Elevate your shower experience





# **KLUDI-TERRA**



## Product description

KLUDI-TERRA (Shower Tray) 80x180 h3 cm Drain cover included Matt WhiteMatt Light DoveMatt Black

Surface

Item No.

08DW2153 08DW2102 08DW2139

KLUDI-TERRA (Shower Tray) 90x170 h3 cm Drain cover included



Matt WhiteMatt Light DoveMatt Black

09DW2253 09DW22O2 09DW2239

KLUDI-TERRA (Shower Tray) 90x180 h3 cm Drain cover included Drain not included



Matt White
Matt Light Dove
Matt Black

09DW2353 09DW23O2 09DW2339

# **KLUDI-TERRA**



318

# O Matt White 08DW0553 Matt White Matt Light Dove Matt Black 08DW0502 (Shower Tray) 80x160 h3 cm 08DW0539 Drain cover included Drain not included Matt White Matt Light Dove Matt Black KLUDI-TERRA 08DW0653 08DW06O2 (Shower Tray) 08DW0639 80x140 h3 cm Drain cover included Drain not included O Matt White Matt Light De KLUDI-TERRA 08DW0753 Matt White Matt Light Dove Matt Black 08DW0702 (Shower Tray) 08DW0739 80x120 h3 cm Drain cover included Drain not included 08DW0853 08DW0802 Matt WhiteMatt Light DoveMatt Black KLUDI-TERRA (Shower Tray) 08DW0839 80x100 h3 cm Drain cover included Drain not included

Surface

Item No.

KLUDI-TERRA (Shower Tray) 80x80 h3 cm Drain cover included Drain not included

Matt WhiteMatt Light DoveMatt Black

08DW0953 08DW09O2 08DW0939

# **KLUDI-TERRA**



# **Product description**

KLUDI-TERRA (Shower Tray) 100x160 h3 cm Drain cover included Drain not included

1110

125 . ∓\_<sup>Ø 90</sup>

200+

35 <sub>↓175</sub> ↓

200

30 <sub>475</sub>

Ø 90

-Ø 10

35 \_175 \_





Item No.

08DW1553 08DW15O2 08DW1539







# **URINALS** & PARTITION

Efficiency and hygiene, in a well design product range. Partitions, dividing these fixtures, ensure privacy, offering a semblance of personal space in crowded facilities. Together, KLUDI's urinals and comfort and represent the perfect solution for public restrooms.



# KLUDI-IVO

STYLISH SOLUTIONS FOR THE MODERN COMMERCIAL BATHROOM

324

-

# KLUDI-IVO



# Product description

Surface

Item No.

Glossy White

29UBP0143

# TRAPS THE IDEAL OFFERT

Refined siphons add a touch of sophistication to bathroom decor. Kludi offers traps crafted from chrome-plated ABS, stainless steel, or polypropylene, seamlessly blending with Kludi's wall-hung washbasins or bidets, enhancing the visual appeal without compromising aesthetics.

# DRAINS & BOTTLE

# COMPLETION OF KLUDI'S BATHROOM

# KLUDI-ROTEXA THE ESSENTIAL COMPLEMENT



# **KLUDI-ROTEXA**



-

Ø32\_\_\_\_

# General Terms and Conditions of Sale of Kludi GmbH & Co. KG

## Article 1 General - Scope

- (1) These General Terms and Conditions of Sale shall apply to all deliveries and services of Kludi GmbH & Co KG (referred to in the following as: Kludi); conditions of the ordering party that contradict or deviate from these General Terms and Conditions of Sale (and/or supplementary conditions) shall not apply, except where Kludi has explicitly approved their applica-
- These General Terms and Conditions of Sale shall also apply where Kludi is aware of conditions of the ordering party that contradict or deviate fro these General Terms and Conditions of Sale, and performs the delivery to the ordering party without reservation.
- If the ordering party accepts services/deliveries from Kludi without reservation, this shall also constitute acceptance of these General Terms and Conditions of Sale
- (2) All aareements that are made between Kludi and the ordering party regarding the performance of a contract shall be recorded in writing in the spective contract. The respective contract document shall be presumed to be complete and accurate. Where there exist between Kludi and the ordering party other unilateral or
- multilateral contractual agreements, and where individual clauses of those contracts conflict with clauses of these General Terms and Conditions of Sale, the clauses of those other agreements shall only replace the corresponding clauses of these General Terms and Conditions of Sale where this has been explicitly aareed.
- (3) These General Terms and Conditions of Sale shall only apply vis-à-vis com panies in the meaning of Article 310 of the German Civil Code (BGB).
- (4) These General Terms and Conditions of Sale shall also apply to all future transactions with the ordering party, without Kludi being obliged to make specific reference to them in individual cases

# Article 2 Information, advisory services

Information and advisory services regarding the products of Kludi shall be provided on the basis of the prior experience of Kludi. The values specified in that connection shall be calculated average values. Information and advisory services shall not render unnecessary suitability testing of the goods supplied and compliance with processing instructions, in particular by the ordering party. Verbal information shall not be binding, unless an explicit agreement has

been made to the contrary

## Article 3 Quotation, quotation documents

334

- (1) If an order is subject to qualification as a quotation under Article 145 of the German Civil Code (BGB). Kludi shall be entitled to accept it within 3 weeks. A supply contract or other contract shall only then be considered to exist when Kludi has explicitly confirmed the order or other assignment, or when the goods have been delivered.
- (2) Samples and specimens shall be considered non-binding samples for inspection purposes. In the case of purchases based on samples and/or specimens, deviations are reserved where these are customary for the industry or lie within the scope of normal manufacturing and technical improvement The delivery of samples or specimens shall not constitute a guarantee of quality or shelf life, or a quality agreement, and it shall not be associated with the definition of a standard quality, unless this is explicitly indicated in the order confirmation
- (3) Samples and specimens shall be returned to Kludi in faultless condition and at the expense of the ordering party within 4 weeks. If they are not returned within this period, Kludi shall be entitled to charge the purchase price in accordance with the price list. Price lists can be requested from Kludi at any
- (4) Where not explicitly otherwise agreed, the specifications published by Kludi in catalogues, brochures and other publications in text or image format (e.g. descriptions, photographs or drawings) shall constitute approximate specifications, and shall not constitute auality specifications or possible uses of the goods supplied by Kludi. Specifications from Kludi shall not constitute guarantees of shelf life

or quality, or quality specifications, and shall correspond to the current state of knowledge at Kludi. Kludi shall not be liable for the success of the inten-

(5) Kludi retains all property rights and copyrights, and rights of reproduction, to images, drawings, calculations, cost estimates, and other documents; it shall not be permissible for images, drawings, calculations, cost estime tes and other documents to be disclosed to third parties. These documents shall be returned to Kludi if the order is not placed. The aforementioned pro visions of this Para. 5 shall in particular apply to written documents marked "confidential"; the ordering party shall require the explicit approval of Kludi before the disclosure of these to third parties.

## Article 4 Prices, payment conditions

- (1) Unless otherwise agreed in the order confirmation, the prices of Kludi on the date of delivery apply "ex works" and exclusive of packaging and ansportation; the latter will be invoiced separately.
- (2) The statutory value-added tax is not included in the prices: it will be separately stated in the invoice at the statutory rate on the date of invoicing.
- (3) Deliveries to destinations in EU countries and in states party to the

Agreement on the European Economic Area shall be subject to an agreed rriage-paid limit of Euro 750.00 per individual order. and a small-auantity surcharae of Euro 6.00 for individual orders with a value under Euro 50.00 Where upon request of the ordering party deliveries are to be made to se-condary or tertiary addresses, a surcharge of 10% of the invoice value for the order shall be charged on these delivery routes, in addition to the agreed

- , For deliveries to destinations on the continents of Asia (in particular China and Russia), Australia (including New Zealand), Africa, Antarctica, South ica and North America, a carriage-paid limit of EURO 500,00 shal apply per individual order, and a small-auantity surcharae of EURO 500.00 individual orders with a value under EURO 500,00. Where upon request of the ordering party deliveries are to be made to secondary or tertiary addresses, a surcharge of 10% of the invoice value for the order shall be charged on these delivery routes, in addition to the agreed price.
- (4) Where not otherwise specified in the order confirmation, the purchase price shall be due for payment net (without deduction) within 30 days after the invoice date. The statutory provisions regarding the consequences of default in payment shall apply. If the ordering party pays the purchas price within 10 days after the invoice date an early payment discount of 3% of the invoice total shall apply, provided that all older purchase price debts have been paid in full. Any further early payment discount shall be subject to special explicit agreement. Payments shall be made in euros, and shall be payable free of postage and charges to paying agents specified by Kludi. Bills of exchange and cheques shall only constitute payment when they have been redeemed, and shall be accepted without obligation for timely presentation and protesting.
- (5) In the event of default, Kludi shall be entitled to claim default interest at the statutory rate (Article 288 Para 1 Para 2 of the German Civil Code (BGB)) If Kludi demonstrates that the default in payment has incurred higher loss of interest, this can be claimed. The right to assert further claims is explicitly
- In the case of bilateral commercial transactions. Kludi shall be entitled to charge maturity interest at a rate of 4%, starting from the date of the payment claim.
- In the event of justified doubt in the solvency of the ordering party, in particular in the event of payment arrears, Kludi shall be entitled to demand advance payments or collateral from the ordering party for further delive ries, without prejudice to any further claims, and shall be entitled to revoke individually agreed payment periods.
- (7) The ordering party shall only be entitled to rights of offsetting and retention here the counterclaims have the force of law and are recognised by Kludi. Furthermore, the ordering party shall only be entitled to a right of retention where the counterclaim derives from the same contractual relationship. Kludi shall be entitled, despite any provisions of the ordering party to the contrary, to first offset payments against any older liabilities of the ordering party. If costs and interests have already been incurred, Kludi shall be en titled first to offset the payment against the cost, then against the interest, and finally against the principal demand.
- (8) All customs duties, taxes, levies etc, incurred outside the Federal Republic of Germany shall be paid by the ordering party.

### Article 5 Delivery time

- (1) Delivery schedules shall only be binding where this has been explicitly ageed. The delivery time specified by Kludi shall only begin after all techn questions have been clarified and Kludi has given an additional explicit deli-very time confirmation. Delivery schedules shall be considered to have been complied with where the delivered product has left the facility of Kludi, or notification of dispatch readiness has been sent.
- Compliance with delivery obligations on the part of Kludi shall furthermo re be dependent on the timely and proper fulfilment of the obligations of the ordering party; this shall in particular relate to the timely receipt of al documents to be supplied by the ordering party, and required permits and approvals, in particular for plans, and compliance with the agreed payment conditions (e.g. advance payments). The right of objection on grounds of non-fulfilment of contract shall be reserved.
- (3) Where non-compliance with the agreed schedules is attributable to force majeure, e.g. mobilisation, war, rioting or similar events, e.g. strike, lockout etc., the agreed schedules shall be extended appropriately. The same shall apply in the event that Kludi itself has not received deliveries in a timely or proper manner (the agreed delivery schedules shall correspondingly be subject to proper and timely deliveries by subsuppliers).
- Kludi shall be entitled to make partial deliveries, where these are reasonable for the ordering party. It shall be permitted for partial deliveries to be nvoiced separately
- (5) If the ordering party defaults on acceptance or culpably violates other duties of cooperation, Kludi shall be entitled to request compensatio of any losses incurred by Kludi as a result including remuneration of any excess expenditure. Further claims shall be reserved.
- (6) Where the requirements of Para. (5) apply, the risk of accidental loss or accidental deterioration of the purchased product shall be transferred to the ordering party from the date at which the latter defaults on acceptance or payment
- (7) Kludi shall be liable in accordance with the statutory provisions where the underlying purchase contract constitutes a fixed date transaction in the

meaning of Article 286 Para. 2 of the German Civil Code (BGB) or Article 376 of the German Commercial Code (HGB) Kludi shall also be liable in accordance with the statutory provisions where a delay in delivery for which Kludi is responsible entitles the ordering party to assert that he has no further interest in the continued performance of the contract. Subject to proper and timely deliveries by subsuppliers.

- (8) Kludi shall furthermore be liable in accordance with the statutory provisions where the delay in delivery arises from intentional or grossly negligent violation of contract for which Kludi is responsible; Kludi shall be liable for violations committed by representatives or vicarious agents of Kludi. Where the delay in delivery does not arise from an intentional violation of contrac for which Kludi is responsible the liability for compensation of damages by Kludi shall be limited to the foreseeable, typical damage.
- (9) Kludi shall also be liable in accordance with the statutory provisions where the delay in delivery for which Kludi is responsible arises from a culpable violation of a major contractual obligation; in this case, the liability for com pensation of damages by Kludi shall be limited to the foreseeable, typical damaae.
- (10) Kludi shall otherwise be liable in the event of delay in delivery to pay lump sum default compensation in the sum of 3% of the value of the delivery for each full week of delay, limited, however, to a maximum of 9% of the value of the delivery.
- (11) The limitations/exclusions of liability described in Para 7-10 of this Article shall not apply in the event of death, injury or damage to heal

### Article 6 Transfer of risk

- (1) Unless otherwise provided for in the order confirmation the delivery shall be agreed as "ex works". The risk shall correspondingly be transferred to the ordering party at the latest when the delivered products are dispatched, even where partial deliveries are made, or where Kludi still has to perform other services, e.g. where Kludi has accepted the dispatch costs or the transport and/or installation costs. The provisions of Article 5 Para. 6 shall also apply.
- (2) The return of transport packaging and all other packaging shall not be accented: this applies with the exception of pallets. The ordering party shall be obliged to dispose of the packaging at its own expense.
- (3) Where the ordering party wishes, Kludi shall arrange for the delivery to be covered by a separate transport insurance policy; the costs incurred shall be paid by the ordering party.
- (4) The statutory obligations regarding inspection and notification of defects (Article 377 of the German Commercial Code (HGB)) shall continue to apply without restriction. If the ordering party fails to perform the immediate pection of the goods required by Article 377 of the German Commercia Code (HGB), or fails immediately to give notification of defects, the goods shall be considered approved, and the ordering party shall no lo entitled to assert claims relating to defects or incomplete delivery. Where Kludi negotiates with the ordering party regarding a complaint raised by the latter, this shall not constitute a tacit waiver of the objection of late inspection of the goods or notification of defects without explicit notice thereof. The same shall apply to any statement from Kludi that it may be prepared to remedy the defect (or where such remediation actually takes place). Notification of defects shall require the written form.

## Article 7 Liability for defects

Kludi shall be liable for any defects in delivery, excluding further claims, as fol-

- (1) Claims for defects shall not exist in cases of only minor deviation from the agreed quality or - in the absence of an agreement - from the customary quality, where the impairment of function is only insignificant, in cases of natural wear or damage that occurred after the transfer of risk as a result of incorrect or negligent treatment and handling (particularly by untrained personnel), improper or inappropriate use, excessive loading, inappropriate equipment, defective construction work, inappropriate building ground, in-correct installation, incorrect use, or which occur as a result of specific external factors that have not been taken into consideration by the contract or in case of non-reproducible software errors. If the ordering party or third parties perform unprofessional modifications or maintenance work, claims for defects cannot be asserted for these or the resulting consequences. Incorrect use, in relation to which no claims for compensation of defects shall be possible shall in particular include the installation of the object of purchase or parts thereof in other products, or the installation of thirdparty components into the object of purchase, or in the event of modification of the object of purchase by the ordering party, unless an alternative
- has explicitly been agreed.(2) All parts supplied that contain defects shall be either repaired or replaced free of charge at the discretion of Kludi, where and inasmuch as the cause was already present at the time of the transfer of risk (supplementary performance)
- (3) In the event of a justified notification of defects, the ordering party shall give Kludi the opportunity of supplementary performance within a rea ble period.
- (4) If the supplementary performance has failed or is unreasonable for the ordering party (Article 440 of the German Civil Code (BGB)), or is dispen sable becaus

a) the supplementary performance is conclusively rejected by Kludi.

(5)

⊕

Any rights of recourse of the ordering party against Kludi under Article 478 of the German Civil Code (BGB) (recourse of the principal) shall only apply where the ordering party has made no agreement with his customer that exceed the statutory claims for defect. The scope of the right of recourse against Kludi shall be governed by Article 478 Para. 2 of the German Civil Code (BGB), and Article 7 Para. 1-7, 10 and Article 11 shall apply correspon dingly. (10) Any claims by the ordering party for compensation of damages in relation to a material defect shall be determined on the basis of Article 11.

Article 7. (2) Purchased products returned without the approval of Kludi shall be rejected by Kludi, or sent back to the ordering party freight forward. (3) If in individual cases and after prior explicit agreement Kludi exceptionally

(1) Kludi shall retain the title to all delivered products (referred to in the following as: ROT goods) until the payment of all receivables, for whatever legal reason, including receivables arising in future conditional receivables from concurrent or subsequently concluded contracts. This shall also apply where payments are made on specifically designated receivables. If the are indicators justifying the assumption of insolvency on the part of the ordering party, or the threat of such, Kludi shall be entitled to withdraw from the contract without notice, and to demand the surrender of the ROT goods. (2) Processing of the ROT goods shall take place on behalf of Kludi as the anufacturer in the meaning of Article 950 of the German Civil Code (BGB) without obligation for Kludi The processed goods shall constitute ROT goods in the meaning of Para 1 Where the ROT goods are processed aggregated or mixed with other goods by the ordering party, Kludi shall have joint title to the new product in the ratio of the invoice value of the ROT goods to the invoice value of the other goods used. If the title of Klud lapses upon aggregation or mixing, the ordering party hereby already transfers his ownership rights to the new stock or product in the scope of the invoice value of the ROT goods, and holds it in safekeeping for Kludi free of charge. The joint ownership rights thus arising shall constitute ROT goods in the meaning of Para. 1.

b) the supplementary performance has not been effected by a contractually determined deadline or within a specified period, and the ordering party has contractually bound the continuation of its interest in performance to the punctuality of the performance, or

c) special circumstances exist that, under consideration of the interests of both parties, justify immediate withdrawal (Article 323 Para. 2 of the German Civil Code (BGB)), the ordering party shall immediately be en-titled to reduce the purchase price or withdraw from the contract at its discretion, and (or also additionally) in accordance with Para. 10 in con-junction with Article 11 to demand compensation of damages in lieu of the performance, or reimbursement of frustrated expenditure

The expenditures required for the purpose of supplementary performance and in particular transportation, travel, personnel and material costs, shall be paid by Kludi. This shall not apply where the expenditures increase because the object of delivery has been removed to another location than the place of fulfilment (Article 12 Para. 3) of the delivery, except where this corresponds to the intended use of the object of delivery.

(6) If the ordering party accepts a defective delivery despite being aware of the defect, he shall only be entitled to the claims and rights arising from the defect if he reserves these within the framework of the acceptance process. The statements made in brochures, advertising materials, descriptions etc. regarding dimensions, weights, performance capabilities etc. shall constitute approximate statements, and not quality specifications. They shall not constitute a guarantee of quality or shelf life. Kludi reserves the right to deviations. This shall also apply to design changes.

(8) Claims for supplementary performance shall be subject to statutory limitation in one year after the beginning of the statutory limitation period the same shall apply for withdrawal and reduction. This period shall not apply where the law under Article 438 Para. 1 No. 2 (buildings and products for buildings), Article 479 Para. 1 (right of recourse) and Article 634a Para. 1 No. 2 (construction defects) of the German Civil Code (BGB) prescribes mandatory longer periods, and shall also not apply in cases of intent, malicious non-disclosure of the defect, or non-compliance with a quality guarantee or violation of major contractual obligations (cardinal obligations). In such cases the statutory limitation periods shall apply.

The statutory regulations regarding suspension of expiry, suspension, and recommencement of the limitation period, shall remain unaffected; in the event of supplementary performance by means of delivery of a defect-free product the warranty period shall however end at the time when it would have ended for the defective product.

## Article 8 Returns

(1) Returns of the purchased product shall be excluded, except in cases under

agrees to the return delivery, Kludi shall be entitled to invoice processing costs in the sum of at least 30% of the net value of the goods, depending on the usability of the acods.

(4) The ordering party shall bear the transportation risk and transport costs.

### Article 9 Retention of title

(3) If the ROT goods are aggregated with real property by the ordering party as an entrepreneur in the meaning of Article 946 of the German Civil Code

(BGB), the ordering party shall also assign to Kludi at the time of aggregation the receivables to which he is entitled as remuneration for this aggregation, together with all auxiliary rights, and without the need for any further separate statement, as security in the sum of the ratio of the ROT goods aggregated to the other goods aggregated, or to the value of his total performance.

- (4) The ordering party shall be entitled to resell, process, aggregate with other goods, or otherwise install the ROT goods only within the framework of ordinary business operations, and provided that he is not in default of payment of the purchase price. Any other utilisation of the ROT goods shall not be permitted. Distraint or other seizure of the ROT goods by third parties shall be reported to Kludi immediately. All intervention costs shall be paid by the ordering party, where they cannot be collected by the third party, and where the third-party action against execution has legitimately been taken. If the ordering party defers payment of the ROT goods under the same conditions as Kludi has retained the title to the ROT goods. The ordering party shall however not be obliged to also retain the title in relation to the receivables to which he will be entitled from his customer in future. Rescale by the ordering party shall otherwise not be authorised.
- (5) The receivables of the ordering party from the resale of the ROT goods are hereby already assigned to Kludi. These shall serve as security in the same manner as the ROT goods. Resale by the ordering party shall only be entitled and authorised where it is ensured that the receivables to which he is entitled as a result are transferred to Kludi.
- (6) If the ROT goods are sold by the ordering party at an overall price together with other goods not supplied by Kludi, the receivables from the sale shall be assigned in the value of the invoice value of the respective ROT goods sold.
- (7) If the receivables are recorded in an ongoing account, the ordering party hereby already assigns to Kludi a proportion of the balance, including the closing balance of the current account, corresponding to these receivables.
- (8) The ordering party shall be authorised to collect the assigned receivables until such authorisation is revoked by Kludi. Kludi shall be entitled to revoke this authorisation if the ordering party fails to fulfil his payment obligations arising from the business relationship in a proper manner, or if circumstances become known that have the potential to significantly reduce the credit rating of the ordering party. Where the conditions are fulfilled for this right of revocation to be exercised, upon request from Kludi the ordering party shall immediately disclose the assigned receivables and the respective debtors, provide all information required for the collection of the receivables, provide Kludi with the associated documents, and notify the debtor of the assignment. Kludi themselves shall also be entitled to notify the debtor of the assignment. The ordering party shall not otherwise be entitled to assign the receivables, and in particular not as a result of the authorisation to collect thus granted.
- (9) If the nominal value (invoice total of the goods or nominal total of the receivables entitlement) exceeds the securities held by Kludi for the secured receivables by a total of more than 10%, upon request from the ordering party Kludi shall be entitled to release securities of its choice.
- (10) If Kludi asserts a retention of title, this shall only constitute withdrawal from the contract where this is explicitly stated by Kludi. The right of the ordering party to own the ROT goods shall lapse if he fails to fulfil his obligations arising from this or another contract.

### Article 10 Use of image data, text, videos, and/or other print and digital media

- The use of images, image data, text, videos, and/or other media for which Kludi is entitled to industrial property rights, and in particular copyrights, exploitation rights, and rights of use, shall require the explicit prior approval of Kludi.
- (2) In the event that explicit approval is granted under Para. 1, the following points shall be binding for any use of the images, image data, text, videos, and/or other media for which Kludi is entitled to industrial property rights, and in particular copyrights, exploitation rights, and rights of use, and also during the presentation of products from Kludi on internet pages of the user.
  a) The brand name "Kludi" must not be used in the domain name (URL) of the user. The same shall apply correspondingly to other brands in the Kludi Group, and variations thereon.
- b) In internet presentations and other media, only such photographs of Kludi products shall be used as are typical for the brand. Photos and silhouettes of the products used in internet presentations or other media shall be of at least the same standard as the official Kludi homepage or the print media used by Kludi. In this respect, Kludi reserves the right to make further specifications.

c) The Kludi image brand / logo shall only be used in internet presentations and other media with the explicit approval of Kludi. Articles 23 and 24 of the German Trade Marks Act (MarkenG) remain unaffected.

- d) In the event of such approval being granted and the Kludi image brand / logo being used in internet presentations, it shall be linked to the website www.kludi.com.
- e) In the event of such approval being granted and the Kludi image brand / logo being used, only the original logo shall be used. It shall not be permitted for the user to modify the Kludi image brand / logo. The typefaces used on the Kludi homepage or in the print media used by Kludi shall also be used in the internet presentations of the user or in other media of the user, unless Kludi has explicitly approved another design.
- f) The user must be clearly identifiable as the copyright holder of his internet presentation or other media. It must be beyond doubt that the internet presentation or other media is the responsibility of the user and not of Kludi. The Kludi image brand / logo shall therefore be a maximum of 50% of the height of the logo of the user.
- g) Any further private or commercial use, or distribution of image data/files to third parties, shall only be permitted with the explicit prior approval of Kludi.
- (3) The use of the data provided by Kludi shall exclusively be permitted with reference to Kludi using the following format: © KLUDI GmbH & Co. KG. Menden. Germany
- (4) Any editing, modification, manipulation or distortion of the images and texts provided, e.g. rephotographing, graphic falsification, photocomposing, or alteration using electronic means, that exceed the scope of true-to-scale enlargement or reduction shall exclusively be permitted with the explicit approval of Kludi.
- (5) In the event of a violation of the conditions of use described in this Article 10, Kludi retains the right to exclude the user from further use of the image data, and to revoke any approval already granted. All further statutory rights shall be retained.

## Article 11 Compensation of damages / exclusion of liability

- (1) Any claims by the ordering party for compensation of damage for whatever legal reason – shall be excluded, subject to alternative provisions of these General Terms and Conditions of Supply. This shall not apply in the event of malicious non-disclosure of defects, in the event of noncompliance with a quality guarantee, in the event of death, injury or damage to health, and/or in the event of intentional or grossly negligent violation of obligations by Kludi, or in the event of a violation of obligations whose fulfilment is essential for the proper performance of the contract, and with which the ordering party is entitled to expect compliance (major contractual obligations / cardinal obligations). Claims under the German Product Liability Act shall also be unaffected by this limitation of liability. This limitation of liability shall apply equally to violations of obligations by the bodies and vicarious agents of Kludi.
- (2) Vis-à-vis entrepreneurs, the claim for compensation of damages arising from violation of major contractual obligations shall, however, be limited to the foreseeable damage typical for the type of contract, in the absence of either intent or gross negligence, and in the absence of liability for death, injury or damage to health.
- (3) The aforementioned limitation of liability shall apply equally to claims for the reimbursement of frustrated expenditure (Article 284 of the German Civil Code (BGB)). The above provision shall not constitute a change of the burden of proof to the disadvantage of the ordering party.

## Article 12 Applicable law, jurisdiction, place of fulfilment

- (1) Where the ordering party is a businessperson, the registered office of Kludi shall be the exclusive jurisdiction. Kludi shall however also be entitled to file claims against the ordering party at another statutory jurisdiction.
- (2) The law of the Federal Republic of Germany shall apply, excluding the UN Convention on Contracts for the International Sale of Goods and the standard rules for conflicts of international private law, and in particular the Rome I Regulation.
- (3) Where not otherwise agreed in the order confirmation, the place of fulfilment shall be the registered office of Kludi.
- (4) If individual clauses of these General Terms and Conditions of Sale are or become ineffective, wholly or in part, this shall not affect the effectiveness of the remaining clauses and the remaining parts of such clauses.

Kludi GmbH & Co. KG, As of: January 2015

### **KLUDI INDIVIDUAL**

KLUDI INDIVIDUAL is a sales program that includes different terms and conditions and delivery times, subject to the stock availability for each region. Please consult your customer care for further details.

KLUDI GmbH & Co. KG P.O. Box 25 60 · 58685 Menden Am Vogelsang 31–33 · 58706 Menden Germany

T +49 2373 904-0 info@kludi.com



Post Box : 6679, Ras Al Khaimah, United Arab Emirates, Tel : +971 7 204 8111, Fax : +971 7 244 7759 info.mea@kludi.com

© 2024 Kludi GmbH & Co. KG, Menden (Germany)

All rights reserved. Subject to technical changes. Reproduction, copying and translations shall only be permitted with our express written approval.

kludi.com